

V-TAC[®]

INNOVATIVE LED LIGHTING

LED Fittings and Tubes

V-TAC's advance grill fixtures are a new generation of linear fittings. Designed with high-caliber materials, these fixtures provide exceptional light levels, are extremely energy efficient and are easy to install. The unparalleled performance of our Grill fittings makes it a cut-above conventional fixtures. It's easy to install function and aesthetic lighting effect gives this new range an amazing potential for retail and residential applications.

These fixtures are the better choice, in terms of performance and aesthetic value, for commercial, retail or residential applications in comparison to conventional fluorescent fixtures.



- Delivering a high lumen output of over 120 lumen per watt
- Designed to deliver a smooth and soft lighting effect
- Options! Available in 60cm, 120cm, 150cm and 180cm
- The push fit connectors make it easy to install
- Five year warranty

5 V-TAC[®] PRO
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



V-TAC[®]


INNOVATIVE LED LIGHTING

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

Prismatic Fittings

10W VT-8-10

SKU: 659 - 3000K Warm White 3800157632140
 SKU: 660 - 4000K Day White 3800157632157
 SKU: 661 - 6400K White 3800157632164




1200 Lumens |
 >80 CRI |
 >0.5 PF |
 <1s Instant Start |
 15000 On/Off |
 0.26kg Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	300x74.1x24.4mm	30,000 Hours	10

Prismatic Fittings

20W VT-8-20

SKU: 662 - 3000K Warm White 3800157632171
 SKU: 663 - 4000K Day White 3800157632188
 SKU: 664 - 6400K White 3800157632195



2400 Lumens |
 >80 CRI |
 >0.5 PF |
 <1s Instant Start |
 15000 On/Off |
 0.42kg Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	600x74.1x24.4mm	30,000 Hours	10



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]


INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Prismatic Fittings

40W VT-8-40

SKU: 665 - 3000K Warm White 3800157632201
 SKU: 666 - 4000K Day White 3800157632218
 SKU: 667 - 6400K White 3800157632225




4800 Lumens |
 >80 CRI |
 >0.9 PF |
 <1s Instant Start |
 15000 On/Off |
 0.84kg Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1200x74.1x24.4mm	30,000 Hours	10

Prismatic Fittings

50W VT-8-50

SKU: 668 - 4000K Day White 3800157632232
 SKU: 669 - 6400K White 3800157632249



6000 Lumens |
 >80 CRI |
 >0.9 PF |
 <1s Instant Start |
 15000 On/Off |
 1kg Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1500x74.1x24.4mm	30,000 Hours	10




*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu



Prismatic Fittings

60W VT-9-60



SKU: 670 - 4000K Day White
 SKU: 671 - 6400K White

3800157632256
 3800157632263

- 7200** Lumens
- >80** CRI
- >0.9** PF
- <1s** Instant Start
- 15000** On/Off
- 1.2kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x74.1x24.4mm	30,000 Hours	10



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

120+ LUMENS
PER WATT

SUPER EFFICIENT



G13-T8 -Nano Plastic Tube-120CM

18W VT-122

SKU: 688 - 3000K Warm White
SKU: 672 - 4000K Day White
SKU: 673 - 6400K White

3800157632911
3800157632928
3800157632928



2250
Lumens



45w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off




0.1904kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25

120+ LUMENS
PER WATT

SUPER EFFICIENT



G13-T8 -Nano Plastic Tube-150CM

22W VT-152

SKU: 689 - 3000K Warm White
SKU: 674 - 4000K Day White
SKU: 675 - 6400K White

3800157632935
3800157632942
3800157632942



3000
Lumens



75w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start




15000
On/Off



0.2572kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu



G13-T8 -Nano Plastic Tube-60CM


10W VT-061

- SKU: 650 - 3000K Warm White 3800157632010
- SKU: 651 - 4000K Day White 3800157632027
- SKU: 652 - 6400K White 3800157632034



- 850** Lumens
- 18w** EQ.Watts
- >80** CRI
- >0.5** PF
- <0.5 s** Instant Start
- 15000** On/Off
- 0.1264kg** Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	600x27.9mm	30,000 Hours	25



G13-T8 -Nano Plastic Tube-120CM

18W VT-121

- SKU: 653 - 3000K Warm White 3800157632041
- SKU: 654 - 4000K Day White 3800157632058
- SKU: 655 - 6400K White 3800157632065



- 1700** Lumens
- 36w** EQ.Watts
- >80** CRI
- >0.5** PF
- <0.5 s** Instant Start
- 15000** On/Off
- 0.1904kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25



5 YEARS WARRANTY




*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu




G13-T8 -Nano Plastic Tube-150CM

22W VT-151

SKU: 656 - 3000K Warm White
SKU: 657 - 4000K Day White
SKU: 658 - 6400K White

3800157632072
3800157632089
3800157632096



2000
Lumens



58w
EQ.Watts



>80
CRI



>0.5
PF



<0.5 s
Instant Start



15000
On/Off



0.2572kg
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

V-TAC®

INNOVATIVE LED LIGHTING



Single Batten Fitting-120cm

18W VT-12026

SKU: 6442 - 4000K Day White
SKU: 6443 - 6400K White

3800157631501
3800157631518

LED TUBE INCLUDED



1700
Lumens



>80
CRI



>0.5
PF



15000
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Single Batten Fitting-150cm

22W VT-15023

SKU: 6438 - 4000K Day White
SKU: 6439 - 6400K White

3800157631464
3800157631471

LED TUBE INCLUDED



2000
Lumens



>80
CRI



>0.5
PF



15000
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



5 YEARS
WARRANTY



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu



Double Batten Fitting-120cm

36W VT-12027

SKU: 6444 - 4000K Day White
SKU: 6445 - 6400K White

3800157631525
3800157631532

**LED TUBE
INCLUDED**



3400
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Double Batten Fitting-150cm

44W VT-15024

SKU: 6440 - 4000K Day White
SKU: 6441 - 6400K White

3800157631488
3800157631495

**LED TUBE
INCLUDED**



4000
Lumens



>80
CRI



>0.5
PF



15000
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



LED Tri-proof Lights

Our Tri-proof lights just got tougher. 80% lower power consumption than fluorescent lights, IP65 Rating and easy-to-install lights make perfect to use in tough conditions. These high performing Tri-proofs provide the necessary light levels for any indoor and outdoor applications.

- Easy installation and maintenance
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design
- Great return on investment due to low energy consumption
- Five year warranty

5 **V-TAC**[®] **PRO**
— **YEAR** —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



V-TAC[®]

INNOVATIVE LED LIGHTING

Live . Light . Life
www.vtacexports.com | www.v-tac.eu

Waterproof Fittings

60W VT-160




SKU: 678 - 4000K Day White
 SKU: 679 - 6400K White

3800157632980
 3800157632997



120+ LUMENS PER WATT
SUPER EFFICIENT



- 7200** Lumens
- >80** CRI
- >0.9** PF
- 15000** On/Off
- 2.1kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1200x86x70mm	20,000 Hours	9

Waterproof Fittings

70W VT-170




SKU: 676 - 4000K Day White
 SKU: 677 - 6400K White

3800157632966
 3800157632973



120+ LUMENS PER WATT
SUPER EFFICIENT



- 8400** Lumens
- >80** CRI
- >0.9** PF
- 15000** On/Off
- 2.67kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1500x86x70mm	20,000 Hours	9



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life
 www.vtacexports.com | www.v-tac.eu

V-TAC[®]


INNOVATIVE LED LIGHTING



Waterproof Fittings
60W VT-180

SKU: 680 - 4000K Day White
 SKU: 681 - 6400K White

3800157634731
 3800157634748



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x66x58mm	30,000 Hours	9



5 YEARS WARRANTY



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty