

LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.



Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R

Box Qty. **25Pcs**



SKU: 6229 - 3000K Warm White
 SKU: 6230 - 4000K Day White
 SKU: 6231 - 6400K White

3800157605212
 3800157605229
 3800157605236



3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

EQ. Watts: **18w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **850lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start : **0-100% in < 1s**

On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **125g**
 Dimension: **27.9x600mm**

T8-Nano Plastic-60cm

10w VT-6072-NR

Box Qty. **25Pcs**



SKU: 6392 - 3000K Warm White
 SKU: 6393 - 4000K Day White
 SKU: 6394 - 6400K White

3800157625296
 3800157625302
 3800157625319



3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

EQ. Watts: **18w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **850lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start : **0-100% in < 1s**



On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **126.4g**
 Dimension: **27.9x600mm**

T8-Nano Plastic-90cm

14w VT-9077
 Box Qty.
25Pcs

 SKU: 6272 - 4000K Day White
 SKU: 6262 - 6400K White

 3800157615419
 3800157612128


Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

**Dummy Starter
Included**

 EQ. Watts: **25w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1200lm**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start : **0-100% in < 1s**



 On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **145.6g**
 Dimension: **27.9x900mm**

T8-Nano Plastic-120cm

18w VT-1277
 Box Qty.
25 Pcs

 SKU: 6263 - 3000K Warm White
 SKU: 6273 - 4000K Day White
 SKU: 6264 - 6400K White

 3800157612135
 3800157615426
 3800157612142


Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

**Dummy Starter
Included**

 EQ. Watts: **36w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1700lm**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start : **0-100% in < 1s**

 On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **200g**
 Dimension: **27.9x1200mm**

T8-Nano Plastic-150cm
22W VT-1577

Box Qty.
25 Pcs



SKU: 6265 - 3000K Warm White
SKU: 6309 - 4000K Day White
SKU: 6310 - 6400K White

3800157612159
3800157617437
3800157617444



3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

EQ. Watts:	58w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	2000lm	Body Type:	Nano Plastic	Gross weight:	283.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-Rotatable-High Lu-
9w VT-6085

Box Qty.
25 Pcs

SKU: 6299 - 3000K Warm White
SKU: 6302 - 6400K White


3800157617345
3800157617369



5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120+ LUMENS PER WATT
SUPER EFFICIENT



Dummy Starter
Included



EQ. Watts:	25w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	1100lm	Body Type:	Nano Plastic	Gross weight:	125g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s		


T8-Nano Plastic-High Lumen-150cm

22w VT-1585

 Box Qty.
25 Pcs

SKU: 6306 - 3000K Warm White

3800157617406


120+ LUMENS
PER WATT
SUPER EFFICIENT

**Dummy Starter
Included**


EQ. Watts:	75w	PF:	> 0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	3000lm	Body Type:	Nano Plastic	Gross weight:	1000g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s		




T8-Nano Plastic-60cm
18w VT-6077

SKU: 6313 - 4000K Day White
SKU: 6314 - 6400K White

Box Qty.
10 Pcs

3800157618656
3800157618663

120 LUMENS
+ PER WATT
SUPER EFFICIENT



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	2500lm	Body Type:	Nano Plastic	Gross weight:	290g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-120cm
36w VT-12077

SKU: 6315 - 4000K Day White
SKU: 6316 - 6400K White

Box Qty.
10 Pcs

3800157618670
3800157618687

120 LUMENS
+ PER WATT
SUPER EFFICIENT




EQ. Watts:	72w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	4500lm	Body Type:	Nano Plastic	Gross weight:	400g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-60cm

8w VT-6005

 Box Qty.
25 Pcs



 SKU: 6318 - 4000K Day White 3800157619271
 SKU: 6319 - 6500K White 3800157619288


EQ. Watts:	14w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	800lm	Body Type:	Glass with PET	Gross weight:	120g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-120cm

16w VT-1225

 Box Qty.
25 Pcs


 SKU: 6320 - 4000K Day White 3800157619295
 SKU: 6321 - 6500K White 3800157619301


EQ. Watts:	28w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1600lm	Body Type:	Glass with PET	Gross weight:	208g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Aluminium Plastic-180cm

40w VT-1840

 Box Qty.
25 Pcs

 SKU: 6251 - 4500K Day White 3800157607841
 SKU: 6250 - 6000K White 3800157607834


EQ. Watts:	80w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°	Life span:	20,000 Hours
Luminous Flux:	3800lm	Body Type:	Aluminium+PC	Gross weight:	800g
LED Type:	SMD	Holder:	G13	Dimension:	28x1800mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8 Bread Tube-120cm

18w VT-1228-B

Box Qty.
25 Pcs

SKU: 6322

3800157619318



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CR:	>95	Instant start :	0-100% in < 1s		



T8 Meat Tube-120cm

18w VT-1228-M

Box Qty.
25 Pcs

SKU: 6323

3800157619325





EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50/60Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CR:	>95	Instant start :	0-100% in < 1s		

T8 Vegetable Tube-120cm

18w VT-1228-V Box Qty. **25 Pcs**

SKU: 6324

3800157619332





EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CRI:	>95	Instant start :	0-100% in < 1s		

T8 Seafood Tube-120cm

18w VT-1228-S Box Qty. **25 Pcs**

SKU: 6325

3800157619349





EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50/60Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CRI:	>95	Instant start :	0-100% in < 1s		

T8 Plant Tube-120cm

18w VT-1228-P Box Qty. **25 Pcs**

SKU: 6326

3800157619356



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	860lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CRI:	>95	Instant start :	0-100% in < 1s		



Tube-Batten Fitting

VT-16011

Box Qty.
20 Pcs

SKU : 6053
Body Type: Aluminium
Size: 60x2mm
EAN : 3800230624659



Tube-Batten Fitting

VT-12020

Box Qty.
20 Pcs

SKU : 6054
Body Type: Aluminium
Size: 1200mm
EAN : 3800230624666



Tube-Batten Fitting

VT-12021

Box Qty.
12 Pcs

SKU : 6055
Body Type: Aluminium
Size: 1200x2mm
EAN : 3800230624673



Tube-Batten Fitting

VT-15020

Box Qty.
20 Pcs

SKU : 6056
Body Type: Aluminium
Size: 1500mm
EAN : 3800230624680



Tube-Batten Fitting

VT-15021

Box Qty.
12 Pcs

SKU : 6057
Body Type: Aluminium
Size: 1500x2mm
EAN : 3800230624697

Batten Fitting-Linkable

40w VT-80404

SKU: 6389 - 3000K Warm White
SKU: 6391 - 6400K White

Box Qty.
10 Pcs

3800157625104
3800157625128

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **3200lm**LED Type: **SMD**CRI: **>80**PF: **>0.9**Beam Angle: **110°**Body Type: **AL+PC**On/Off: **>15,000**Life span: **30,000 Hours**Gross weight: **780g**Dimension: **1200x75x26mm**


Prismatic Fitting-30cm

10w VT-8013

SKU: 4987 - 3000K Warm White

Box Qty.
10 Pcs

3800157601955

Sensor Compatible: **Yes**Voltage/Frequency: **AC:200-240V,50Hz**Luminous Flux: **900lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **110°**Body Type: **Aluminium+Plastic**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **260g**Dimension: **300x75x25mm**


T5-With Fitting-30cm

4W VT-3033

SKU: 6166 - 3000K Warm White
 SKU: 6167 - 4500K Day White
 SKU: 6168 - 6000K White

Box Qty.
50 Pcs

3800230629159
 3800230629166
 3800230629173



Upto **5Pcs**
 Interlinkable

Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours
Luminous Flux:	360lm	Beam Angle:	120°	Gross weight:	140g
LED Type:	SMD	Body Type:	Plastic	Dimension:	300x22x33mm


T5-With Fitting-60cm

7W VT-6073

SKU: 6169 - 3000K Warm White
 SKU: 6170 - 4500K Day White
 SKU: 6171 - 6000K White

Box Qty.
50 Pcs

3800230629180
 3800230629197
 3800230629203



Upto **5Pcs**
 Interlinkable

Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	630lm	Beam Angle:	120°	Gross weight:	210g
LED Type:	SMD	Body Type:	Plastic	Dimension:	600x22x33mm


T5-With Fitting-120cm

14W VT-1273

SKU: 6172 - 3000K Warm White
 SKU: 6173 - 4500K Day White
 SKU: 6174 - 6000K White

Box Qty.
50 Pcs

3800230629210
 3800230629227
 3800230629234



Upto **5Pcs**
 Interlinkable

Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	1260lm	Beam Angle:	120°	Gross weight:	300g
LED Type:	SMD	Body Type:	Plastic	Dimension:	1200x22x33mm


Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White
SKU: 5069 - 4500K Day White
SKU: 5070 - 6000K White

Box Qty.
12 Pcs

3800157606714
3800157606721
3800157606738



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **800lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **110°**

Body Type: **Aluminium Body,**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **600g**

Dimension: **579x78x35mm**


Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White
SKU: 5072 - 4500K Day White
SKU: 5073 - 6000K White

Box Qty.
25 Pcs

3800157606745
3800157606752
3800157606769



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:85-265V,50/60Hz**

Luminous Flux: **900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.6**

Beam Angle: **120°**

Body Type: **Aluminium+PC**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **240g**

Dimension: **600x32x25mm**


Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White
SKU: 5075 - 4500K Day White
SKU: 5076 - 6000K White

Box Qty.
25 Pcs

3800157606776
3800157606783
3800157606790



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:85-265V,50/60Hz**

Luminous Flux: **1800lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.6**

Beam Angle: **120°**

Body Type: **Aluminium+PC**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **370g**

Dimension: **1200x32x25mm**