

LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These Compact and Easy to install lights make a perfect replacement for traditional Dome Lights.



Product Features

- 80% Electricity savings as compared to traditional Incandescent Bulbs
- Non - Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)

Applications

Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls.

new!

Ceiling Lights - Round

14w VT-8073RD

Box Qty.
20 Pcs

SKU: 1428 - 3000K Warm White
SKU: 1429 - 4000K Day White
SKU: 1430 - 6400K White

3800157633147
3800157633154
3800157633161



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1000lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **257x65mm**



new!

Ceiling Lights - Round

20w VT-8074RD

Box Qty.
10 Pcs


SKU: 1431 - 3000K Warm White
SKU: 1432 - 4000K Day White
SKU: 1433 - 6400K White

3800157633178
3800157633185
3800157633192



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1500lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **290x65mm**



new!
Ceiling Lights - Square
20w VT-8074SQ
 Box Qty.
10 Pcs

SKU: 1434 - 3000K Warm White
 SKU: 1435 - 4000K Day White
 SKU: 1436 - 6400K White

3800157633208
 3800157633215
 3800157633222



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1500lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Square**
 Dimension: **280x280x60mm**


new!
Ceiling Lights - Round
24w VT-8075RD
 Box Qty.
10 Pcs

SKU: 1437 - 3000K Warm White
 SKU: 1438 - 4000K Day White
 SKU: 1439 - 6400K White

3800157633239
 3800157633246
 3800157633253



FLAT
DIFFUSER

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **340x65mm**



new!

Ceiling Lights - Square

32w VT-8076SQ

Box Qty.
10 Pcs

SKU: 1443 - 3000K Warm White
SKU: 1444 - 4000K Day White
SKU: 1445 - 6400K White

3800157633291
3800157633307
3800157633314



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2600lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Square
CRI:	>80	Dimension:	330x330x65mm
PF:	>0.5		



new!

Ceiling Lights - Round

32w VT-8076RD


Box Qty.
10 Pcs

SKU: 1440 - 3000K Warm White
SKU: 1441 - 4000K Day White
SKU: 1442 - 6400K White

3800157633260
3800157633277
3800157633284



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø390x65mm
PF:	>0.5		



Ceiling Lights - Square

15w

VT-8033SQ

Box Qty.
20 Pcs

SKU: 1390 - 3000K Warm White
 SKU: 5567 - 4000K Day White
 SKU: 1391 - 6400K White


3800157626477
 3800157610360
 3800157626484



TRIMLESS

Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1250lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	200x200x47.5
PF:	>0.6		



Ceiling Lights - Round

15w

VT-8033RD

Box Qty.
20 Pcs

SKU: 1388 - 3000K Warm White
 SKU: 5566 - 4000K Day White
 SKU: 1389 - 6400K White


3800157626453
 3800157610353
 3800157626460



TRIMLESS

Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1250lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø200x47.5mm
PF:	>0.6		



Ceiling Lights - Square

25w VT-8066SQ

 Box Qty.
10 Pcs

SKU: 1395 - 3000K Warm White
SKU: 1396 - 4200K Day White
SKU: 1397 - 6500K White


3800157628280
3800157628297
3800157628303



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **2000lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Square**
Dimension: **300x300x50mm**



Ceiling Lights - Round

25w VT-8066RD

 Box Qty.
10 Pcs

SKU: 1392 - 3000K Warm White
SKU: 1393 - 4200K Day White
SKU: 1394 - 6500K White


3800157628259
3800157628266
3800157628273



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **2000lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Round**
Dimension: **Ø300x50mm**



Dome Series - Rectangle Oval

8W

VT-8038-B

Box Qty.
20 Pcs


SKU: 1308 - 3000K Warm White
SKU: 1309 - 4500K Day White
SKU: 1310 - 6000K White

3800157620260
3800157620277
3800157620284



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **PC**
Shape: **Rectangle**
Dimension: **190x100x55mm**



Dome Series - Rectangle Oval

8W

VT-8038-W

Box Qty.
20 Pcs


SKU: 1311 - 3000K Warm White
SKU: 1312 - 4000K Day White
SKU: 1313 - 6000K White

3800157620291
3800157620307
3800157620314



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Rectangle**
Dimension: **190x100x55mm**



Bling Star

8W VT-8061

 Box Qty.
20 Pcs


SKU: 1370 - 3000K Warm White
SKU: 1371 - 4000K Day White
SKU: 1372 - 6400K White

3800157626262
3800157626279
3800157626286



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **560lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø215x78mm**



Bling Star

12W VT-8062

 Box Qty.
10 Pcs


SKU: 1373 - 3000K Warm White
SKU: 1374 - 4000K Day White
SKU: 1375 - 6400K White

3800157626293
3800157626309
3800157626316



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **840lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø260x92mm**



Bling Star

18w

 VT-8063

 Box Qty.
10 Pcs


SKU: 1376 - 3000K Warm White
 SKU: 1377 - 4000K Day White
 SKU: 1378 - 6400K White

3800157626323
 3800157626330
 3800157626347



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1260lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **Ø290x92mm**



Bling Star

24w

 VT-8064

 Box Qty.
10 Pcs


SKU: 1379 - 3000K Warm White
 SKU: 1380 - 4000K Day White
 SKU: 1381 - 6400K White

3800157626354
 3800157626361
 3800157626378



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1680lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **Ø330x102mm**



Ceiling Lights - Round

12w VT-8031

Box Qty.
16 Pcs


SKU: 1414 - 3000K Warm White
SKU: 5563 - 4500K Day White
SKU: 5562 - 6500K White

3800157630092
3800157610322
3800157610315



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **800lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø250x80mm**



Ceiling Lights - Round

24w VT-8032

Box Qty.
10 Pcs


SKU: 1415 - 3000K Warm White
SKU: 5565 - 4500K Day White
SKU: 5564 - 6500K White

3800157630108
3800157610346
3800157610339



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1700lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø320x95mm**



Dome Series - Oval

8W

VT-8014-OV-B

Box Qty.
10 Pcs


SKU: 1267 - 3000K Warm White
SKU: 1266 - 4000K Day White
SKU: 1268 - 6400K White

3800157611893
3800157611886
3800157611909



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 560lm
IP Rating: IP54
CRI: >70
PF: >0.5

Beam Angle: 120°
Color of Fixture: Black
Body Type: Plastic CLAD Aluminium
Shape: Oval
Dimension: Ø126x76mm



Dome Series - Oval

8W

VT-8014-OV-W

Box Qty.
10 Pcs


SKU: 1264 - 3000K Warm White
SKU: 1263 - 4500K Day White
SKU: 1265 - 6400K White

3800157611862
3800157611855
3800157611879



Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 560lm
IP Rating: IP54
CRI: >70
PF: >0.5

Beam Angle: 120°
Color of Fixture: White
Body Type: Plastic CLAD Aluminium
Shape: Oval
Dimension: Ø126x76mm



Dome Series - Round

8W

VT-8014-RD-W

Box Qty.
10 Pcs


SKU: 4999 - 3000K Warm White
SKU: 1259 - 4500K Day White
SKU: 4997 - 6400K White

3800157602556
3800157611817
3800157602259



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**



Dome Series - Round

8W

VT-8014-RD-B

Box Qty.
10 Pcs


SKU: 1261 - 3000K Warm White
SKU: 1260 - 4000K Day White
SKU: 1262 - 6000K White

3800157611831
3800157611824
3800157611848



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**




Dome Series - Oval

12W VT-8016-B
 Box Qty.
10 Pcs

 SKU: 5056 - 4500K Day White 3800157603980
 SKU: 5055 - 6400K White 3800157603348

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>70**
 PF: **>0.5**


 Beam Angle: **120°**
 Color of Fixture: **Black**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø245x96mm**


Dome Series - Oval

12W VT-8016-W
 Box Qty.
10 Pcs

 SKU: 5054 - 4500K Day White 3800157603331
 SKU: 5053 - 6400K White 3800157603324

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>70**
 PF: **>0.5**

 Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø245x96mm**


Dome Series - Oval

12w VT-8015-B

Box Qty.
10 Pcs


SKU: 1349 - 3000K Warm White
SKU: 5052 - 4000K Day White
SKU: 5051 - 6400K White

3800157624046
3800157603317
3800157603300



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø220x105mm**



Dome Series - Round

12w VT-8015-W

Box Qty.
10 Pcs


SKU: 4998 - 3000K Warm White
SKU: 5050 - 4500K Day White
SKU: 4996 - 6400K White

3800157602549
3800157603294
3800157602228



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø220x105mm**



Dome Series - Oval

12W VT-8010-B
 Box Qty.
10 Pcs


SKU: 1350 - 3000K Warm White
 SKU: 4973 - 4500K Day White
 SKU: 1269 - 6400K White

3800157624053
 3800230629050
 3800157611916



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Color of Fixture: **Black**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø242x96mm**



Dome Series - Oval

12W VT-8010-W
 Box Qty.
10 Pcs


SKU: 1351 - 3000K Warm White
 SKU: 1353 - 6000K White

3800157624060
 3800157624084



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:200-240V,50/60Hz**
 Luminous Flux: **840lm**
 IP Rating: **IP54**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **110°**
 Color of Fixture: **White**
 Body Type: **Plastic CLAD Aluminium**
 Shape: **Oval**
 Dimension: **Ø242x96mm**



Dome Sensor Series

VT-8002C

Box Qty.
5 Pcs


SKU: 4966

3800230625816



Sensor Type: **Microwave**
 Color: **White**
 Detection Range: **360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max. 60W**
 Watts:

Detection Distance: **1-8m(radius) adjustable**
 Body Type: **PC**
 IP Rating: **IP44**
 Dimension: **Ø296x96mm**
 Time Delay: **Min. 10sec±3sec,
 Max. 12min±1min**



Dome Sensor Series

16w VT-8001C

Box Qty.
5 Pcs

SKU: 1281 - 3000K Warm White
 SKU: 4965 - 4500K Day White
 SKU: 1282 - 6000K White

3800157612678
 3800230625809
 3800157612685



Built In LED

Sensor Type: **Microwave**
 Color: **White**
 Detection Range: **360°**
 Voltage: **AC:200-240V,50/60Hz**
 Rated Load: **16w**
 Watts: **16w**

Detection Distance: **1-8m(radius) adjustable**
 Body Type: **PC**
 IP Rating: **IP54**
 Dimension: **Ø296 x 96mm**
 Time Delay: **Min. 10 sec to 12 min**



Dome Sensor Series

12w VT-8017

Box Qty.
10 Pcs


SKU: 5057 - 3000K Warm White
 SKU: 5058 - 4000K Day White
 SKU: 5059 - 6400K White

3800157605250
 3800157605267
 3800157605274



Sensor Type: **PIR**
 Color: **White**
 Detection Range: **360°**
 Voltage: **AC:110-240V,50/60Hz**
 Rated Load: **12W(24PCS LED)**
 Watts: **12w**

Detection Distance: **Max. 6m(<24°C)**
 Body Type: **Plastic CLAD Aluminium**
 IP Rating: **IP20**
 Dimension: **Ø290x60mm**
 Time Delay: **Min. 10sec±3sec,
 Max. 12min±1min**



LED Bulkhead

Mostly used in Parking Lots, Corridors, Exterior Walls, Airports, and Malls.



Sleek Design & Durability

Lightweight and energy efficient. Specially designed anti-glare diffuser.



2D LED Bulkhead



2D LED Bulkhead
Emergency Battery Back Up



360°
Detection Angle



2D LED Bulkhead
with Microwave Sensor



360°
Detection Angle




3IN1
2D LED Bulkhead
Built In Emergency Battery
Back Up & Microwave Sensor

2D Bulkhead

8W VT-8039

Box Qty. 10 Pcs

SKU: 1345 - 4000K Day White 3800157623087




Watts:	8w	On/Off Time:	< 0.5s
Lumens:	720lm	Life Span:	30,000 Hours
No. Of Led:	40	Unit Size:	Ø260x90mm
Beam Angle:	120°	IP Rating:	IP65
Voltage/Frequency:	AC:200-240V,50/60Hz	Body Type:	PC

2D Bulkhead-Microwave Sensor

8W VT-8041

Box Qty. 10 Pcs

SKU: 1346 - 4000K Day White 3800157623094



 **Microwave Sensor**

Watts:	8w	Detection Angle:	120° / 360°
Lumens:	720lm	Detection Distance:	3m, 5m, 8m, 10m (optional)
Voltage/Frequency:	AC:200-240V,50/60Hz	Detection Range:	Max D10Mx4M
On/Off Time:	< 0.5s	Hold Time:	10S, 1min, 5min, 10min customized
Life Span:	30,000 Hours	Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Unit Size:	Ø260x90mm	Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
IP Rating:	IP65	Detection Motion Speed:	0.5~3m/s
Body Type:	PC		



2D Bulkhead-Emergency Pack


10w VT-8042

 Box Qty.
10 Pcs

SKU: 1347 - 4000K Day White 3800157623100

3 YEAR WARRANTY
Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING


Emergency Battery Backup

Watts:	10w
Lumens:	720lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	20,000 Hours
Unit Size:	Ø260x90mm
IP Rating:	IP65

Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode



2D Bulkhead-Microwave Sensor-Emergency Pack


10w VT-8043

 Box Qty.
10 Pcs

SKU: 1348 - 4000K Day White 3800157623117

3 YEAR WARRANTY
Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING


31 Battery Backup
IN Microwave Sensor

Watts:	10w
Lumens:	720lm
Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s

IP Rating:	IP65
Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED


Including battery protection circuit & inhibiting mode

2D Bulkhead

15w VT-8044

Box Qty. 10 Pcs

SKU: 1341 - 4000K Day White 3800157623049



Watts:	15w	On/Off Time:	< 0.5s
Lumens:	1400lm	Life Span:	30,000 Hours
No. Of Led:	72	Unit Size:	320x100mm
Beam Angle:	120°	IP Rating:	IP65
Voltage/Frequency:	AC:200-240V,50/60Hz	Body Type:	PC

new!

2D Bulkhead

15w VT-8078

Box Qty. 10 Pcs

SKU: 1447 - 4000K Day White 3800157632744



Watts:	15w	On/Off Time:	< 0.5s
Lumens:	1450lm	Life Span:	30,000 Hours
No. Of Led:	72	Unit Size:	280x80mm
Beam Angle:	120°	IP Rating:	IP65
Voltage/Frequency:	AC:200-240V,50/60Hz	Body Type:	ABS+PC




2D Bulkhead-Microwave Sensor

15w VT-8045

 Box Qty.
10 Pcs

SKU: 1342 - 4000K Day White 3800157623056

*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


Microwave Sensor

Watts:	15w
Lumens:	1400lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	30,000 Hours
Unit Size:	Ø320x100mm
IP Rating:	IP65
Body Type	PC

Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Yes, 0, 10%, 20%, 30% optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s



2D Bulkhead-Microwave Sensor

15w VT-8079

 Box Qty.
10 Pcs

SKU: 1448 - 4000K Day White 3800157632751

*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


Microwave Sensor

Watts:	15w
Lumens:	1450lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	30,000 Hours
Unit Size:	280x80mm
IP Rating:	IP65
Body Type	ABS+PC

Detection Angle:	360°(Ceiling)120°(Wall)
Detection Distance:	3M,5M,8M,10M optional
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	10Lux, 30Lux, 50Lux optional
Dimmable Function:	N/A
Detection Motion Speed:	0.5-3m/s



2D Bulkhead-Emergency Pack

17W VT-8046


Box Qty. 10 Pcs

SKU: 1343 - 4000K Day White 3800157623063

3 YEAR WARRANTY

*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING



Emergency Battery Backup

Watts:	17w	Body Type:	PC
Lumens:	1400lm	Emergency Operation time:	>3 Hours
Voltage/Frequency:	AC:200-240V,50/60Hz	Emergency Standby Watts:	>1.5 Watts
On/Off Time:	<0.5s	Battery Charging Current:	60mA
Life Span:	20,000 Hours	Battery Discharging Current:	200mA
Unit Size:	Ø320x100mm	Battery Type:	Ni-CD AA, 9.6V 1.0Ah
IP Rating:	IP65	Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode

new!



2D Bulkhead-Emergency Pack

17W VT-8080

Box Qty. 10 Pcs

SKU: 1449 - 4000K Day White 3800157632768

3 YEAR WARRANTY

*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

IP65 RATING

Emergency Battery Backup

Watts:	17w	Body Type:	ABS+PC
Lumens:	1450lm	Emergency Operation time:	>3 Hours
Voltage/Frequency:	AC:200-240V,50/60Hz	Emergency Standby Watts:	>1.5W
On/Off Time:	<0.5s	Battery Charging Current:	60mA
Life Span:	20,000 Hours	Battery Discharging Current:	200mA
Unit Size:	280x80mm	Battery Type:	Ni-CDA,9.6V 1.0Ah
IP Rating:	IP65	Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode

2D Bulkhead-Microwave Sensor-Emergency Pack


17w VT-8047

 Box Qty.
10 Pcs

SKU: 1344 - 4000K Day White 3800157623070


31 Emergency Battery Backup
Microwave Sensor

3 YEAR
WARRANTY
Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

 IP65
RATING


Watts:	17w	IP Rating:	IP65
Lumens:	1400lm	Body Type:	PC
Detection Angle:	120° / 360°	Emergency Operation time:	> 3 Hours
Detection Distance:	3m, 5m, 8m, 10m (optional)	Emergency Standby Watts:	> 1.5W
Detection Range:	Max. D 10 x 4m	Battery Charging Current:	60mA
Hold Time:	10S, 1min, 5min, 10min customized	Battery Discharging Current:	200mA
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional	Battery Type:	Ni-CD AA, 9.6V 1.0 Ah
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional	Charging indicate:	Green LED
Detection Motion Speed:	0.5-3m/s		

Including battery protection circuit & inhibiting mode

new!

2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8081

 Box Qty.
10 Pcs

SKU: 1450 - 4000K Day White 3800157632775


31 Emergency Battery Backup
Microwave Sensor

3 YEAR
WARRANTY
Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

 IP65
RATING

Watts:	17w	IP Rating:	IP65
Lumens:	1450lm	Body Type:	ABS+PC
Detection Angle:	360(Ceiling) 120(Wall)	Emergency Operation time:	> 3 Hours
Detection Distance:	3M,5M,8M,10M Optional	Emergency Standby Watts:	> 1.5W
Detection Range:	Max D10Mx4M	Battery Charging Current:	60mA
Hold Time:	10S, 1min, 5min, 10min customized	Battery Discharging Current:	200mA
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional	Battery Type:	Ni-CD AA, 9.6V 0.7Ah
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional	Charging indicate:	Green LED
Detection Motion Speed:	0.5-3m/s		

Including battery protection circuit & inhibiting mode

new!



2D Bulkhead Bezel

 Box Qty.

SKU: **8134**
EAN : **3800157636049**
Color of Fixture: **White**

Compatible with 15w and 17w Models:
VT-8044 - VT-8045 - VT-8046 -VT-8047

new!



2D Bulkhead Bezel

 Box Qty.

SKU: **8135**
EAN : **3800157636056**
Color of Fixture: **Chrome**

Compatible with 15w and 17w Models:
VT-8044 - VT-8045 - VT-8046 -VT-8047

