



Fire Rated Light With Anti-glare Lens


- ✓ IP65 Rating.
- ✓ Integrated COB LED (Non-replaceable).
- ✓ Isolate driver with terminal for easy and speedy installation.
- ✓ Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

Color Changing

Easily can change Color from 2700-6500K

Dimmable

Controls brightness level from 0% To 100%





Optional Bezel Changeable:



Black
SKU- 1425



Brush Nickel
SKU - 1426



Polish Chrome
SKU- 1427



Fire Rated Downlight With White Bezel


10w VT-7710

Box Qty.
40 Pcs

SKU: 1424 - 3 IN 1 3800157633109



Voltage/Frequency: AC:220-240V,50Hz
 Lumens: 850lm
 LED Type: COB
 Body Type: Aluminium
 Beam Angle: 38°
 Life Span: 30,000 Hours
 Unit Size: Ø83x57mm
 IP Rating: IP65



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

new!

Fire Rated Downlight With White Bezel

7W

VT-7077-W

Box Qty.
50 Pcs

SKU: 1416 - 2700K Warm White
SKU: 1417 - 4000K Day White
SKU: 1418 - 6400K White

3800157630344
3800157630351
3800157630368



Optional Bezel Changeable:



Satin Nickel SKU- 1422



Chrome SKU- 1423

90 MIN
Fire Rated

**QUICK CONNECTOR****IP65**
RATING

Voltage/Frequency:
Lumens:
LED Type:
Body Type:
Beam Angle:

AC:220-240V,50Hz
600lm
COB
Aluminium Alloy & Iron
38°

Life Span: 30,000 Hours
Unit Size: Ø85x52mm
Cutting Size: Ø72mm
IP Rating: IP65

new!

Fire Rated Downlight With Satin Nickel Bezel

7W

VT-7077-SN

Box Qty.
50 Pcs

SKU: 1419 - 3000K Warm White
SKU: 1420 - 4000K Day White
SKU: 1421 - 6400K White

3800157630375
3800157630382
3800157630399



Optional Bezel Changeable:



Chrome SKU- 1423

90 MIN
Fire Rated

**QUICK CONNECTOR****IP65**
RATING

Voltage/Frequency:
Lumens:
LED Type:
Body Type:
Beam Angle:

AC:220-240V,50Hz
600lm
COB
Aluminium Alloy & Iron
38°

Life Span: 30,000 Hours
Unit Size: Ø85x52mm
Cutting Size: Ø72mm
IP Rating: IP65

new!



Fire Rated Fitting-GU10

VT-7011-W

Box Qty.
50 Pcs

SKU: 3131 EAN: 3800157632621

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fxture: White
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

Twist & Lock

new!



Fire Rated Fitting-GU10

VT-7011-SN

Box Qty.
50 Pcs

SKU: 3132 EAN: 3800157632638

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fxture: Satin Nickel
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

Twist & Lock

new!



Fire Rated Fitting-GU10

VT-7011

Box Qty.
50 Pcs

SKU: 3133 EAN: 3800157632645

Base: GU10
Material: Steel+Die Cast Aluminum
Shape: Round
Color of Fxture: Chrome
Dimension: Ø80x105mm
Cutting Size: Ø65mm
IP Rating: IP20

90 MIN
Fire Rated

Twist & Lock


Fire Rated Fitting-GU10

VT-701-SN

 Box Qty.
50 Pcs

SKU: 3680

EAN: 3800157626859



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20



Fire Rated Fitting-GU10

VT-701-W

 Box Qty.
50 Pcs

SKU: 3681

EAN: 3800157626866



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20




Fire Rated Fitting-GU10

VT-701-CH

 Box Qty.
50 Pcs

SKU: 3682

EAN: 3800157626873



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20



Fire Rated Fitting-GU10

VT-702-SN

Box Qty.
40 Pcs



SKU: 3683 EAN: 3800157626880

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-702-W

Box Qty.
40 Pcs



SKU: 3684 EAN: 3800157626897

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-702-CH

Box Qty.
40 Pcs



SKU: 3685 EAN: 3800157626903

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

90 MIN
Fire Rated

IP65
RATING

Fire Rated Fitting-GU10

VT-703-SN

 Box Qty.
40 Pcs


SKU: 3686	EAN: 3800157626910
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

Fire Rated Fitting-GU10

VT-703-W

 Box Qty.
40 Pcs


SKU: 3687	EAN: 3800157626927
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

Fire Rated Fitting-GU10

VT-703-CH

 Box Qty.
40 Pcs


SKU: 3688	EAN: 3800157626934
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

NEW FIRE-RATED DOWNLIGHT FITTING

