

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



Walls/Surface Mount
 2w | 120 lm



Walls/Surface Hanging
 2w | 120 lm



Recessed Hanging
 2w | 120 lm



Recessed Fixed
 2w | 120 lm



Bulkhead
 3w | 140 lm



Bulkhead
 4w | 190 lm



Wall Mounted
 7w | 600 lm

Salient Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⌚ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔒 Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours

Exit Light - Surface


2W VT-519

Box Qty. 10 Pcs

SKU: 8099 - 6000K White 3800157623155



24Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Surface/Ceiling Mounted
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 24 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained

new!

Exit Light - Surface


2W VT-519-12

Box Qty. 10 Pcs

SKU: 8312 - 6000K White 3800157630764



12Hrs
CHARGING TIME




Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Surface/Ceiling Mounted
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-cd 4.8V,600mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained



Exit Light-Surface Hanging

2w **VT-520**
Box Qty.
10 Pcs
SKU: 8100 - 6000K White 3800157623162

 24Hrs
CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained

new!


Exit Light-Surface Hanging

2w **VT-520-12**
Box Qty.
10 Pcs
SKU: 8313 - 6000K White 3800157630771

 12Hrs
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained




Exit Light-Hanging

2W VT-521

Box Qty. 10Pcs

SKU: 8200 - 6000K White 3800157623179

24Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Hanging
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 24 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained

new!




Exit Light-Hanging

2W VT-521-12

Box Qty. 10 Pcs

SKU: 8314 - 6000K White 3800157630788

12Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Hanging
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained




Exit Light-Recessed

2w **VT-522**

 Box Qty.
10 Pcs

SKU: 8201 - 6000K White 3800157623186

24Hrs
 CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained




Exit Light-Recessed

2w **VT-522-12**

 Box Qty.
10 Pcs

SKU: 8315 - 6000K White 3800157630795

12Hrs
 CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained



new!


 **12Hrs**
CHARGING TIME

Emergency -Bulkhead

3.8w VT-511-12

 Box Qty.
10 Pcs

SKU: 8249 - 6000K White 3800157635554



Lumens: **110lm**
Input: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Lamp Type: **20 SMD LEDs**
Exit Lamp Type: **Bulkhead**
Operation Time: **>3 Hours**


Charging Current: **200mA**
Discharging Current: **360mA**
Battery: **4V2.0AH Lead Acid battery**
Material: **ABS+PC**
Dimension: **292x79x102mm**
Mode Of Operation: **Maintained/Non Maintained**

Emergency-Downlight

3W VT-503

 Box Qty.
20 Pcs

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Moured:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA

Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained

Exit Light - Bulkhead

3W VT-523

 Box Qty.
12 Pcs

SKU: 8096 - 6000K White 3800157623124






Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	> 3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained

new!

Exit Light - Bulkhead

3W VT-523-12

Box Qty. 12 Pcs

SKU: 8311 - 6000K White 3800157630757



12Hrs
CHARGING TIME

IP65
RATING



Lamp Type: 16 SMD LEDs
 Lumens: 140lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 3.6v,1500mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Ways Legend Available
 Mode Of Operation: Maintained

Exit Light - Bulkhead

4W VT-524

Box Qty. 12 Pcs

SKU: 8097 - 6000K White 3800157623131



24Hrs
CHARGING TIME

IP65
RATING



Lamp Type: 30 SMD LEDs
 Lumens: 190lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,900mAh
 Recharging Time: 24 Hours(intial charge 36 hours)
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Ways Legend Available
 Mode Of Operation: Maintained

Exit Light - Bulkhead

4W VT-524-12

 Box Qty.
12 Pcs

SKU: 8382 - 6000K White 3800157635493




Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side


Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained

Emergency-Twin Spotlight

7W VT-526

 Box Qty.
5 Pcs

SKU: 8098 - 6000K White 3800157623148

Lamp Type:	2x15 SMD LEDs
Lumens:	600lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 9.6V,2200mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained

