



SAMSUNG
LED

Illuminated



LED STRIP LIGHTS


V-TAC's efficient LED strip lights range is an effective solution in illuminating up tight spaces. These lights can also be used to simply decorate your kitchen, bedroom, patios, and more. Applicable for both accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard colour temperatures.

Application

Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas



LED STRIP LIGHTS



Model	SKU	Watts	Lumen	Voltage	Roll	CRI	Box Qty
VT-5-120	323 3000K WARM WHITE	12w	1200	DC:12V	5 Meter Roll	>80	400 Meter
	324 4000K DAY WHITE						
	325 6400K WHITE						
VT-5-120-N	21324 4000K DAY WHITE	12w	1320	DC:12V	5 Meter Roll	>80	400 Meter
VT-10-240	320 3000K WARM WHITE	15w	1600	DC:24V	10 Meter Roll	>80	800 Meter
	321 4000K DAY WHITE						
	322 6400K WHITE						
VT-10-240-N	21321 4000K DAY WHITE	15w	1650	DC:24V	10 Meter Roll	>80	800 Meter
VT-10-240-1	331 3000K WARM WHITE	18w	1800	DC:24V	10 Meter Roll	>95	800 Meter
	332 4000K DAY WHITE						
	333 6400K WHITE						

WATERPROOF LED NEON FLEX



Model	SKU	Watts	Lumen	Voltage	Roll	CRI	Box Qty
VT-55	326 3000K WARM WHITE	10w	300	DC:12V	5 Meter Roll	>80	200 Meter
	327 4000K DAY WHITE						
	328 6400K WHITE						

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



LED STRIP LIGHTS

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Key Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades


Application

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.





Strip-2835-Sensor



Voltage: DC:6V

LED Qty/M: 30

LED Type: SMD 2835

Current/M: NA

Beam Angle: 120°

IP Rating: IP65

Width: 1 Meter

Box Qty: 50



Model	SKU	Watts	Lm/M	lm/LED
<u>VT-8082</u>	2573 – 2700K WARM WHITE 2574 – 4000K DAY WHITE	2.4W	200lm	5–6lm
<u>VT-8082-N</u>	212574 – 4000K DAY WHITE	2.4W	200lm	5–6lm

Bed Lights-PIR Sensor



Voltage: DC:12V

LED Qty/M: 30

LED Type: SMD

Current/M: NA

Beam Angle: 120°

IP Rating: IP20

Width: 1.2 m x1

Box Qty: 25



Model	SKU	Watts	Lm/M
<u>VT-8067</u>	2548 – 3000K WARM WHITE 2549 – 4500K DAY WHITE	3W	260lm
<u>VT-8067-N</u>	212549 – 4000K DAY WHITE	3w	260lm

Bed Lights-PIR Sensor



Voltage: DC:12V

LED Qty/M: 30

LED Type: SMD

Current/M: NA

Beam Angle: 120°

IP Rating: IP20

Width: 1.2 m x2

Box Qty: 18



Model	SKU	Watts	Lm/M
<u>VT-8068</u>	2550 – 3000K WARM WHITE 2551 – 4500K DAY WHITE	6W	520lm

Striplights 5050 60



Voltage:

AC:100–240V, 50/60Hz

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.9A

Beam Angle:

120°

IP Rating:

IP65

Width:

10mm

Box Qty:

20



Striplights 5050 60 220V



Voltage:

AC:220–240V, 50/60Hz

LED Qty/M:

60

LED Type:

SMD

Beam Angle:

120°

IP Rating:

IP66

Width:

8mm

Box Qty:

1



220V AC

Striplights 2835 120 220V



Voltage:

AC:220–240V, 50/60Hz

LED Qty/M:

120

LED Type:

SMD

Beam Angle:

120°

IP Rating:

IP66

Width:

8mm

Box Qty:

1



220V AC



Strip Set-5050 300 LEDs



Voltage: AC:100-240V, 50/60Hz **Beam Angle:** 120°
LED Qty/M: 30 **IP Rating:** IP20
LED Type: SMD **Width:** 10mm
Current/M: 0.4A **Box Qty:** 20

Model	SKU	Watts	Lm/M	lm/LED
<u>VT-5050-300-EU</u>	2630 - RGB	4.8W	500lm	14-16lm



Included



Strip Set-5050 300 LEDs



Voltage: AC:100-240V, 50/60Hz **Beam Angle:** 120°
LED Qty/M: 30 **IP Rating:** IP20
LED Type: SMD **Width:** 10mm
Current/M: 0.4A **Box Qty:** 20

Model	SKU	Watts	Lm/M	lm/LED
<u>VT-5050-300-BS</u>	2631 - RGB	4.8W	500lm	14-16lm



Included



Strip Sets-5050 60 LEDs



Voltage: AC:100-265V,50/60Hz **Beam Angle:** 120°
LED Qty/M: 60 **IP Rating:** IP20
LED Type: SMD **Width:** 8mm
Current/M: 1.5A **Box Qty:** 20

Model	SKU	Watts	Lm/M	lm/LED
<u>VT-5050 60 IP20-Set</u>	2545 - 3000K WARM WHITE 2546 - 6000K WHITE 2544 - RGB	10W	1000lm	14-16lm
<u>VT-5050 60 IP20-Set-N</u>	212546 - 6000K WHITE	11W	900lm	14-16lm



Strip Sets-5050 60 LEDs



Voltage: AC:100-265V,50/60Hz

LED Qty/M: 60

LED Type: SMD

Current/M: 1.5A

Beam Angle: 120°

IP Rating: IP20

Width: 8mm

Box Qty: 20

Model	SKU	Watts	Lm/M	lm/LED
<u>VT-5050 60 IP20-RGB Set</u>	2558 - RGB	10W	1000lm	14-16lm
<u>VT-5050 60 IP20-RGB Set-N</u>	212558 - RGB	10W	1000lm	14-16lm



Strip-2835 60 LEDs



Voltage: DC:12V

LED Qty/M: 60

LED Type: SMD

Current/M: 0.3A

Beam Angle: 120°

IP Rating: IP20

Width: 6mm

Box Qty: 400 Meters

Model	SKU	Watts	Lm/M	lm/LED
<u>VT-2835 60</u>	2561 - 6400K WHITE 2559 - 3000K WARM WHITE 2560 - 4000K DAY WHITE	4W	300lm	5-8lm
<u>VT-2835 60 -N</u>	212561 - 6400K WHITE 212559 - 3000K WARM WHITE 212560 - 4000K DAY WHITE	4.2W	420lm	6-7lm



Striplights 2835 120 Double PCB



Voltage: DC:24V

LED Qty/M: 120

LED Type: SMD

Current/M: 0.6A

Beam Angle: 120°

IP Rating: IP65

Width: 10mm

Box Qty: 400 Meters

Model	SKU	Watts	Lm/M	lm/LED
<u>VT-2835 120-IP65</u>	2627 - 6000K WHITE 2625 - 3000K WARM WHITE 2626 - 4000K DAY WHITE	7.2W	600lm	5-6lm
<u>VT-2835 120-IP65-N</u>	212627 - 6400K WHITE 212625 - 3000K WARM WHITE 212626 - 4000K DAY WHITE	7.5w	750lm	6-7lm





Striplights 2835 120 Double PCB



Voltage: DC:24V

LED Qty/M: 120

LED Type: SMD

Current/M: 0.6A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 800 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2835 120-IP20	2624 - 6000K WHITE	7.2W	600lm	5-6lm
	2622 - 3000K WARM WHITE			
	2896 -3IN1			
VT-2835 120-IP20-N	212624 - 6400K WHITE	7.5w	750lm	6-7lm
	212622 - 3000K WARM WHITE			
	212623 - 4000K DAY WHITE			

LED Strip-2835 126 LEDs



Voltage: DC:24V

LED Qty/M: 126

LED Type: SMD


Current/M: 0.33A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2835 126-24V	2595 - 6400K WHITE	8W	1200lm	28-30lm
	2593 - 3000K WARM WHITE			
	2594 - 4000K DAY WHITE			
VT-2835 126-24V-N	212595 - 6400K WHITE	8w	1100lm	8-9lm
	212593 - 3000K WARM WHITE			
	212594 - 4000K DAY WHITE			

LED Strip-4040-60



Voltage: DC:12V

LED Qty/M: 60

LED Type: SMD

Current/M: 0.66A

Beam Angle: 120°

IP Rating: IP20

Width: 8mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-4040-60	2933 - 6400K WHITE	8W	800lm	13-14lm
	2931 - 3000K WARM WHITE			
	2932 - 4000K DAY WHITE			

LED Strip-2835 168 LEDs



Voltage:

DC:24V

LED Qty/M:

168

LED Type:

SMD

Current/M:

0.45A

Beam Angle:

120°

IP Rating:

IP20

Width:

10mm

Box Qty:

400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2835 168-24V	2598 - 6400K WHITE	11W	1650lm	28-30lm
	2596 - 3000K WARM WHITE			
	2597 - 4000K DAY WHITE			
VT-2835 168-24V-N	212598 - 6400K WHITE	12w	1680lm	10-11lm
	212596 - 3000K WARM WHITE			
	212597 - 4000K DAY WHITE			

Strip Light-5050 RGB + CCT 5IN1



Voltage:

DC:24V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.58A

Beam Angle:

120°

IP Rating:


IP20

Width:

12mm

Box Qty:

400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60 IP20-24V	2895 - 5IN1	14W	1400lm	23-24lm

Strip Light-5050 RGB + CCT 5IN1



Voltage:

DC:24V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.58A

Beam Angle:

120°

IP Rating:


IP20

Width:

12mm

Box Qty:

200 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60 IP65-RGB -24W	2896 -5IN1	14W	1400lm	23-24lm



Striplights 2835 - CCT



Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD
Current/M: 0.6A

Beam Angle: 120°
IP Rating: IP20
Width: 10mm
Box Qty: 400 Meters



3000K- 6400K



Striplights 2835 - CCT



Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD
Current/M: 0.6A


Beam Angle: 120°
IP Rating: IP65
Width: 10mm
Box Qty: 200 Meters



3000K- 6400K



LED Strip-2835 238 LEDs



Voltage: DC:24V
LED Qty/M: 238
LED Type: SMD
Current/M: 0.7A

Beam Angle: 120°
IP Rating: IP20
Width: 10mm
Box Qty: 400 Meters



LED strips-2835 204 LEDs



Voltage:

DC:12V

LED Qty/M:

204

LED Type:

SMD

Current/M:

1.5A

Beam Angle:

120°

IP Rating:

IP20

Width:

10mm

Box Qty:

400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2835 204	2463 - 6000K WHITE	18W	1700lm	9-11lm
	2461 - 3000K WARM WHITE			
	2462 - 4500K DAY WHITE			
VT-2835 204-N	212463 - 6400K WHITE	17w	1700lm	8-9lm
	212461 - 3000K WARM WHITE			
	212462 - 4000K DAY WHITE			

LED Strip-2835 128 LEDs



Voltage:

DC:24V

LED Qty/M:

128

LED Type:

SMD

Current/M:

0.37A

Beam Angle:

120°

IP Rating:

IP20

Width:

4mm

Box Qty:

400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2835 128-24V	2908 - 6400K WHITE	WW-8.5W/	1150lm	9-10lm
	2906 - 3000K WARM WHITE	DW-8.5W/	1200lm	
	2907 - 4000K DAY WHITE	W-9W	1260lm	

Striplights 2835 90-High Lumen



Voltage:

DC:24V

LED Qty/M:

90

LED Type:

SMD

Current/M:

0.16A

Beam Angle:

120°

IP Rating:

IP20

Width:

10mm

Box Qty:


400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2835 90	2698 - 6400K WHITE	20W	800lm	10-11lm
	2696 - 3000K WARM WHITE			
	2697 - 4000K DAY WHITE			



LED strips-2835 240 LEDs-High Lumen



Voltage: DC:12V

LED Qty/M: 240

LED Type: SMD

Current/M: 1.5A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2835 240-H	2166 - 6000K WHITE	18W	3000lm	20-22lm
	2164 - 3000K WARM WHITE			
	2165 - 4500K DAY WHITE			
VT-2835 240-H-N	212166 - 6000K WHITE 212164 - 3000K WARM WHITE	20w	2000lm	8-9lm

LED strips-5730 120 LEDs-High Lumen



Voltage: DC:12V

LED Qty/M: 120

LED Type: SMD


Current/M: 1.5A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5730 120	2161 - 6000K WHITE	18W	3000lm	20-22lm
	2162 - 3000K WARM WHITE			
	2163 - 4500K DAY WHITE			
VT-5730 120-N	212161 - 6400K WHITE 212163 - 4000K DAY WHITE	20w	2000lm	16-17lm

Striplights 2110 700



Voltage: DC:24V

LED Qty/M: 700

LED Type: SMD

Current/M: 0.875A

Beam Angle: 120°

IP Rating: IP20

Width: 12mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2110 700	2604 - 6400K WHITE	21W	2000lm	8-10lm
	2602 - 3000K WARM WHITE			
	2603 - 4000K DAY WHITE			



Strip-2216 360 LEDs



Voltage:

DC:24V

LED Qty/M:

360

LED Type:

SMD

Current/M:

1.25A

Beam Angle:

120°

IP Rating:

IP20

Width:

10mm

Box Qty:

250 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-2216 360	2582 – 6000K WHITE	30W	2400lm	6-7lm
	2580 – 3000K WARM WHITE			
	2581 – 4000K DAY WHITE			
VT-2216 360-N	212581 – 4000K DAY WHITE	30w	2850lm	7-8lm

LED COB Striplights IP20



Voltage:

DC:24V

LED Qty/M:

280

LED Type:

COB

Current/M:

0.4A

Beam Angle:

120°

IP Rating:

IP20

Width:

8mm

Box Qty:

400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-COB 280	2654 – 6400K WHITE	10W	800lm	NA
	2652 – 3000K WARM WHITE			
	2653 – 4000K DAY WHITE			
VT-COB 280-N	212654 – 6400K WHITE	10w	950lm	3-4lm

LED COB Striplights IP20



Voltage:

DC:24V

LED Qty/M:

420

LED Type:

COB

Current/M:

0.42A

Beam Angle:

120°

IP Rating:

IP20

Width:

10mm

Box Qty:

400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-COB 421	2669 – 6400K WHITE	10W/M	1000	2-3lm
	2667 – 3000K WARM WHITE			
	2668 – 4000K DAY WHITE			
VT-COB 421-N	212667 – 3000K WARM WHITE	10w	960lm	2-3lm



LED COB Striplights IP20



Voltage: DC:24V

LED Qty/M: 512

LED Type: COB

Current/M: 0.5A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



LED COB Striplights IP20



Voltage: DC:24V

LED Qty/M: 672

LED Type: COB

Current/M: NA

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



LED strips-3014 204 LEDs



Voltage: DC:12V

LED Qty/M: 204

LED Type: SMD

Current/M: 1.5A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-512	2651 - 6000K WHITE	12W	1000lm	LM
	2649 - 3000K WARM WHITE			
	2650 - 4000K DAY WHITE			
VT-512-N	212651 - 6400K WHITE	13w	1050lm	2-3lm
	212649 - 3000K WARM WHITE			
	212650 - 4000K DAY WHITE			

Model	SKU	Watts	Lm/M	lm/LED
VT-COB 422	2880 - RGB	13W/M	NA	NA

Model	SKU	Watts	Lm/M	lm/LED
VT-3014 204+Q31	2404 - 3000K WARM WHITE	18W	1700lm	9-11lm
	2405 - 4500K DAY WHITE			
	2403 - 6000K WHITE			

LED strips-3528 60 LEDs



Voltage:

DC:12V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.3A

Beam Angle:

120°

IP Rating:

IP20

Width:

8mm

Box Qty:

400 Meters

Model	SKU	Watts	Lm/M	lm/LED
VT-3528 60-IP20	2005 - 6000K WHITE	3.6W	400lm	5-6lm
	2016 - 3000K WARM WHITE			
	2041 - 4500K DAY WHITE			
	2015 - RED			
	2013 - BLUE			
	2011 - GREEN			
	2009 - YELLOW			
VT-3528 60-IP20-N	212005 - 6400K WHITE	4.2w	420lm	7-8lm
	212016 - 3000K WARM WHITE			
	212041 - 4000K DAY WHITE			
	212015 - RED			
	212013 - BLUE			
	212011 - GREEN			



LED strips-3528 60 LEDs



Voltage:

DC:12V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.3A

Beam Angle:

120°

IP Rating:

IP65

Width:

8mm

Box Qty:

400 Meters

Model	SKU	Watts	Lm/M	lm/LED
VT-3528 60-IP65	2031 - 6000K WHITE	3.6W	400lm	5-6lm
	2032 - 3000K WARM WHITE			
	2043 - 4500K DAY WHITE			
	2036 - RED			
	2035 - BLUE			
	2034 - GREEN			
VT-3528 60-IP65-N	212032 - 3000K WARM WHITE	5w	420lm	7-8lm
	212043 - 4500K DAY WHITE			
	212036 - RED			
	212035 - BLUE			



LED strips-3528 120 LEDs



Voltage:

DC:12V

LED Qty/M:

120

LED Type:

SMD

Current/M:

0.6A

Beam Angle:

120°

IP Rating:

IP20

Width:

8mm

Box Qty:

400 Meters

Model	SKU	Watts	Lm/M	lm/LED
VT-3528 120-IP20	2002 - 6000K WHITE	7.2W	600lm	5-6lm
	2025 - 3000K WARM WHITE			
	2042 - 4500K DAY WHITE			
VT-3528 120-IP20-N	212002 - 6500K WHITE	8w	800lm	6-7lm
	212025 - 3000K WARM WHITE			
	212042 - 4000K DAY WHITE			





LED strips-3528 120 LEDs



Voltage: DC:12V

LED Qty/M: 120

LED Type: SMD

Current/M: 0.6A

Beam Angle: 120°

IP Rating: IP65

Width: 8mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-3528 120-IP65	2037 - 6000K WHITE	7.2W	600lm	5-6lm
	2038 - 3000K WARM WHITE			
	2044 - 4500K DAY WHITE			
VT-3528 120-IP65-N	212037 - 6400K WHITE	8w	800lm	6-7lm
	212038 - 3000K WARM WHITE			
	212044 - 4000K DAY WHITE			

LED strips-5050 30 LEDs



Voltage: DC:12V

LED Qty/M: 30

LED Type: SMD

Current/M: 0.4A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 30-IP20	2133 - 6000K WHITE	4.8W	500lm	14 -16lm
	2135 - 3000K WARM WHITE			
	2124 - RGB			
VT-5050 30-IP20-N	212133 - 6400K WHITE	6w	500lm	16-17lm
	212124 - RGB			

LED strips-5050 30 LEDs



Voltage: DC:12V

LED Qty/M: 30

LED Type: SMD

Current/M: 0.4A

Beam Angle: 120°

IP Rating: IP65

Width: 10mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 30-IP65	2145 - 3000K WARM WHITE	4.8W	500lm	14 -16lm
	2460 - 4500K DAY WHITE			
	2144 - 6000K WHITE			
	2118 - RGB			
VT-5050 30-IP65-N	212118 - RGB	3.5w	70lm	2-3lm

LED strips-5050 60 LEDs



Voltage:

DC:12V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.9A

Beam Angle:

120°

IP Rating:

IP20

Width:

10mm

Box Qty:

400 Meters

Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60-IP20	2122 - 3000K WARM WHITE	10.8W	1000lm	14 -16lm
	2143 - 4500K DAY WHITE			
	2126 - 6000K WHITE			
	2120 - RGB			
	2128 - RED			
	2137 - BLUE			
	2138 - GREEN			
	2156 - YELLOW			
	2547 - 2200K WARM WHITE			
VT-5050 60-IP20-N	212126 - 6400K WHITE	10.8W	900lm	14-15lm
	212122 - 3000K WARM WHITE			
	212143 - 4000K DAY WHITE			
	212120 - RGB			
	212128 - RED			
	212137 - BLUE			
	212138 - GREEN			
	212156 - YELLOW			
	212547 - 2200K WARM WHITE			

IP20 RATING

5m ROLL

Striplights 5050 60



Voltage:

DC:12V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.9A

Beam Angle:

120°

IP Rating:

IP20

Width:

10mm

Box Qty:

400 Meters



LED strips-5050 60 LEDs



Voltage:

DC:12V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.9A

Beam Angle:

120°

IP Rating:

IP65

Width:

10mm

Box Qty:

400 Meters

Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60-IP65	2149 - 3000K WARM WHITE	10.8W	1000lm	14 -16lm
	2150 - 4500K DAY WHITE			
	2148 - 6000K WHITE			
	2155 - RGB			
VT-5050 60-IP65-N	212148 - 6400K WHITE	11w	900lm	14-15lm
	212149 - 3000K WARM WHITE			
	212150 - 4500K DAY WHITE			
	212155 - RGB			





LED strips-5050 60 LEDs



Voltage: DC:12V

LED Qty/M: 60

LED Type: SMD

Current/M: 1.2A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 400 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60RGBW	2159 - RGB+WHITE	10.8W	900lm	15lm
	2552 - RGB+DAY WHITE			
	2553 - RGB+WARM WHITE			
VT-5050 60RGBW-N	212159 - RGB+WHITE	8w	357lm	5-6lm
	212552 - RGB+DAY WHITE			
	212553 - RGB+WARM WHITE			

LED strips-5050 60 LEDs



Voltage: DC:24V

LED Qty/M: 60

LED Type: SMD

Current/M: 0.3A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 200 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60-24V-5M	2430 - 6400K WHITE	9W	600lm	14-16lm
	2431 - 3000K WARM WHITE			
	2459 - 4000K DAY WHITE			
	2591 - RGB			
VT-5050 60-24V-5M-N	212430 - 6400K WHITE	10w	830lm	13-14lm
	212431 - 3000K WARM WHITE			
	212459 - 4000K DAY WHITE			
	212591 - RGB			

LED strips-5050 60 LEDs



Voltage: DC:24V

LED Qty/M: 60

LED Type: SMD

Current/M: 0.3A

Beam Angle: 120°

IP Rating: IP20

Width: 10mm

Box Qty: 200 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60-24V-10M	2592 - RGB	9W	600lm	14-16lm
VT-5050 60-24V-10M-N	212592 - RGB	7w	140lm	2-3lm

Tape-5050 60 LEDs



Voltage:

DC:24V

LED Qty/M:

60

LED Type:

SMD

Current/M:

0.375A

Beam Angle:

120°

IP Rating:

IP65

Width:

10mm

Box Qty:

200 Meters



Model	SKU	Watts	Lm/M	lm/LED
VT-5050 60-24V-IP65	2564 - 6400K WHITE	9W	500lm	14-16lm
	2562 - 3000K WARM WHITE			
	2563 - 4000K DAY WHITE			
VT-5050 60-24V-IP65-N	212564 - 6400K WHITE	10w	830lm	13-14lm
	212562 - 3000K WARM WHITE			
	212563 - 4000K DAY WHITE			

Neon Flex IP68



Model	SKU	Watts	Lm/M:
VT-554	2614 - 6400K WHITE	6.5W	260lm
	2612 - 3000K WARM WHITE		
	2613 - 4000K DAY WHITE		
	2618 - RED		
	2615 - BLUE		
	2616 - GREEN		
	2617 - YELLOW		



Voltage:

DC:24V

LED Qty/M:

126

LED Type:

SMD

Current/M:

0.27A

Beam Angle:

120°

IP Rating:

IP68


Width:

8mm

Box Qty:

50 Meters

Neon Flex Silicon Cover



Model	SKU	Watts	Lm/M:
VT-560	2621 - 6000K WHITE	8W	530lm
	2619 - 3000K WARM WHITE		
	2620 - 4000K DAY WHITE		



Voltage:

DC:24V

LED Qty/M:

238

LED Type:

SMD

Current/M:

0.34A

Beam Angle:

120°

IP Rating:


IP65

Width:

4mm


Box Qty:

200 Meters



Neon Flex-White

Model	SKU	Watts	Lm/M:
VT-555W	2512 - 6000K WHITE	8W	320



Voltage: DC:24V

LED Qty/M: 120


LED Type: SMD

Beam Angle: 160°

IP Rating: IP65

Width: 9×16.5mm

Box Qty: 5 Packets



Neon Flex-Warm White

Model	SKU	Watts	Lm/M:
VT-555WW	2513 - 3000K WARM WHITE	8W	320



Voltage: DC:24V

LED Qty/M: 120

LED Type: SMD

Beam Angle: 160°

IP Rating: IP65


Width: 9×16.5mm

Box Qty: 5 Packets



Neon Flex-Day White

Model	SKU	Watts	Lm/M:
VT-555DW	2514 - 4500K DAY WHITE	8W	320



Voltage: DC:24V

LED Qty/M: 120


LED Type: SMD

Beam Angle: 160°

IP Rating: IP65

Width: 9×16.5mm

Box Qty: 5 Packets



Neon Flex-Blue

Model	SKU	Watts	Lm/M:
VT-555B	2515 - BLUE	8W	320



Voltage: DC:24V

LED Qty/M: 120

LED Type: SMD

Beam Angle: 160°

IP Rating: IP65

Width: 9×16.5mm

Box Qty: 5 Packets



Neon Flex-Red

Model	SKU	Watts	Lm/M:
VT-555R	2516 - RED	8W	320

10m
ROLL

IP65
RATING

Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD

Beam Angle: 160°
IP Rating: IP65
Width: 9×16.5mm
Box Qty: 5 Packets



Neon Flex-Green


Model	SKU	Watts	Lm/M:
VT-555G	2517 - GREEN	8W	320

10m
ROLL

IP65
RATING

Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD

Beam Angle: 160°
IP Rating: IP65
Width: 9×16.5mm
Box Qty: 5 Packets



Neon Flex-Yellow

Model	SKU	Watts	Lm/M:
VT-555Y	2518 - YELLOW	8W	320

10m
ROLL

IP65
RATING

Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD

Beam Angle: 160°
IP Rating: IP65
Width: 9×16.5mm
Box Qty: 5 Packets



Neon Flex-Pink

Model	SKU	Watts	Lm/M:
VT-555P	2529 - PINK	8W	320

10m
ROLL

IP65
RATING

Voltage: DC:24V
LED Qty/M: 120
LED Type: SMD

Beam Angle: 160°
IP Rating: IP65
Width: 9×16.5mm
Box Qty: 5 Packets



Neon Flex-Violet

Model	SKU	Watts	Lm/M:
VT-555V	2531 - VIOLET	8W	320



Voltage: DC:24V

LED Qty/M: 120

LED Type: SMD

:

Beam Angle: 160°

IP Rating: IP65

Width: 9×16.5mm

Box Qty: 5 Packets



Backlite Silicon Neon Flex

Model	SKU	Watts	Lm/M:
VT-559	2570 - 5000K WHITE 2568 - 3000K WARM WHITE 2569 - 4000K DAY WHITE	13W	1000



Voltage: DC:24V

LED Qty/M: 120

LED Type: SMD


Current/M:

Beam Angle: 120°

IP Rating: IP65

Width: 8mm

Box Qty: 200 Meters



Bar 4014 144 LEDs

Model	SKU	Watts	Lm/M:	
VT-4014 144-2Pc	2535 - 3000K WARM WHITE 2537 - 6400K WHITE	18W	1700lm	
VT-4014 144-10Pc	2538 - 3000K WARM WHITE 2540 - 6400K WHITE	18W	1700lm	

Voltage: DC:12V

LED Type: SMD

Current/M: 1.5A

IP Rating: IP20

Width: 1M

Box Qty: 125



Bar 4014 144 LEDs

Model	SKU	Watts	Lm/M:
VT-4014 144-P	2541 - 3000K WARM WHITE	18W	1700lm

Voltage: DC:12V

LED Type: SMD

Current/M: 1.5A

IP Rating: IP20

Width: 1M

Box Qty: 100




LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and REMOTE CONTROL, to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll

LED Strip Set -PLUG AND PLAY

SKU	Description	Box Qty
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20:	48
2350	LED Strip Set SMD5050 30 LEDs RGB IP20:	48
2352	LED Strip Set SMD5050 30 LEDs RGB IP65:	50
2353	LED Strip Set SMD5050 60 LEDs RGB IP20:	50
2354	LED Strip Set SMD5050 60 LEDs RGB IP65:	48
2355	LED Strip Set SMD5050 60 LEDs White IP20:	48
2356	LED Strip Set SMD5050 60 LEDs White IP65:	48



Strip Connectors

SKU	Description	Box Qty
2587	Flexible Connector – LED Strip 5050 RGB+White:	2500
2588	Flexible Connector – 5050 RGB+White With Pin:	2000
2589	Connector – LED Strip 5050 RGB+White:	3000
3500	Flexible Connector – LED Strip 3528:	100
3501	Flexible Connector – LED Strip 5050:	100
3502	Flexible Connector – LED Strip 5050 RGB:	100
3503	Connector – LED Strip 3528:	100
3504	Connector – LED Strip 5050:	1000
3505	Connector – LED Strip 5050 RGB:	1000
3507	Flexible Connector – LED Strip 3528 DC Female:	100
3508	Flexible Connector – LED Strip 5050 DC Female:	100
3512	Connector – LED Strip DC Female:	100



Silicone Glue

SKU: [2638](#)

Power Plug (EU)

SKU: [2639](#)

H07RN-7 Cable (EU Plug)

SKU: [2640](#)

Middle Connector

SKU: [2641](#)

Fixing Clip + Screws

SKU: [2642](#)

Flexible Connector

SKU: [2643](#)

T Shape Connector

SKU: [2644](#)

L Shape Connector

SKU: [2645](#)

Mounting Kit-5CM

SKU: [2527](#)
Box Qty: 2200

Neon Power Cord

SKU: [3331](#)
Box Qty: 500

Neon Connector

SKU: [3333](#)
Box Qty: 3000

Neon End Safe Cap

SKU: [3334](#)
Box Qty: 2


Plastic Profile-1M

SKU: [2571](#)
Box Qty: 50

Plug-Pin

SKU: [2565](#)
Box Qty: 1000

Fixing Clip


SKU: [2566](#)
Box Qty: 1000

Connector for Strip 8mm



SKU: [2655](#)
Box Qty: 5000

Connector for Strip 8mm Single Head



SKU: [2656](#)
Box Qty: 2500

Connector for Strip 8mm Dual Head



SKU: [2657](#)
Box Qty: 2500

L Shape Connector for Strip 8mm



SKU: [2658](#)
Box Qty: 5000

Connector for Strip 10mm



SKU: [2659](#)
Box Qty: 5000

Connector for Strip 10mm Single Head



SKU: [2660](#)
Box Qty: 2500

Connector for Strip 10mm Dual Head



SKU: [2661](#)
Box Qty: 2500

L Shape Connector for Strip 10mm




SKU: [2662](#)
Box Qty: 5000

Connector for COB Strip 8mm Single Head



SKU: [2663](#)
Box Qty: 1000

Connector for COB Strip 8mm Dual Head



SKU: [2664](#)
Box Qty: 1000

Connector for COB Strip 10mm Single Head



SKU: [2665](#)
Box Qty: 1000

Connector for COB Strip 10mm Dual Head



SKU: [2666](#)
Box Qty: 1000

QUICK CONNECT WIRE FOR LED STRIP LIGHT



SKU: [11341](#)
Box Qty: 1000

QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT



SKU: [11342](#)
Box Qty: 1000

QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT



SKU: [11343](#)
Box Qty: 500



SINGLE COLOR CONTROLLER

Model	SKU
VT-2431	2911

- Voltage: DC:12V-24V
- Working Temperature: -10~40 °C
- Output: Max 12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode



RGB CONTROLLER

Model	SKU
VT-2432	2912

- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode



RGB+W CONTROLLER

Model	SKU
VT-2434	2913

- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode



5 CHANNEL AMPLIFIER

Model	SKU
VT-2435	2914

- Voltage: DC12V/24V
- Work Temperature: -20~60°C
- Output Voltage: DC12V/24V
- Output Current: 6A/Channel
- Total output Max: 15A
- Switching Rate: 10Mbps
- Connection: Common anode



WALL CONTROLLER - 3 IN 1

Model	SKU
VT-2433	2915

- Voltage: DC12V-24V
- Output Max: 5A/Channel
- Total Output Max: 10A
- RF: 2.4GHz
- Control Distance: 30m
- Working Temperature: -20~60°C
- Panel Size: 86×86mm"
- Compatible with RGB/RGBW/RGB+CCT strips



4 ZONE CONTROLLER

Model	SKU
VT-2439	2916

- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86×86×16mm



4 ZONE RGB+W CONTROLLER

Model	SKU
VT-2437	2917

- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86×86×16mm



TOUCH DIMMER-WHITE

Model	SKU
VT-2440-W	2919

- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m



TOUCH DIMMER-BLACK

Model	SKU
VT-2440-B	2920

- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m



8 ZONE REMOTE CONTROL

Model	SKU
VT-2438	2921

- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 47×19×153mm



4 ZONE REMOTE CONTROL

Model	SKU
VT-2436	2918

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 53×21×110.5mm

TOUCH REMOTE CONTROL
RGB+CCT

Model	SKU
VT-2441	2922

- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 56×20×138mm

TOUCH REMOTE CONTROL
RGB+W-WHITE

Model	SKU
VT-2442-W	2923

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5×21×120mm

TOUCH REMOTE CONTROL
RGB+W-BLACK

Model	SKU
VT-2442-B	2924

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5×21×120mm

Strip-Controller-Radio



Model: VT-2405
SKU: 3312
Input voltage: DC:12/24V
Box Qty: 20

Strip-Controller-Infrared



Model: VT-2472
SKU: 3625
Input voltage: DC:12/24V
Box Qty: 100

Strip-Amplifier-5050



Model: 3018
SKU: 3018
Input voltage: DC:12V
Box Qty: 1000

Strip-Controller-Wi-Fi RGB



Model: 3322
SKU: 3322
Input voltage: DC:12V
Box Qty: 50

Strip-Controller-5050



Model: 3326
SKU: 3326
Input voltage: DC:12/24V
Box Qty: 100

Strip-Amplifier



Model: VT-2408
SKU: 3327
Input voltage: DC:12/24V
Box Qty: 100

Strip-Amplifier



Model: VT-2407
SKU: 3309
Input voltage: DC:12/24V
Box Qty: 100

Bed Light-Sensor

Sensing Distance: 2-5m
DeLay Time: 3s-6min




Model: VT-8069
SKU: 2554
Input voltage: DC:12V
Box Qty: 400

Bed Light-Touch Sensor




Model: VT-8071
SKU: 2556
Input voltage: DC:12V
Box Qty: 100

Bed Light-Hand Wave Sensor



Model: VT-8072
SKU: 2557
Input voltage: DC:12V
Box Qty: 100

Strip-Controller-Dimmer



Model: VT-2411
SKU: 3341
Input voltage: DC:12V
Box Qty: 500

LED Sync Controller- Dimmer



Model: VT-2414
SKU: 3337
Input voltage: DC:12/24V
Box Qty: 50

LED Sync Controller- RGBW/WW



Model: VT-2424
SKU: 3338
Input voltage: DC:12/24V
Box Qty: 60

LED Sync Controller- RGB



Model: VT-2420
SKU: 3339
Input voltage: DC:12/24V
Box Qty: 60

LED Sync Controller- RGB



Model: VT-2421
SKU: 3340
Input voltage: DC:12/24V
Box Qty: 100



Strip Dimmer- Touch Remote Control



Model: VT-5115
SKU: 2590
Input voltage: DC:12/24V
Box Qty: 50

Strip-Controller-RGB + CCT



Model: VT-2428
SKU: 2899
Input voltage: DC:12V/24V
Box Qty: 100



Strip-Controller-CCT



Model: VT-2425
SKU: 2901
Input voltage: DC:12V/24V
Box Qty: 100



Strip Controller- WiFi – RGB + CCT



Model: VT-2429
SKU: 2900
Input voltage: DC:12V/24V

Strip WIFI Controller – CCT



Model: VT-2427
SKU: 2902
Input voltage: DC:12V/24V

Modules-3 SMD-IP67




VT-50503
5116 – 6000K WHITE
5117 -RED
5118 – BLUE
5119 – GREEN

Watts: 0.72W
Voltage/Frequency: DC:12V
Luminous Flux: 66lm
LED Type: SMD
CRI: >75
Beam Angle: 160°
Dimension: 67×15×8.5mm
IP Rating: IP67
Box Qty: 2000



Modules-3 SMD-IP67



VT-28353
5120 – 6000K WHITE
5121 -RED
5123 – GREEN


Watts: 1W
Voltage/Frequency: DC:12V
Luminous Flux: 100lm
LED Type: SMD
CRI: >75
Beam Angle: 120°
Dimension: 53×12×4.6mm
IP Rating: IP67
Box Qty: 200



Modules-3 SMD-IP67VT-28356

5124 - 3000K WARM WHITE
5127 - BLUE
5128 - GREEN

Watts: 1.5W
Voltage/Frequency: DC:12V
Luminous Flux: 120-150lm
LED Type: SMD
CRI: >75
Beam Angle: 120°
Dimension: 87×15×10mm
IP Rating: IP67
Box Qty: 2000

**Modules-4 SMD-IP68**VT-28358

5129 - 3000K WARM WHITE
5130 - 6000K WHITE
5131 - RED
5132 - BLUE
5133 - GREEN

Watts: 1.44W
Voltage/Frequency: DC:12V
Luminous Flux: 120-135lm
LED Type: SMD
CRI: >75
Beam Angle: 160°
Dimension: 37×37×6.8mm
IP Rating: IP68
Box Qty: 100

**Modules-3 SMD-IP67**VT-50506

5134 - RGB

Watts: 0.72W
Voltage/Frequency: DC:12V
Luminous Flux: 20lm
LED Type: SMD
CRI: >75
Beam Angle: 120°
Dimension: 68×19.5×5.7mm
IP Rating: IP67
Box Qty: 100

**Modules-SMD-IP68**VT-50501

5135 - 3000K WARM WHITE
5136 - 6000K WHITE
5141 - 4000K DAY WHITE
5137 - RED
5139 - BLUE
5140 - GREEN
5138 - YELLOW

Watts: 0.24W
Voltage/Frequency: DC:12V
Luminous Flux: 20lm
LED Type: SMD
CRI: >75
Beam Angle: 120°
Dimension: 12×22mm
IP Rating: IP68
Box Qty: 320

