

V-TAC[®]
INNOVATIVE LED LIGHTING

**SAMSUNG
LED**

Illuminated



LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated. V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

Key Features

- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12-24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode

Application

Offices, hospitals, corporate buildings, schools, and commercial establishments





LED EMERGENCY LIGHTS

LED Exit Light – Bulkhead


- IP20
- ABS+PC body
- 20 SMD LEDs
- AC:220-240V,50/60Hz
- Ni-Cd 4.8V, 900mAh Battery
- 12-hour Charging Time
- Green Indicator Light
- Mode Of Operation Maintained/Non Maintained
- >3-hour Emergency Operation Time

3 YEAR
WARRANTY

12 HOURS
CHARGING TIME



Model	SKU	Watts	Lumen	Box Qty
<u>VT-511-S</u>	899 – 6000K WHITE	3.8w	110lm	10



LED EMERGENCY LIGHTS

LED Exit Light – Bulkhead

- IP65
- PC body
- 3 Stickers
- 30 SMD LEDs
- AC:220-240V,50/60Hz
- Wall Installation
- Ni-Cd 4.8V,900mAh Battery
- 12-hour Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3-hour Emergency Operation Time
- 22 Meters Viewing Distance From Both Sides


3 YEAR
WARRANTY

12 HOURS
CHARGING TIME

IP65
RATING



Model	SKU	Watts	Lumen	Box Qty
<u>VT-524-S-12</u>	838 – 6000K WHITE	4w	190lm	12



*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



EMERGENCY LIGHTS

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

Key Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- Universal (wall, side or ceiling) mounting
- Low energy consumption only 2.0 watts at 120V
- LED indicator light and push button test switch
- LEDs mounted on print circuit board
- 24 hours recharge after more than 3 Hours discharge
- Efficient thermal management technology
- Corrosion free mounting clamps
- High performance Ni-Cd batteries made for Longevity & low maintenance
- Reliable Emergency backup of 3 hours





Exit Light 4IN1 with Self Test Button

Lamp Type:	20 SMD LEDs
Input Voltage:	AC:200~240V,50/60Hz
Protection Rating:	IP20
Material :	PC+PMMA
Exit Lamp Type:	Ceiling, Hanging, Sidewall and Wall Mounting
Viewing Distance:	30 Meters From Both Sides
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd AA, 3.6V, 0.6Ah
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	350×29×195mm

Model	SKU	Watts	Lumen	Box Qty
VT-995	7675 - 6000K WHITE	2.5W	100	20

REMOTE CONTROL FOR EXIT LIGHT SKU:11362

4IN1

1

Ceiling

2

Sidewall

3

Hanging

4

Wall Mounting



Exit Light -Bulkhead

Lamp Type:	16 SMD LEDs
Input Voltage:	AC:220~240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346×107×60mm

Model	SKU	Watts	Lumen	Box Qty
VT-533ST	8665 - 6500K WHITE	3W	140	10

IP65 RATING

24Hrs CHARGING TIME

107

346

60



Exit Light – Bulkhead

Lamp Type:	16 SMD LEDs
Input Voltage:	AC:220–240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall – Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346×107×60mm


Model	SKU	Watts	Lumen	Box Qty
VT-543	83111 – 6400K WHITE	3w	140	12



IP65
RATING



12Hrs
CHARGING TIME



Emergency -Bulkhead

Lamp Type:	16 SMD LEDs
Input Voltage:	AC:220–240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall – Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	346×104×58mm

Model	SKU	Watts	Lumen	Box Qty
VT-533	8437 – 6400K WHITE	3w	140	10



IP65
RATING



24Hrs
CHARGING TIME






Emergency-Downlight

Material:	Poly Carbonate & Aluminium
Moured:	Ceiling Recessed
Life Time Of Battery:	2 Years
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA
Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5×22×25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained

Model	SKU	Watts	Lumen	Box Qty
VT-503	8274 - 5500K WHITE	3w	140	20



Emergency-Twin Spotlight

Lamp Type:	2×6 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6V,300mAh
Recharging Time:	24 Hours(initial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Size:	296×75×272mm


Model	SKU	Watts	Lumen	Box Qty
VT-526	80981 - 6000K WHITE	6w	300	5



IP65
RATING



24Hrs
CHARGING TIME



ACCREDITATION FROM TOP EUROPEAN LABS