ESSENTIALS

V-TAC® INNOVATIVE LED LIGHTING



Slim Power Supply

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-20030	3255	30W	2.5A	AC:220-240V,50Hz	DC:12V	130×50×31mm	36
VT-20062	3246	60W	5A	AC:85-265V,50/60Hz	DC:12V	130×50×31mm	36
VT-24061	3261	60W	2.5A	AC:85-265V,50/60Hz	DC:24V	130×50×31mm	36
VT-20077	3247	75W	6A	AC:85-265V,50/60Hz	DC:12V	130×50×31mm	60
VT-20122	3243	120W	10A	AC:85-265V,50/60Hz	DC:12V	190×50×31mm	80
VT-24120	3262	120W	5A	AC:85-265V,50/60Hz	DC:24V	190×50×31mm	80
VT-20152	3244	150W	12.5A	AC:85-265V,50/60Hz	DC:12V	200×62×31mm	60
VT-20153	3253	150W	6.5A	AC:85-265V,50/60Hz	DC:24V	200×62×31mm	50
VT-22250	3273	250W	10A	AC:200-265V, 50Hz	DC:24V	225×60×30mm	30

NEW



Power Supply - Plastic

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-23032	2671	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	100
VT-23044	2672	42W	3.5A	AC:100-240V,50/60Hz	DC:12V	100

NEW




Power Supply - Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21061	2682	60W	5A	AC:100-240V,50/60Hz	DC:12V	100
VT-21062	2683	60W	2.5A	AC:100-240V,50/60Hz	DC:24V	100
VT-21071	2684	75W	6.25A	AC:176-264V,50/60Hz	DC:12V	100
VT-21072	2685	75W	3.15A	AC:176-264V,50/60Hz	DC:24V	100

V-TAC®
INNOVATIVE LED LIGHTING

ESSENTIALS



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21121	2686	120W	10A	AC:176-264V,50/60Hz	DC:12V	50
VT-21122	2687	120W	5A	AC:176-264V,50/60Hz	DC:24V	50
VT-21152	2688	150W	12.5A	AC:176-264V,50/60Hz	DC:12V	50
VT-21153	2689	150W	6.25A	AC:176-264V,50/60Hz	DC:24V	50



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21252	2690	250W	20.8A	AC:176-264V,50/60Hz	DC:12V	20
VT-21253	2691	250W	10.41A	AC:176-264V,50/60Hz	DC:24V	20
VT-21301	2692	300W	25A	AC:176-264V,50/60Hz	DC:12V	20
VT-21302	2693	300W	12.5A	AC:176-264V,50/60Hz	DC:24V	20



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21501	2694	500W	42A	AC:200-240V,50/60HZ	DC:12V	20
VT-21502	2695	500W	21A	AC:200-240V,50/60HZ	DC:24V	20




Slim Power Supply

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-20352	3259	350W	30A	AC:200-240V,50/60 Hz	DC:12V	208×82×32mm	30
VT-24350	3263	350W	15A	AC:200-240V,50/60 Hz	DC:24V	208×82×32mm	30

DEKRA TÜV GS RoHS CE/EMC
ACCREDITATION FROM TOP EUROPEAN LABS

ESSENTIALS

V-TAC® INNOVATIVE LED LIGHTING



Power Supply – Metal

5 YEAR WARRANTY


NOISE WITHOUT FAN

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-21361	3275	360W	15A	AC:200-240V,50Hz	DC:24V	208×82×32mm	24
VT-21360	3274	360W	30A	AC:200-240V,50Hz	DC:12V	208×82×32mm	24



Power Supply-Metal

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-20026	3228	25W	2.1A	AC:85-265V,50/60Hz	DC:12V	115×40×25mm	100



LED Power Supply-TRIAC Dimmable

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-20101D	3256	100W	8.5A	AC:200-240V,50/60 Hz	DC:12V	199×62×31mm	50
VT-20154D	3257	150W	12.5A	AC:200-240V,50/60 Hz	DC:12V	199×62×31mm	50
VT-20155D	3258	150W	6.25A	AC:200-240V,50/60 Hz	DC:24V	199×62×31mm	50



LED Power Supply-Rainproof-IP45

IP45 RATING

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-21060	3070	60W	5A	AC:200-240V,50Hz	DC:12V	125×74×42mm	30

V-TAC®
INNOVATIVE LED LIGHTING

ESSENTIALS



LED Power Supply-Rainproof-IP45

IP45 RATING

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-21151	3231	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	207×74×42mm	40
VT-21251	3232	250W	20A	AC: 100-264V,50/60Hz	DC:12V	218×95×50mm	25
VT-21401	3233	400W	33A	AC: 100-264V,50/60Hz	DC:12V	223×118×50mm	20
VT-26400	3265	400W	16.6A	AC: 100-264V,50/60Hz	DC:24V	223×118×50mm	20



Power Supply-Waterproof-IP65

IP65 RATING

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-22101	3236	100W	8.0A	AC: 100-264V,50/60Hz	DC:12V	201×30.5×20mm	20
VT-22101-24	3101	100W	4.2A	AC: 100-264V,50/60Hz	DC:24V	192×52×37mm	20



Power Supply-Waterproof-IP67

IP67 RATING

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-21030	3271	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	150×40×30mm	60
VT-22061	3234	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166×43×33mm	40
VT-22075	3235	75W	6A	AC: 100-264V,50/60Hz	DC:12V	166×43×33mm	40
VT-22153	3248	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192×62×38mm	15



Power Supply-Waterproof-IP67

5 YEAR WARRANTY

IP67 RATING

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-22065	3252	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166×43×33mm	40
VT-22105	3251	100W	8.3A	AC: 100-264V,50/60Hz	DC:12V	192×52×37mm	25
VT-22155	3250	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192×62×38mm	20

DEKRA TÜV SÜD www.tuv.com ID 1111227954 RoHS CE/EMC ACCREDITATION FROM TOP EUROPEAN LABS

ESSENTIALS

V-TAC® INNOVATIVE LED LIGHTING



Power Supply-Plastic-IP44

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-23019	3237	18W	1.5A	AC: 100-264V,50/60Hz	DC:12V	73×27×43mm	120



Power Supply-Plastic-BS Plug

BS PLUG

Model	SKU	Watts	Current Capacity:	Input Power	Output	Dimension	Box Qty
VT-23060	3035	60W	5A	AC:100-265V 50/60 Hz	DC:12V	119×52×32mm	50



Power Supply-Plastic-IP44

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-23031	3238	30W	2.5A	AC: 100-264V,50/60Hz	DC:12V	119×52×32mm	50
VT-23043	3249	42W	3.5A	AC:100-265V 50/60 Hz	DC:12V	119×52×32mm	50
VT-23061	3239	60W	5A	AC: 100-264V,50/60Hz	DC:12V	119×52×32mm	50
VT-25060	3264	60W	2.5A	AC: 100-264V,50/60Hz	DC:24V	119×52×32mm	50
VT-22078	3272	78W	3.25A	AC: 100-264V,50/60Hz	DC:24V	119×52×32mm	50
VT-23079	3240	78W	6.5A	AC: 100-264V,50/60Hz	DC:12V	119×52×32mm	50



Power Supply-Plastic-IP44

BS PLUG

Model	SKU	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
VT-23060-W	3269	60W	5A	AC:100-264V	DC:12V	119×52×32mm	50