V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED

Illuminated



LED FLOODLIGHTS

V-TAC's LED Floodlights are manufactured with industry-leading components to deliver exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of die-cast Aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also water and dust proof.

This extensive range of floodlights is ready to impress in terms of efficiency brought on by the Samsung LEDs. The PIR series comes with an auto-cutoff function(Manual Override)

Key Features

- 10w to 1000w
- IP65 rating — high-quality components to ensure waterproof/airtight performance
- Modern and strong Die-cast Aluminium body with a minimalistic design, for high-end support and design
- Product category includes high lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
- Select units include a 1-meter wire for convenience and easy installation

Application

Recommended for any outdoor lighting application in residential, commercial, and industrial areas

5 YEAR WARRANTY

IP65 RATING

120 Lumen/W




V-TAC®
INNOVATIVE LED LIGHTING

SOLAR ENERGY

LED SOLAR LIGHTS | LED Floodlight with Solar Panel

- Voltage/Frequency: DC:3.2V
- Charging Time: 4 Hours
- Working Time: 8 Hours
- IP Rating: IP65
- Body Type: Aluminium



IP65 RATING

ULTRAVIOLET PROTECTION

Model	SKU	Watts	Lumen	Battery	Dimension	Box Qty
VT-25W	8573 – 4000K DAY WHITE 94006 – 6000K WHITE	12W Solar Panel	550	5000mAh	205×50×170mm	8
VT-40W	8574 – 4000K DAY WHITE 94008 – 6000K WHITE	16W Solar Panel	1050	10000mAh	247×65×210mm	6
VT-60W	8575 – 4000K DAY WHITE 94010 – 6000K WHITE	20W Solar Panel	1650	10000mAh	270×70×238mm	5
VT-100W	8576 – 4000K DAY WHITE 94012 – 6000K WHITE	35W Solar Panel	2450	15000mAh	325×85×280mm	2
VT-200W	8577 – 4000K DAY WHITE 94026 – 6000K WHITE	40W Solar Panel	3100	20000mAh	353×90×304mm	2
VT-300W	8578 – 4000K DAY WHITE 94027 – 6000K WHITE	50W Solar Panel	4200	25000mAh	437×90×356mm	2

PIR Sensor Solar Floodlight

IP65 RATING

MOTION SENSOR

- 3.7V Lithium, 3000mAh Battery
- No. of LED: 30pcs
- Detecting Angle: 180°
- Sensing Range: 2-6M
- Charging Time: 6-7 Hours
- Working Time: 2-36 Hours
- Body Type: ABS+PC
- Size:217.4×149.3×33.7mm

Model	SKU	Watts	Lumen	Box Qty
VT-777-5	8547 – 4000K DAY WHITE	5w	500	18



DEKRA TÜV SÜD www.tuv.com ID 1111227954 RoHS CE/EMC ACCREDITATION FROM TOP EUROPEAN LABS

V-TAC®
INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | High Lumen Slimline Pro Series

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000

evolution
EFFICIENCY
185
LUMENS/W




IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-30185	20449 | 4000K DAY WHITE 20450 | 6400K WHITE	30w	4720	10 pcs

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-50185	20451 | 4000K DAY WHITE 20452 | 6400K WHITE	50w	7870	10 pcs

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-100185	20453 | 4000K DAY WHITE 20454 | 6400K WHITE	100w	15750	4 pcs

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-150185	20455 | 4000K DAY WHITE 20456 | 6400K WHITE	150w	23600	2 pcs

NEW





Model	SKU	Watts	Useful lumens	Box Qty
VT-200185	20457 | 4000K DAY WHITE 20458 | 6400K WHITE	200w	31500	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | High Lumen Slimline Pro Series

evolution
EFFICIENCY
160
LUMENS/W

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000




IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






Model	SKU	Watts	Useful lumens	Box Qty
VT-32	20402 | 4000K DAY WHITE 20403 | 6500K WHITE	30w	4100	10 pcs






Model	SKU	Watts	Useful lumens	Box Qty
VT-52	20404 | 4000K DAY WHITE 20405 | 6500K WHITE	50w	6850	10 pcs






Model	SKU	Watts	Useful lumens	Box Qty
VT-132	20406 | 4000K DAY WHITE 20407 | 6500K WHITE	100w	13700	4 pcs





Model	SKU	Watts	Useful lumens	Box Qty
VT-162	20408 | 4000K DAY WHITE 20409 | 6500K WHITE	150w	20500	2 pcs





Model	SKU	Watts	Useful lumens	Box Qty
VT-302	20410 | 4000K DAY WHITE 20411 | 6500K WHITE	200w	27350	2 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHT | Light Sensor

- Sensor Floodlights are convenient and easy to install.
- The lights are powered directly from the power source.
- They will automatically function according to daylight levels.
- Floodlights will be off if natural light is above 140lux, and on if natural light is below 140lux.
- There is no need to turn the light on or off.
- Light Sensor does not work when motion is detected.



- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-37	20169 | 3000K WARM WHITE 20170 | 4000K DAY WHITE 20171 | 6500K WHITE	30w	3000	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-57	20172 | 3000K WARM WHITE 20173 | 4000K DAY WHITE 20174 | 6500K WHITE	50w	5000	10 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-117	20175 | 3000K WARM WHITE 20176 | 4000K DAY WHITE 20177 | 6500K WHITE	100w	10000	4 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-167	20178 | 3000K WARM WHITE 20179 | 4000K DAY WHITE 20180 | 6500K WHITE	150w	15000	2 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-272	20181 | 3000K WARM WHITE 20182 | 4000K DAY WHITE 20183 | 6500K WHITE	200w	20000	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

evolution

LED FLOODLIGHTS | Evolution Series

Only from V-TAC – the super bright series – the first and only LED floodlights rated at 160 lumens per watt offer you superior efficiency and great energy savings.

- Aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >70
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SuperBRIGHT 160 LUMENS/W



IP65 RATING


5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

evolution

V-TAC® INNOVATIVE LED LIGHTING









Model	SKU	Watts	Lumen	Box Qty
VT-4961	5918 | 4000K DAY WHITE 5919 | 6400K WHITE	50w	8000lm	10 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-49161	5920 | 4000K DAY WHITE 5921 | 6400K WHITE	100w	16000lm	4 pcs



1 METER WIRE





Model	SKU	Watts	Lumen	Box Qty
VT-49261	5922 | 4000K DAY WHITE 5923 | 6400K WHITE	200w	32000lm	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHT | Direct Connection

- Instant Start in 1 second
- Operation in Outside Temperature (-20 to+40° C)
- Protection Rating IP65
- Only connect with waterproof cable hose

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118	20304 | 3000K WARM WHITE 20305 | 4000K DAY WHITE 20306 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128	20307 | 3000K WARM WHITE 20308 | 4000K DAY WHITE 20309 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138	20310 | 3000K WARM WHITE 20311 | 4000K DAY WHITE 20312 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158	20313 | 3000K WARM WHITE 20314 | 4000K DAY WHITE 20315 | 6500K WHITE	50w	4000	10 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHT | Direct Connection with PIR Sensor (Black Body)

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.



- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating





IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-B	20256 | 3000K WARM WHITE 20257 | 4000K DAY WHITE 20258 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-B	20259 | 3000K WARM WHITE 20260 | 4000K DAY WHITE 20261 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-B	20262 | 3000K WARM WHITE 20263 | 4000K DAY WHITE 20264 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158S-B	20265 | 3000K WARM WHITE 20266 | 4000K DAY WHITE 20267 | 6500K WHITE	50w	4000	10 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHT | Direct Connection with PIR Sensor (White Body)

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.



- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating





IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-W	20268 | 3000K WARM WHITE 20269 | 4000K DAY WHITE 20270 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-W	20271 | 3000K WARM WHITE 20272 | 4000K DAY WHITE 20273 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-W	20274 | 3000K WARM WHITE 20275 | 4000K DAY WHITE 20276 | 6500K WHITE	30w	2340	10 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-158S-W	20277 | 3000K WARM WHITE 20278 | 4000K DAY WHITE 20279 | 6500K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHT | PIR Sensor (Black Body)



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-1-B	20280 | 3000K WARM WHITE 20281 | 4000K DAY WHITE 20282 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-1-B	20283 | 3000K WARM WHITE 20284 | 4000K DAY WHITE 20285 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-1-B	20286 | 3000K WARM WHITE 20287 | 4000K DAY WHITE 20288 | 6500K WHITE	30w	2340	10 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-158S-1-B	20289 | 3000K WARM WHITE 20290 | 4000K DAY WHITE 20291 | 6500K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHT | PIR Sensor (White Body)



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-1-W	20292 | 3000K WARM WHITE 20293 | 4000K DAY WHITE 20294 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-1-W	20295 | 3000K WARM WHITE 20296 | 4000K DAY WHITE 20297 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-1-W	20298 | 3000K WARM WHITE 20299 | 4000K DAY WHITE 20300 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158S-1-W	20301 | 3000K WARM WHITE 20302 | 4000K DAY WHITE 20303 | 6500K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHTS | Slimline White Body high lumen

The V-TAC LED High Lumen Floodlight offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

- Die-cast aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

120 lm/W
Brighter & energy-efficient
50% better than normal LED



IP65 RATING


5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING









Model	SKU	Watts	Lumen	Box Qty
VT-56-W	762 | 4000K DAY WHITE 763 | 6400K WHITE	50w	6000	8 pcs
VT-56-W-N	21762 | 4000K DAY WHITE	50w	5750	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-106-W	768 | 4000K DAY WHITE	100w	12000	4 pcs
VT-106-W-N	21768 | 4000K DAY WHITE	100w	11500	4 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-156-W	774 | 4000K DAY WHITE 775 | 6400K WHITE	150w	18000	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-206-W	787 | 4000K DAY WHITE 788 | 6400K WHITE	200w	24000	2 pcs
VT-206-W-N	21787 | 4000K DAY WHITE	200w	23000	2 pcs







1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-306-W	793 | 4000K DAY WHITE 794 | 6400K WHITE	300w	36000	2 pcs
VT-306-W-N	21793 | 4000K DAY WHITE	300w	34500	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHTS | Slimline Black Body high lumen

The V-TAC LED High Lumen Floodlight offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

- Die-cast aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

120 lm/W
Brighter & energy-efficient
50% better than normal LED



IP65 RATING


5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING









Model	SKU	Watts	Lumen	Box Qty
VT-56-B	760 | 4000K DAY WHITE 761 | 6400K WHITE	50w	6000	8 pcs
VT-56-B-N	21760 | 4000K DAY WHITE 21761 | 6500K WHITE	50w	5750	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-106-B	766 | 4000K DAY WHITE 767 | 6400K WHITE	100w	12000	4 pcs
VT-106-B-N	21766 | 4000K DAY WHITE 21767 | 6500K WHITE	100w	11500	4 pcs







1 METER WIRE


Model	SKU	Watts	Lumen	Box Qty
VT-156-B	772 | 4000K DAY WHITE 773 | 6400K WHITE	150w	18000	2 pcs
VT-156-B-N	21772 | 4000K DAY WHITE 21773 | 6500K WHITE	150w	17300	2 pcs


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-206-B	778 | 4000K DAY WHITE 779 | 6400K WHITE	200w	24000	2 pcs
VT-206-B-N	21778 | 4000K DAY WHITE 21779 | 6500K WHITE	200w	23000	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-306-B	791 | 4000K DAY WHITE 792 | 6400K WHITE	300w	36000	2 pcs
VT-306-B-N	21791 | 4000K DAY WHITE 21792 | 6500K WHITE	300w	34500	2 pcs







1 METER WIRE


Model	SKU	Watts	Lumen	Box Qty
VT-405	964 | 4000K DAY WHITE 965 | 6400K WHITE	400w	48000	1 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-505	966 | 4000K DAY WHITE 967 | 6400K WHITE	500w	60000	1 pcs







1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-1055	968 | 4000K DAY WHITE 969 | 6400K WHITE	1000w	120000	1 pcs
VT-1055-N	21969 | 6500K WHITE	1000w	120000	1 pcs



*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHTS | Slimline Grey Body high lumen

The V-TAC LED High Lumen Floodlight offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

- Die-cast aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

120 lm/W
Brighter & energy-efficient
50% better than normal LED



IP65 RATING


5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING









Model	SKU	Watts	Lumen	Box Qty
VT-56-G	764 | 4000K DAY WHITE 765 | 6400K WHITE	50w	6000	8 pcs
VT-56-G-N	21764 | 4000K DAY WHITE 21765 | 6500K WHITE	50w	5750	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-106-G	770 | 4000K DAY WHITE 771 | 6400K WHITE	100w	12000	4 pcs
VT-106-G-N	21770 | 4000K DAY WHITE 21771 | 6500K WHITE	100w	11500	4 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-156-G	777 | 6400K WHITE	150w	18000	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-206-G	789 | 4000K DAY WHITE 790 | 6400K WHITE	200w	24000	2 pcs
VT-206-G-N	21789 | 4000K DAY WHITE 21790 | 6500K WHITE	200w	23000	2 pcs







1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-306-G	795 | 4000K DAY WHITE 796 | 6400K WHITE	300w	36000	2 pcs
VT-306-G-N	21796 | 6500K WHITE	300w	34500	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED FLOODLIGHTS | Slimline White Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10W to 300W in a clean, ivory white finish. Select models come with a one (1) meter wire.

- Die-cast body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-10-W	427 | 3000K WARM WHITE 428 | 4000K DAY WHITE 429 | 6400K WHITE	10w	800	20 pcs
VT-10-W-N	21427 | 3000K WARM WHITE	10w	735	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-W	442 | 3000K WARM WHITE 443 | 4000K DAY WHITE 444 | 6400K WHITE	20w	1600	20 pcs
VT-20-W-N	21442 | 3000K WARM WHITE	20w	1510	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-W	403 | 3000K WARM WHITE 404 | 4000K DAY WHITE 405 | 6400K WHITE	30w	2400	10 pcs
VT-30-W-N	21403 | 3000K WARM WHITE 21404 | 4000K DAY WHITE	30w	2340	10 pcs








Model	SKU	Watts	Lumen	Box Qty
VT-30-1-W	950 | 6400K WHITE	30w	2400	10 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated









Model	SKU	Watts	Lumen	Box Qty
VT-50-W	409 | 3000K WARM WHITE 410 | 4000K DAY WHITE 411 | 6400K WHITE	50w	4000	8 pcs
VT-50-W-N	21409 | 3000K WARM WHITE 21410 | 4000K DAY WHITE 21411 | 6500K WHITE	50w	4000	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-50-1-W	952 | 6400K WHITE	50w	4000	8 pcs







1 METER WIRE


Model	SKU	Watts	Lumen	Box Qty
VT-100-W	415 | 3000K WARM WHITE 416 | 4000K DAY WHITE 417 | 6400K WHITE	100w	8000	4 pcs
VT-100-W-N	21415 | 3000K WARM WHITE 21416 | 4000K DAY WHITE 21417 | 6500K WHITE	100w	8200	4 pcs


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING









Model	SKU	Watts	Lumen	Box Qty
VT-150-W	478 | 3000K WARM WHITE 479 | 4000K DAY WHITE 480 | 6400K WHITE	150w	12000	2 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-200-W	420 | 4000K DAY WHITE 421 | 6400K WHITE	200w	16000	2 pcs







Model	SKU	Watts	Lumen	Box Qty
VT-300-W	486 | 4000K DAY WHITE 487 | 6400K WHITE	300w	24000	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.


V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED FLOODLIGHTS | Slimline Black Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10W to 300W in a classic, jet black finish. Select models come with a one (1) meter wire.

- Die-cast body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-10-B	424 | 3000K WARM WHITE 425 | 4000K DAY WHITE 426 | 6400K WHITE	10w	800	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-B	439 | 3000K WARM WHITE 440 | 4000K DAY WHITE 441 | 6400K WHITE	20w	1600	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-B	400 | 3000K WARM WHITE 401 | 4000K DAY WHITE 402 | 6400K WHITE	30w	2400	10 pcs








Model	SKU	Watts	Lumen	Box Qty
VT-50-B	406 | 3000K WARM WHITE 407 | 4000K DAY WHITE 408 | 6400K WHITE	50w	4000	8 pcs
VT-50-B-N	21406 | 3000K WARM WHITE 21407 | 4000K DAY WHITE 21408 | 6500K WHITE	50w	4000	8 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated









Model	SKU	Watts	Lumen	Box Qty
VT-10-1-B	947 | 6400K WHITE	10w	800	20 pcs
VT-10-1-B-N	21947 | 6500K WHITE	10w	735	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-1-B	20012 | 4000K DAY WHITE 948 | 6400K WHITE	20w	1600	20 pcs
VT-20-1-B-N	21948 | 6500K WHITE	20w	1510	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-1-B	20013 | 4000K DAY WHITE 949 | 6400K WHITE	30w	2400	10 pcs
VT-30-1-B-N	21949 | 6400K WHITE	30w	2340	10 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-50-1-B	20014 | 4000K DAY WHITE 951 | 6400K WHITE	50w	4000	8 pcs
VT-50-1-B-N	2120014 | 4000K DAY WHITE 21951 | 6500K WHITE	50w	4000	8 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-100-B	412 | 3000K WARM WHITE 413 | 4000K DAY WHITE 414 | 6400K WHITE	100w	8000	4 pcs
VT-100-B-N	21412 | 3000K WARM WHITE 21413 | 4000K DAY WHITE 21414 | 6400K WHITE	100w	8200	4 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-150-B	475 | 3000K WARM WHITE 476 | 4000K DAY WHITE 477 | 6400K WHITE	150w	12000	2 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-200-B	418 | 4000K DAY WHITE 419 | 6400K WHITE	200w	16000	2 pcs
VT-200-B-N	21419 | 6500K WHITE	200w	16500	2 pcs







Model	SKU	Watts	Lumen	Box Qty
VT-300-B	422 | 4000K DAY WHITE 423 | 6400K WHITE	300w	24000	2 pcs
VT-300-B-N	21422 | 4000K DAY WHITE	300w	24800	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.


V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED FLOODLIGHTS | Slimline Grey Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10w to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) meter wire.

- Die-cast body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



IP65 RATING


5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING









Model	SKU	Watts	Lumen	Box Qty
VT-10-G	430 | 3000K WARM WHITE 431 | 4000K DAY WHITE 432 | 6400K WHITE	10w	800	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-G	445 | 3000K WARM WHITE 446 | 4000K DAY WHITE 447 | 6400K WHITE	20w	1600	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-G	454 | 3000K WARM WHITE 455 | 4000K DAY WHITE 456 | 6400K WHITE	30w	2400	10 pcs








Model	SKU	Watts	Lumen	Box Qty
VT-50-G	463 | 3000K WARM WHITE 464 | 4000K DAY WHITE 465 | 6400K WHITE	50w	4000	8 pcs
VT-50-G-N	21464 | 4000K DAY WHITE	50w	4000	8 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated









Model	SKU	Watts	Lumen	Box Qty
VT-100-G	472 | 3000K WARM WHITE 473 | 4000K DAY WHITE 474 | 6400K WHITE	100w	8000	4 pcs
VT-100-G-N	21473 | 4000K DAY WHITE	100w	8200	4 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-150-G	481 | 3000K WARM WHITE 482 | 4000K DAY WHITE 483 | 6400K WHITE	150w	12000	2 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-200-G	484 | 4000K DAY WHITE 485 | 6400K WHITE	200w	16000	2 pcs







Model	SKU	Watts	Lumen	Box Qty
VT-300-G	488 | 4000K DAY WHITE 489 | 6400K WHITE	300w	24000	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | PIR Sensor White Body

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

- 30,000-hour lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

MOTION (PIR) SENSOR



IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-10-S-W	433 | 3000K WARM WHITE 434 | 4000K DAY WHITE 435 | 6400K WHITE	10w	800	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-20-S-W	448 | 3000K WARM WHITE 449 | 4000K DAY WHITE 450 | 6400K WHITE	20w	1600	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-30-S-W	457 | 3000K WARM WHITE 458 | 4000K DAY WHITE 459 | 6400K WHITE	30w	2400	20 pcs



1 METER WIRE





Model	SKU	Watts	Lumen	Box Qty
VT-50-S-W	466 | 3000K WARM WHITE 467 | 4000K DAY WHITE 468 | 6400K WHITE	50w	4000	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | PIR Sensor Black Body

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

- 30,000-hour lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

MOTION (PIR) SENSOR



IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-10-S-B	436 | 3000K WARM WHITE 437 | 4000K DAY WHITE 438 | 6400K WHITE	10w	800	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-20-S-B	451 | 3000K WARM WHITE 452 | 4000K DAY WHITE 453 | 6400K WHITE	20w	1600	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-30-S-B	460 | 3000K WARM WHITE 461 | 4000K DAY WHITE 462 | 6400K WHITE	30w	2400	20 pcs



1 METER WIRE





Model	SKU	Watts	Lumen	Box Qty
VT-50-S-B	469 | 3000K WARM WHITE 470 | 4000K DAY WHITE 471 | 6400K WHITE	50w	4000	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | Rechargeable Floodlight

A strong, reliable, and portable lamp — V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port making it perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

- IP Rating – IP44
- AC:100-240V
- On/Off cycle: >15000
- CRI>80
- Rechargeable
- 30,000-hour lifespan
- PF>0.9
- Beamangle: 100





SOS FLASH

USB PORT

MICRO SOCKET

Model	SKU	Watts	Lumen	Plug	Box Qty
VT-10-R	20038 | 4000K DAY WHITE 503 | 6400K WHITE	10w	700	micro usb cable without SOS Flash	20 pcs
VT-11-R	20037 | 4000K DAY WHITE 502 | 6400K WHITE	10w	700	micro usb cable	20 pcs
VT-20-R	20039 | 4000K DAY WHITE 504 | 6400K WHITE	20w	1400	micro usb cable	20 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED FLOODLIGHTS | Work Floodlight

V-TAC's heavy-duty, reliable LED work floodlight is designed with dual voltage AC:85-265V and comes with a 3-meter wire. Includes a EU/BS plug for optional direct connections. With an adjustable stand and carry handle, our work light is ideally suited for garages, workshops, basements, car repair shops and more.

- Input AC:85-265V,50Hz
- CRI >80
- PF >0.9
- 30,000-hour lifespan
- 100° Beam Angle
- Material: Die-cast Aluminium
- 3 Meter wire length
- IP44





WIDE VOLTAGE
85V- 265V

3 METER WIRE

LINKABLE

Model	SKU	Watts	Lumen	Plug	Box Qty
VT-51	945 | 4000K DAY WHITE 946 | 6400K WHITE	50w	4000	EU Plug	8 pcs
VT-51-BS	20065 | 6400K WHITE	50w	4000	BS Plug	8 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | Grey Glass-Yellow Work Floodlight

V-TAC's LED Work Light is designed with a wide voltage range: 100-265VAC and comes with a 1.5-meter wire. A built-in BS plug – for optional direct connections – makes this floodlight an ideal tool for construction sites, facade lighting, lobbies, garages, passages, parking lots and other locations.

- AC:100-265V,50/60Hz
- 100° beam angle
- 30,000-hour lifespan
- CRI >80
- PF >0.9
- IP65 Rating
- Material: Die-cast Aluminium
- On/Off cycle: >15000
- 1.5 meter wire with BS plug





WIDE VOLTAGE 100-265V

1.5 METER WIRE

IP65 RATING

Model	SKU	Watts	Lumen	Plug	Box Qty
VT-58	20121 | 6400K WHITE	50w	5000	BS Plug	10 pcs
VT-108	20122 | 6400K WHITE	100w	10000	BS Plug	4 pcs
VT-108-N	2120122 | 6400K WHITE	100w	9400	BS Plug	4 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHTS | Slim Floodlight H-stand

A powerful, slim-built floodlight with a heavy-duty H-stand for high quality outdoor lighting performance. The floodlight can be tilted/ rotated and comes with a three-meter wire for maximum portability. Perfect for industrial areas – construction sites, repair shops and garages, warehouses, etc.

- Input AC:220-240V,50Hz
- CRI >80
- PF >0.9
- 25,000-hour lifespan
- 100° Beam Angle
- Material: Die-cast Aluminium
- On/Off cycle: >15000
- H-stand with 3 meter wire (EU Plug)





IP65 RATING

3 METER WIRE

Model	SKU	Watts	Lumen	Plug	Box Qty
VT-109	20124 | 4000K DAY WHITE 20125 | 6400K WHITE	100w	8000	EU Plug	10 pcs
VT-109-N	2120124 | 4000K DAY WHITE 2120125 | 6400K WHITE	100w	8200	EU Plug	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | Sports Light

The new LED Sports Light with Samsung LEDs offers a variety of light distribution options up to 67500 lumens. Excellent energy efficiency, low maintenance costs, and a strong, unbreakable exterior that can withstand ball strikes remarkably well compared to traditional fluorescent and HID options.

- LED provided by Samsung
- Saves 80% energy
- IP65 Rating
- MEAN WELL driver
- Contains no lead or mercury
- -hour lifespan of 30,000-hour lifespan



120 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY

DIMMABLE LIGHT CONTROL

MEAN WELL

IP65 RATING

Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-500D	490 | 5000K WHITE	500w	67500	45°	1 pcs
VT-501D	493 | 5000K WHITE	500w	67500	110°	1 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED FLOODLIGHTS | Super Pro Series

Available in 250W, 500W, and 1000W, our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency — these floodlights are equipped with critically acclaimed LEDs provided by Samsung and excellent MEAN WELL drivers to ensure optimal energy saving and temperature dissipation.

- 60° & 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9
- AC: 100–277V
- Material: Die-cast Aluminium
- 50,000-hour lifespan

120 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY

IP66 RATING

MEAN WELL
Your Reliable Power Partner


IK08 RATING

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated


V-TAC® INNOVATIVE LED LIGHTING






Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-253D	494 | 4000K DAY WHITE 500 | 6400K WHITE	250w	30000	120°	1 pcs
VT-252D	495 | 4000K DAY WHITE 501 | 6400K WHITE	250w	30000	60°	1 pcs





Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-503D	496 | 4000K DAY WHITE	500w	60000	120°	1 pcs
VT-502D	497 | 4000K DAY WHITE	500w	60000	60°	1 pcs





Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-1003D	498 | 4000K DAY WHITE	1000w	120000	120°	1 pcs
VT-1002D	499 | 4000K DAY WHITE	1000w	120000	60°	1 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

ESSENTIALS

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | Economical Series

NEW

- AC:220-240V, 50/60Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle
- 90×86×27mm110°

IP65 RATING

2 YEAR WARRANTY

ECONOMICAL HIGH-QUALITY SERIES



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-4914-B	6727 - 3000K WARM WHITE 6728 - 4000K DAY WHITE 6729 - 6400K WHITE	10w	750	90×86×27mm	60
VT-4924-B	6737 - 3000K WARM WHITE 6738 - 4000K DAY WHITE 6739 - 6400K WHITE	20w	1650	120×105×27mm	40
VT-4934-B	6743 - 3000K WARM WHITE 6744 - 4000K DAY WHITE 6745 - 6400K WHITE	30w	2510	150×122×27mm	20
VT-4954-B	6749 - 3000K WARM WHITE 6750 - 4000K DAY WHITE 6751 - 6400K WHITE	50w	4300	180×150×27mm	20
VT-49104-B	6721 - 3000K WARM WHITE 6722 - 4000K DAY WHITE 6723 - 6400K WHITE	100w	8700	270×222×27mm	10
VT-49204-B	6733 - 4000K DAY WHITE 6734 - 6400K WHITE	200w	17600	400×333×32.5mm	5

DEKRA TÜV SÜD www.tuv.com ID 1111227954 RoHS CE/EMC ACCREDITATION FROM TOP EUROPEAN LABS

V-TAC®
INNOVATIVE LED LIGHTING

ESSENTIALS

LED FLOODLIGHTS | Economical Series

NEW

- AC:220-240V, 50/60Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle
- 90×86×27mm110°

IP65 RATING

2 YEAR WARRANTY

ECONOMICAL HIGH-QUALITY SERIES



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-4914-W	6730 – 3000K WARM WHITE 6731 – 4000K DAY WHITE 6732 – 6400K WHITE	10w	750	90×86×27mm	60
VT-4924-W	6740 – 3000K WARM WHITE 6741 – 4000K DAY WHITE 6742 – 6400K WHITE	20w	1650	120×105×27mm	40
VT-4934-W	6746 – 3000K WARM WHITE 6747 – 4000K DAY WHITE 6748 – 6400K WHITE	30w	2510	150×122×27mm	20
VT-4954-W	6752 – 3000K WARM WHITE 6753 – 4000K DAY WHITE 6754 – 6400K WHITE	50w	4300	180×150×27mm	20
VT-49104-W	6724 – 3000K WARM WHITE 6725 – 4000K DAY WHITE 6726 – 6400K WHITE	100w	8700	270×222×27mm	10
VT-49204-W	6735 – 4000K DAY WHITE 6736 – 6400K WHITE	200w	17600	400×333×32.5mm	5

DEKRA TÜV SÜD www.tuv.com ID 1111227954 RoHS CE/EMC ACCREDITATION FROM TOP EUROPEAN LABS


ESSENTIALS


V-TAC® INNOVATIVE LED LIGHTING



E Series-White Body

- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle






IP65 RATING


Model	SKU	Watts	Lumen	Box Qty
VT-4011W	5943 - 3000K WARM WHITE 5944 - 4000K DAY WHITE 5945 - 6500K WHITE	10w	850	40



E Series-White Body

- AC:220-240V,50/60Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle






IP65 RATING


Model	SKU	Watts	Lumen	Box Qty
VT-4021W	5949 - 3000K WARM WHITE 5950 - 4000K DAY WHITE 5951 - 6500K WHITE	20w	1700	20
VT-4021W-N	215949 - 3000K WARM WHITE 215950 - 4000K DAY WHITE 215951 - 6500K WHITE	20w	1620	20



E Series-White Body

- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle






IP65 RATING


Model	SKU	Watts	Lumen	Box Qty
VT-4031W	5955 - 3000K WARM WHITE 5956 - 4000K DAY WHITE 5957 - 6500K WHITE	30w	2550	20
VT-4031W-N	215955 - 3000K WARM WHITE 215956 - 4000K DAY WHITE 215957 - 6500K WHITE	30w	2510	20



E Series-White Body

- AC:220-240V,50/60Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle





IP65 RATING

Model	SKU	Watts	Lumen	Box Qty
VT-4051W	5961 - 3000K WARM WHITE 5962 - 4000K DAY WHITE 5963 - 6500K WHITE	50w	4250	10
VT-4051W-N	215961 - 3000K WARM WHITE 215962 - 4000K DAY WHITE 215963 - 6500K WHITE	50w	4300	10


V-TAC®
INNOVATIVE LED LIGHTING


ESSENTIALS

E Series-White Body



- AC:220-240V,50/60Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle






IP65 RATING

Model	SKU	Watts	Lumen	Box Qty
VT-40101W	5967 – 3000K WARM WHITE 5968 – 4000K DAY WHITE 5969 – 6500K WHITE	100w	8500	5
VT-40101W-N	215967 – 3000K WARM WHITE 215968 – 4000K DAY WHITE 215969 – 6500K WHITE	100w	8700	10

E Series-Black Body



- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle



IP65 RATING


Red Green Blue

Model	SKU	Watts	Box Qty
VT-4011	5988 – GREEN 5989 – RED 5990 – BLUE	10w	40

E Series-Black Body



- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle



IP65 RATING


Red Green Blue


Model	SKU	Watts	Box Qty
VT-4021	5991 – GREEN 5992 – RED 5993 – BLUE	20w	20

E Series-Black Body



- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle





IP65 RATING

Model	SKU	Watts	Lumen	Box Qty
VT-4011B	5940 – 3000K WARM WHITE 5941 – 4000K DAY WHITE 5942 – 6500K WHITE	10w	850	40

DEKRA TÜV SÜD GS RoHS CE/EMC
www.tuv.com ID 1111227954
ACCREDITATION FROM TOP EUROPEAN LABS


ESSENTIALS


V-TAC® INNOVATIVE LED LIGHTING



E Series-Black Body

- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle






IP65 RATING


Model	SKU	Watts	Lumen	Box Qty
VT-4021B	5946 - 3000K WARM WHITE 5947 - 4000K DAY WHITE 5948 - 6500K WHITE	20w	1700	20
VT-4021B-N	215946 - 3000K WARM WHITE 215947 - 4000K DAY WHITE 215948 - 6500K WHITE	20w	1620	20



E Series-Black Body

- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle






IP65 RATING


Model	SKU	Watts	Lumen	Box Qty
VT-4031B	5952 - 3000K WARM WHITE 5953 - 4000K DAY WHITE 5954 - 6500K WHITE	30w	2550	20
VT-4031B-N	215952 - 3000K WARM WHITE 215953 - 4000K DAY WHITE 215954 - 6500K WHITE	30w	2510	20



E Series-Black Body

- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle






IP65 RATING


Model	SKU	Watts	Lumen	Box Qty
VT-4051B	5958 - 3000K WARM WHITE 5959 - 4000K DAY WHITE 5960 - 6500K WHITE	50w	4250	10
VT-4051B-N	215958 - 3000K WARM WHITE 215959 - 4000K DAY WHITE 215960 - 6500K WHITE	50w	4300	10



E Series-Black Body

- AC:220-240V,50Hz
- PF: >0.9
- CRI: >70
- 110° Beam Angle





IP65 RATING

Model	SKU	Watts	Lumen	Box Qty
VT-40101B	5964 - 3000K WARM WHITE 5965 - 4000K DAY WHITE 5966 - 6500K WHITE	100w	8500	5
VT-40101B-N	215964 - 3000K WARM WHITE 215965 - 4000K DAY WHITE 215966 - 6500K WHITE	100w	8700	10


V-TAC® INNOVATIVE LED LIGHTING

ESSENTIALS

160lm Slimline Series



- AC:200-240V
- PF: >0.9
- 110° Beam Angle



Model	SKU	Watts	Box Qty
VT-4932	5995 - RGB	30w	20


IP65 RATING

RGB RF CONTROL

Floodlight-Remote Control-RGB



- AC:200-240V
- PF: >0.9
- 110° Beam Angle



Model	SKU	Watts	Box Qty
VT-4952	5996 - RGB	50w	10


IP65 RATING

RGB RF CONTROL

Smart Floodlight



- AC:220-240V
- PF: >0.9
- CRI: >80
- 100° Beam Angle



Model	SKU	Watts	Lumen	Box Qty
VT-5020-W	5984 - RGB+W/WW/DW	20w	1400	20


V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP

Smart Floodlight



- AC:220-240V
- PF: >0.9
- CRI: >80
- 100° Beam Angle



Model	SKU	Watts	Lumen	Box Qty
VT-5020-B	5985 - RGB+W/WW/DW	20w	1400	20

V-TAC SMART

CCT and Dimming
VIA SMART PHONE APP

DEKRA TÜV SÜD www.tuv.com ID 1111227954 RoHS CE/EMC ACCREDITATION FROM TOP EUROPEAN LABS


ESSENTIALS

V-TAC® INNOVATIVE LED LIGHTING



PIR Sensor-Wi-Fi-Camera

- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 /MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x 162x 181mm180°



V-TAC SMART

Wi Fi

CAMERA


MOTION PIR SENSOR

Model	SKU	Watts	Lumen	Box Qty
VT-4818W	5745 - 6000K WHITE	18w	600	4



PIR Sensor-Wi-Fi-Camera

- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 /MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248×162×181mm180°



V-TAC SMART

Wi Fi

CAMERA

MOTION PIR SENSOR

Model	SKU	Watts	Lumen	Box Qty
VT-4818B	5917 - 6000K WHITE	18w	600	4

V-TAC®
INNOVATIVE LED LIGHTING

ESSENTIALS

Waterproof Box Terminal Block



IP66 RATING

Model No:	VT-881	**Cable Diameter:**	5–9mm
SKU:	5987	**Ampere:**	24A
Wire Range :	0.5~2.5mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	150

Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-868-w	**Cable Diameter:**	5–9mm
SKU:	5986	**Ampere:**	16A
Wire Range :	0.5~1.5mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	1000

Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-868	**Cable Diameter:**	5–9mm
SKU:	5977	**Ampere:**	16A
Wire Range :	0.5~1.5mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	1000

Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-869-B	**Cable Diameter:**	8–12mm
SKU:	5978	**Ampere:**	24A
Wire Range :	0.5~4mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	200


Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-869-W	**Cable Diameter:**	8–12mm
SKU:	5979	**Ampere:**	24A
Wire Range :	0.5~4mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	200


Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-870-B	**Cable Diameter:**	8–12mm
SKU:	5980	**Ampere:**	24A
Wire Range :	0.5~4mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	100


Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-870-W	**Cable Diameter:**	8–12mm
SKU:	5981	**Ampere:**	24A
Wire Range :	0.5~4mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	100


Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-871-B	**Cable Diameter:**	8–12mm
SKU:	5982	**Ampere:**	24A
Wire Range :	0.5~4mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	100

Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP68 RATING

Model No:	VT-871-W	**Cable Diameter:**	8–12mm
SKU:	5983	**Ampere:**	24A
Wire Range :	0.5~4mm²	**Fire Retardant Level:**	V2
Voltage:	AC:450V	**Box Qty:**	100

Waterproof Box Terminal Block



ULTRAVIOLET PROTECTION
IP65 RATING

Model No:	VT-7224-B	**Material:**	Polypropylene (PP)
SKU:	3578	**Dimension:**	123×46×33mm
Wire Range :	0.5~2.5mm²	**IP Rating:**	IP65
Voltage:	AC:250V Max	**Box Qty:**	160

DEKRA TÜV SÜD www.tuv.com ID 1111227954 RoHS CE/EMC ACCREDITATION FROM TOP EUROPEAN LABS

ESSENTIALS

V-TAC® INNOVATIVE LED LIGHTING

Waterproof Box Terminal Block

ULTRAVIOLET PROTECTION

IP65 RATING



Model No:	VT-7224-W	**Material:**	Polypropylene (PP)
SKU:	5897	**Dimension:**	123×46×33mm
Wire Range :	0.5–2.5mm²	**IP Rating:**	IP65
Voltage:	AC:250V Max	**Box Qty:**	240

Waterproof Box Terminal Block

ULTRAVIOLET PROTECTION

IP68 RATING



Model No:	VT-792-B	**Material:**	Flame Retardant PP
SKU:	3621	**Dimension:**	Ø27×76mm
Wire Range :	4–6.5mm	**IP Rating:**	IP68
Voltage:	AC:220V	**Box Qty:**	500

Waterproof Box Terminal Block

ULTRAVIOLET PROTECTION

IP68 RATING



Model No:	VT-792-W	**Material:**	Flame Retardant PP
SKU:	5896	**Dimension:**	Ø27×76mm
Wire Range :	4–6.5mm	**IP Rating:**	IP68
Voltage:	AC:220V	**Box Qty:**	500

Tripod Stand-Yellow






IP65 RATING

Model	SKU	Size	Box Qty
VT-41150Y	9104	900×940~1800mm	8

Tripod Stand-Black





IP65 RATING

Model	SKU	Size	Box Qty
VT-41150B	9546	900×940~1800mm	8

Billboard Stand



Model	SKU	Suitable For	Size	Box Qty
VT-794	3623	10–50w	850×150mm	4

Billboard Stand



Model	SKU	Suitable For	Size	Box Qty
VT-793	3622	70–200w	870×200mm	4

Floodlight Spike-Grey



IP65 RATING

Model	SKU	Suitable For	Size	Box Qty
VT-854-G	7533	10–50W	Ø35xH150mm	200
VT-855-G	7536	10–150W	Ø60xH265mm	100

Floodlight Spike-White



IP65 RATING

Model	SKU	Suitable For	Size	Box Qty
VT-854-W	7534	10–50W	Ø35xH150mm	200
VT-855-W	7537	10–150W	Ø60xH265mm	100

Floodlight Spike-Black



IP65 RATING

Model	SKU	Suitable For	Size	Box Qty
VT-854-B	7535	10–50W	Ø35xH150mm	200
VT-855-B	7538	10–150W	Ø60xH265mm	100