

SOLAR ENERGY

- PIR Sensor Solar Floodlight
- 3.7V Lithium, 3000mAh Battery
 - No. of LED: 60pcs
 - Detecting Angle: 180°
 - Sensing Range: 2-6M
 - Charging Time: 6-7 Hours
 - Working Time: 2-36 Hours
 - Body Type: ABS+PC
 - Size:300×215×35mm



Model	SKU	Watts	Lumen	Box Qty
<u>VT-787-10</u>	8550 - 4000K DAY WHITE	10w	1100	8



- Solar Floodlight
- Li-ion 18650, 3.7V, 7200mAh Battery
 - No. of LED:
 - Detecting Angle: 120°
 - Sensing Range: ≤8Mtr
 - Charging Time: 6-7 Hours
 - Working Time: Max 24 Hours
 - Body Type: Aluminium
 - Size:232×166×33mm



Model	SKU	Watts	Lumen	Box Qty
<u>VT-788-10</u>	8674 - 4000K DAY WHITE	10w	1100	10



- Solar Wall Light-IP65
- 3.7V Lithium 1200mAh Battery
 - No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
 - Detecting Angle: 120°
 - Sensing Range: 2-6M
 - Charging Time: 6-7 hrs Sunlight Charging
 - Working Time: Min 8 hrs and Max 24 hrs
 - Body Type: ABS+PC
 - Size:144.5×96×79mm



Model	SKU	Watts	Lumen	Box Qty
<u>VT-767-2-W</u>	8276 - 4000K DAY WHITE	1.5w	220	20



- Solar Wall Light-IP65
- 3.7V Lithium 1200mAh Battery
 - No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
 - Detecting Angle: 120°
 - Sensing Range: 2-6M
 - Charging Time: 6-7 hrs Sunlight Charging
 - Working Time: Min 8 hrs and Max 24 hrs
 - Body Type: ABS+PC
 - Size:144.5×96×79mm



Model	SKU	Watts	Lumen	Box Qty
<u>VT-767-2-B</u>	8277 - 4000K DAY WHITE	1.5w	220	20



Solar Wall Light-IP65

IP65
RATING

MOTION
SENSOR

- 3.7V Lithium 2000mAh Battery
- No. of LED: 30pcs (Front 28pcs, Back 2 pcs)
- Detecting Angle: 120°
- Sensing Range: 2-6M
- Charging Time: 6-7 hrs Sunlight Charging
- Working Time: Min 5-8 hrs and Max 24 hrs
- Body Type: ABS+PC
- Size:140×212×109.2mm

Model	SKU	Watts	Lumen	Box Qty
VT-768	7523 - DAY+WARM WHITE	3w	400	12



Solar Wall Light-IP65

IP65
RATING

MOTION
SENSOR

- 3.7V Lithium 4000mAh Battery
- No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
- Detecting Angle: 120°
- Sensing Range: 2-6M
- Charging Time: 6-7 hrs Sunlight Charging
- Working Time: 5 hrs to 4 nights- 3 modes
- Body Type: ABS+PC
- Size:270×221×109.2mm

Model	SKU	Watts	Lumen	Box Qty
VT-767-7-W	8278 - 4000K DAY WHITE	7w	800	20



Solar Wall Light-IP65

IP65
RATING

MOTION
SENSOR

- 3.7V Lithium 4000mAh Battery
- No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
- Detecting Angle: 120°
- Sensing Range: 2-6M
- Charging Time: 6-7 hrs Sunlight Charging
- Working Time: 5 hrs to 4 nights- 3 modes
- Body Type: ABS+PC
- Size:270×221×109.2mm

Model	SKU	Watts	Lumen	Box Qty
VT-767-7-B	8279 - 4000K DAY WHITE	7w	800	20




 SOLAR ENERGY
Solar Wall Light-Remote Control

- 3.7V, 1200mAh 18650 Lithium Battery
- Charging Time: 4-6 hrs Sunlight Charging
- Working Time: Min 3 hrs and Max 12 hrs
- Body Type: PC
- Size:160×230mm
- Lumen: 60-75Lm




Model	SKU	Watts
VT-969	93575 - 3IN1	0.8w


Solar Wall Light-Remote Control

- 3.7V, 1200mAh 18650 Lithium Battery
- Charging Time: 4-6 hrs Sunlight Charging
- Working Time: Min 3 hrs and Max 12 hrs
- Body Type: PC
- Size:160×230mm
- Lumen: 60-75Lm



Model	SKU	Watts
VT-972	93578 - 3IN1	0.8w


Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:20×15.5×25.5mm
- Lumen: 110



Model	SKU	Watts
VT-982-S	2889 - 3IN1	2w


Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:15.5×15.5×27mm
- Lumen: 110



Model	SKU	Watts
VT-983-S	2890 - 3IN1	2w



Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:22×17.5×25mm
- Lumen: 110



Model	SKU	Watts
<u>VT-982</u>	2892 – 3000K+6000K WARM WHITE+WHITE	2w



Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:17.5×17.5×27mm
- Lumen: 110



Model	SKU	Watts
<u>VT-983</u>	2893 – 3000K+6000K WARM WHITE+WHITE	2w



Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33mm
- Lumen: 110



Model	SKU	Watts
<u>VT-984</u>	2894 – 3000K+6000K WARM WHITE+WHITE	2w



Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33mm
- Lumen: 110



Model	SKU	Watts
<u>VT-984-S</u>	2891 – 3IN1	2w





Solar Bollard Lights

- 3.7V, 2000mAh Battery
- Charging Time: 12-15 Hours
- Working Time: 12 Hours
- Body Type: ABS+PC
- Size:705.7×155mm
- Lumen: 400



Model	SKU	Watts
VT-945	6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	5w




2IN1 Garden Light

- 3.7V, 1000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC
- Size:148×800mm
- Lumen: 260



Model	SKU	Watts
VT-943	6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	3w




Solar Garden Light - Adjustable

- 7.4V, 2000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC+Metal
- Size:264×1290.55mm
- Lumen: 500



Model	SKU	Watts
VT-948	6670 - 3000K WARM WHITE 6669 - 4000K DAY WHITE	8w



Solar Spike Light

- 3.7V Li-on 1200mAh Battery
- Charging Time: 6-8 Hours
- Working Time: 10-12 Hours
- Body Type: ABS
- Size:140×150×280mm
- Lumen: 40



Model	SKU	Watts
VT-952	6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	2w



LED BOLLARD LIGHTS



3 YEAR WARRANTY




IP65
RATING

- AC:220-240V,50/60Hz
- CRI >80
- PF >0.5
- 120° Beam Angle
- 20,000-hour lifespan
- IP65 Protection
- LED Chip Type – SMD
- On/Off Cycle – 15,000



Model	SKU	Watts	Lumen	Box Qty
VT-33-White	20116 3000K WARM WHITE 20117 4000K DAY WHITE 20118 6400K WHITE	10w	900	5 pcs




LED BOLLARD LIGHTS

- AC:220-240V,50/60Hz
- CRI >80
- PF >0.5
- 120° Beam Angle
- 20,000-hour lifespan
- IP65 Protection
- LED Chip Type – SMD
- On/Off Cycle – 15,000



Model	SKU	Watts	Lumen	Box Qty
<u>VT-33-Black</u>	20113 3000K WARM WHITE 20114 4000K DAY WHITE 20115 6400K WHITE	10w	650	5 pcs



VT-33-Black-N	2120114	4000K DAY WHITE	10w	650	5 pcs
---------------	---------	-----------------	-----	-----	-------



IP65
RATING



**3 YEAR
WARRANTY**



LED WALL LIGHT Solar Bollard



- Min 3hrs / Max 12hrs Working Time
- 1P65 Rating
- AL+PC Material
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- 50pcs of LED
- 5.5V 3 W Solar Panel



IP65
RATING



SOLAR
LIGHTS



3 YEAR
WARRANTY

Model	SKU	Watts	Lumen	Box Qty
<u>VT-66</u>	785 3000K WARM WHITE	2w	280	10 pcs
<u>VT-66-N</u>	21785 3000K WARM WHITE	2w	280	10 pcs

LED WALL LIGHT Solar Bollard


- Min 3hrs / Max 12hrs Working Time
- 1P65 Rating
- AL+PC Material
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- 50pcs of LED
- 5.5V 3 W Solar Panel



IP65
RATING



SOLAR
LIGHTS



3 YEAR
WARRANTY


Model	SKU	Watts	Lumen	Box Qty
<u>VT-77</u>	784 3000K WARM WHITE	2w	220	10 pcs
<u>VT-77-N</u>	21784 3000K WARM WHITE	2w	220	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED WALL LIGHT

LED Wall Light

- AC220-240V,50/60Hz
- CR1: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating



3 YEAR
WARRANTY



IP54
RATING




Model	SKU	Watts	Lumen	Box Qty
VT-7-06	780 3000K WARM WHITE 781 4000K DAY WHITE	10w	800	20 pcs





OUTDOOR LIGHTING | Garden Light 2IN1 (Lamp Post + Spike)

- IP65 Rating.
 - COB-Samsung Chip
 - 3 Years Warranty
 - AC:220-240V, 50/60Hz
 - Body Type: Aluminium
- 100° Beam Angle
 - CRI >80
 - PF>0.5
 - 20,000-hour lifespan
 - On/Off Cycle >15000



Model	SKU	Watts	Lumen	Box Qty
VT-907	20316 3000K WARM WHITE	7w	420	20 pcs
	20317 4000K DAY WHITE			
	20318 6400K WHITE			

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




Pool Lights-PAR56

- AC/DC:12V,50Hz
- PF:
- CRI: >80
- 120° Beam Angle
- Body Type: Glass
- Cutting Size: NA



IP68
RATING



Model	SKU	Watts	Lumen	Box Qty
VT-1258	7556 – 3000K WARM WHITE	8w	800	12
	7557 – BLUE			
	7555 – 6400K WHITE			
VT-1262	7560 – 3000K WARM WHITE	12w	1200	12
	7561 – BLUE			
	7559 – 6500K WHITE			




Pool Lights-PAR56-RGB

- AC/DC:12V,50Hz
- PF:
- CRI: >80
- 120° Beam Angle
- Body Type: Glass
- Cutting Size: NA



IP68
RATING



Model	SKU	Watts	Lumen	Box Qty
VT-1268	7558 – RGB	8w	800	12
VT-1263	7562 – RGB	12w	1200	12

Wall Fitting-Up-Down-GU10-Sensor



Model: VT-7632S
SKU: 5157
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60×110×215mm
Box Qty: 12



UP & DOWN
LIGHTS



Wall Fittings-E27

NEW



Model: VT-967
SKU: 93573
Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 130×100×228mm
Box Qty: 10



IP44
RATING

Wall Fittings-E27

NEW



Model: VT-968
SKU: 93574
Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 150×91×228mm
Box Qty: 10



IP44
RATING



Wall Fittings-GU10

Model: VT-7621PIR
SKU: 7502
Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110×67×163mm
Box Qty: 24



Wall Fitting-Up-Down-GU10

Model: VT-7622PIR
SKU: 7503
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110×67×220mm
Box Qty: 12



UP & DOWN
LIGHTS



Wall Fittings-GU10

Model: VT-7621
SKU: 7501
Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 93×85×118mm
Box Qty: 24



Wall Fitting-Up-Down-GU10

Model: VT-7622
SKU: 7500
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93×85×163mm
Box Qty: 16



UP & DOWN
LIGHTS



Wall Fittings-GU10

Model: VT-7631
SKU: 7505
Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110×60×125mm
Box Qty: 24



Wall Fitting-Up-Down-GU10

Model: VT-7632
SKU: 7504
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110×60×178mm
Box Qty: 12



UP & DOWN
LIGHTS



Wall Fittings-GU10

Model: VT-7641
SKU: 7506
Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 105×76×118mm
Box Qty: 24



Wall Fitting-Up-Down-GU10

Model: VT-7642
SKU: 7507
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 105×76×207mm
Box Qty: 16



UP & DOWN
LIGHTS

Wall Fittings-GU10



Model: VT-7651RD
SKU: 7508
Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92×68×80mm
Box Qty: 24

Wall Fitting-Up-Down-GU10



Model: VT-7652RD
SKU: 7509
Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92×68×150mm
Box Qty: 16



Wall Fittings-GU10



Model: VT-7651SQ
SKU: 7510
Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92×68×80mm
Box Qty: 24

Wall Fitting-Up-Down-GU10



Model: VT-7652SQ
SKU: 7511
Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92×68×150mm
Box Qty: 16



Wall Fitting-Up-Down-GU10



Model: VT-7662
SKU: 7512
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85×87×250mm
Box Qty: 12



Wall Fitting-Up-Down-GU10



Model: VT-7622-B
SKU: 7569
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93×85×163mm
Box Qty: 16



Wall Fittings-GU10



Model: VT-7651SQ-W
SKU: 7539
Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92×68×80mm
Box Qty: 24

Wall Fittings-GU10



Model: VT-7651RD-W
SKU: 7540
Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92×68×80mm
Box Qty: 24



Wall Fitting-Up-Down-GU10

Model: VT-7652SQ-W
SKU: 7541
Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92×68×150mm
Box Qty: 16



UP & DOWN
LIGHTS



Wall Fitting-Up-Down-GU10

Model: VT-7652RD-W
SKU: 7542
Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 92×68×80mm
Box Qty: 16



UP & DOWN
LIGHTS



Wall Fitting-Up-Down-GU10

Model: VT-7662-W
SKU: 7543
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85×87×250mm
Box Qty: 12



UP & DOWN
LIGHTS



Wall Fitting-Up-Down-GU10

Model: VT-7622-W
SKU: 7570
Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93×85×163mm
Box Qty: 16



UP & DOWN
LIGHTS



Wall Fittings-GU10

Model: VT-7611
SKU: 7553
Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 100×66×92mm
Box Qty: 24



Wall Fittings-GU10

Model: VT-7612
SKU: 7554
Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 1170×50mm
Box Qty: 6



Wall Fittings-GU10

Model: VT-841
SKU: 8626
Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63×99×120mm
Box Qty: 24



Wall Fitting-Up-Down-GU10

Model: VT-842
SKU: 8627
Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63×99×170mm
Box Qty: 24



UP & DOWN
LIGHTS



Underground Fittings-MR16

Model: VT-7678-1
SKU: 8567
Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87×128mm
Box Qty: 12



Underground Fittings-MR16

Model: VT-7678-2
SKU: 8568
Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87×128mm
Box Qty: 12



Underground Fittings-MR16

Model: VT-7678-3
SKU: 8566
Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87×128mm
Box Qty: 12



Underground Fittings

Model: VT-7677RD
SKU: 7515
Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110×110×120mm
Box Qty: 24



Underground Fittings

Model: VT-7677SQ
SKU: 7516
Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110×110×120mm
Box Qty: 24



Garden Spike-Single Head

Model: VT-728
SKU: 7044
Material: ABS
Holder: E27
IP Rating: IP44
Dimension: 450×27mm
Box Qty: 12



Garden Spike-Double Head

Model: VT-729
SKU: 7045
Material: ABS
Holder: E27
IP Rating: IP44
Dimension: 450×205mm
Box Qty: 12



Garden Spike

Model: VT-769
SKU: 7517
Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 95×95×335mm
Box Qty: 12



GARDEN LIGHTS & FITTINGS

V-TAC presents an elegant series of garden lighting, makes your garden glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors, and ceilings with our modern designs.

Key Feature

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

Application

Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments

V-TAC®
INNOVATIVE LED LIGHTING





Garden Spike Light

- AC:100-240V,50/60Hz
 - PF: >0.6
 - CRI: >80
- 30° Beam Angle
 - Body Type: Aluminium
 - Size: 73×255mm



Model	SKU	Watts	Lumen	Box Qty
VT-857-B	7545 - 4000K DAY WHITE	12w	720	50
	7546 - GREEN			
VT-857-B-N	217544 - 3000K WARM WHITE	12w	3000K - 880lm 4000K - 875lm	50
	217545 - 4000K DAY WHITE			



Garden Spike Light

- AC:100-240V,50/60Hz
 - PF: >0.6
 - CRI: >80
- 30° Beam Angle
 - Body Type: Aluminium
 - Size: 73×255mm



Model	SKU	Watts	Lumen	Box Qty
VT-857-W	7548 - 4000K DAY WHITE	12w	720	50
	7549 - GREEN			
VT-857-W-N	217547 - 3000K WARM WHITE	12w	3000K - 920lm 4000K - 970lm	50
	217548 - 4000K DAY WHITE			



Garden Spike Light

- AC:100-240V,50/60Hz
 - PF: >0.6
 - CRI: >80
- 30° Beam Angle
 - Body Type: Aluminium
 - Size: 73×255mm



Model	SKU	Watts	Lumen	Box Qty
VT-857-G	7551 - 4000K DAY WHITE	12w	720	50
	7552 - GREEN			
VT-857-G-N	217550 - 3000K WARM WHITE	12w	3000K - 875lm 4000K - 930lm	50
	217551 - 4000K DAY WHITE			



Bollard Lamps

- AC:100-240V 50/60Hz
 - PF: >0.9
 - CRI: >80
- 350° Beam Angle
 - Body Type: Die Cast Aluminium
 - Size: 200×80×300mm



Model	SKU	Watts	Lumen	Box Qty
VT-909	5155 - 4000K DAY WHITE	9W	500	8




Garden Spike

Model: VT-770
SKU: 7518
Max.Watts: 35w
Material: Stainless Steel
Color: Silver
Holder: GU10
IP Rating: IP44
Dimension: 60×60×420mm
Box Qty: 8



Bollard Lamps

Model: VT-838-S45
SKU: 8958
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Satin Nickel
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6




Wall Fittings-E27

Model: VT-832
SKU: 8623
Max.Watts: 60w
Material: Stainless Steel+PC
Color: White+Stainless Steel
Holder: E27
IP Rating: IP44
Dimension: 76×375mm
Box Qty: 12



Bollard Lamp

Model: VT-838-S80
SKU: 8625
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Satin Nickel
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6



Wall Fittings-E27

Model: VT-833
SKU: 8624
Max.Watts: 60w
Material: Stainless Steel+PC
Color: White+Stainless Steel
Holder: E27
IP Rating: IP44
Dimension: 76×140×335mm
Box Qty: 12



Bollard Lamps

Model: VT-838-S110
SKU: 8962
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Satin Nickel
Holder: E27
IP Rating: IP44
Dimension: 76×110×1100mm
Box Qty: 6

Bollard Lamps



Model: VT-838-B45
SKU: 8593
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6

Bollard Lamps



Model: VT-838-G45
SKU: 8959
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Grey
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6

Bollard Lamps



Model: VT-838-B80
SKU: 8978
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6

Bollard Lamps



Model: VT-838-G80
SKU: 8961
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Grey
Holder: E27
IP Rating: IP44
Dimension: 76×110×800mm
Box Qty: 6

Bollard Lamps



Model: VT-838-B110
SKU: 8594
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 76×110×1100mm
Box Qty: 6

Bollard Lamps



Model: VT-838-G110
SKU: 8963
Max.Watts: 60w
Material: Stainless Steel+PC Diffuser
Color: Grey
Holder: E27
IP Rating: IP44
Dimension: 76×110×1100mm
Box Qty: 6



Bollard Lamps with Sensor

Model: VT-838-BS45
SKU: 8985
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6



Bollard Lamps with Sensor

Model: VT-838-SE45
SKU: 8964
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Satin Nickel
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6



Bollard Lamps with Sensor

Model: VT-838-BS80
SKU: 8984
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 76×110×800mm
Box Qty: 6



Bollard Lamps with Sensor

Model: VT-838-SS80
SKU: 8960
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Satin Nickel
Holder: E27
IP Rating: IP44
Dimension: 76×110×800mm
Box Qty: 6



Bollard Lamps with Sensor

Model: VT-838-BS110
SKU: 8983
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 76×110×1100mm
Box Qty: 6



Bollard Lamps with Sensor

Model: VT-838-SE110
SKU: 8967
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Satin Nickel
Holder: E27
IP Rating: IP44
Dimension: 76×110×1100mm
Box Qty: 6





Bollard Lamps with Sensor

Model: VT-838-GS45
SKU: 8965
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Grey
Holder: E27
IP Rating: IP44
Dimension: 76×110×450mm
Box Qty: 6



Bollard Lamps with Sensor and Socket

Model: VT-838-BSS60
SKU: 8979
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 76×110×600mm
Box Qty: 6



Socket Rated Current: Max 3680W
Socket Rated Power: 16A



Bollard Lamps with Sensor

Model: VT-838-GS80
SKU: 8966
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Grey
Holder: E27
IP Rating: IP44
Dimension: 76×110×800mm
Box Qty: 6



Bollard Lamps with Sensor and Socket

Model: VT-838-GS60
SKU: 8976
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Grey
Holder: E27
IP Rating: IP44
Dimension: 76×110×600mm
Box Qty: 6



Socket Rated Current: Max 3680W
Socket Rated Power: 16A



Bollard Lamps with Sensor

Model: VT-838-GS110
SKU: 8968
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Grey
Holder: E27
IP Rating: IP44
Dimension: 76×110×1100mm
Box Qty: 6




Bollard Lamps with Sensor and Socket

Model: VT-838-SS60
SKU: 8977
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Material: Stainless Steel+PC Diffuser
Color: Satin Nickel
Holder: E27
IP Rating: IP44
Dimension: 76×110×600mm
Box Qty: 6




Socket Rated Current: Max 3680W
Socket Rated Power: 16A


Wall Fittings GU10



Wall Fittings GU10




Bollard Lamps GU10



Bollard Lamps GU10



Bollard Lamps GU10




Bollard Lamps GU10



Wall Lamp




Model: VT-837-B
SKU: 8517
Max.Watts: 60W
Material: Aluminium+Clear Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 113×236×113mm
Box Qty: 10



Wall Lamp




Model: VT-7680
SKU: 7514
Max.Watts: 14W
Material: Stainless Steel+PC
Color: Stainless Steel
Holder: E27
IP Rating: IP44
Dimension: 250×90×100mm
Box Qty: 12



Wall Lamp




Model: VT-837
SKU: 8518
Max.Watts: 60W
Material: Aluminium+Clear Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 113×236×113mm
Box Qty: 10



Wall Lamp




Model: VT-745-B
SKU: 7064
Max.Watts: 40W
Material: Aluminium
Color: Matt Black
Holder: E27
IP Rating: IP54
Dimension: 145X265mm
Box Qty: 12



Wall Lamp




Model: VT-7670
SKU: 7513
Max.Watts: 14W
Material: Stainless Steel+PC
Color: Stainless Steel
Holder: E27
IP Rating: IP44
Dimension: 250×90×100mm
Box Qty: 12



Wall Lamp




Model: VT-745-DG
SKU: 7065
Max.Watts: 40W
Material: Aluminium
Color: Dark Grey
Holder: E27
IP Rating: IP54
Dimension: 145X265mm
Box Qty: 12



Wall Lamp




Model: VT-754-MB
SKU: 7076
Max.Watts: 60W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 245×180×93mm
Box Qty: 10



Wall Lamp




Model: VT-760-B
SKU: 7519
Max.Watts: 60W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 225×400×148mm
Box Qty: 12



Wall Lamp




Model: VT-754-MW
SKU: 7077
Max.Watts: 60W
Material: Aluminium+Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 245×180×93mm
Box Qty: 10



Wall Lamp




Model: VT-760-W
SKU: 7520
Max.Watts: 60W
Material: Aluminium+Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 225×400×148mm
Box Qty: 12



Wall Lamp




Model: VT-835
SKU: 8628
Max.Watts: 40W
Material: Stainless Steel+PC
Color: Dark Grey
Holder: E27
IP Rating: IP44
Dimension: 148×165×245mm
Box Qty: 6



Wall Lamp




Model: VT-761-B
SKU: 7521
Max.Watts: 60W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 245×445×185mm
Box Qty: 8



Wall Lamp




Model: VT-761-W
SKU: 7522
Max.Watts: 60W
Material: Aluminium+Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 245×445×185mm
Box Qty: 8



Wall Lamp




Model: VT-852
SKU: 7531
Max.Watts: 60W
Material: Aluminium, Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 290×250×525mm
Box Qty: 6



Wall Lamp




Model: VT-730
SKU: 7046
Max.Watts: 40W
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 200×238mm
Box Qty: 6



Wall Lamp




Model: VT-853
SKU: 7532
Max.Watts: 60W
Material: Aluminium, Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 290×250×525mm
Box Qty: 6



Wall Lamp




Model: VT-731
SKU: 7047
Max.Watts: 40W
Material: Aluminium+Plastic
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 200×238mm
Box Qty: 6



Wall Lamp




Model: VT-751-B
SKU: 7070
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 215×375×170mm
Box Qty: 10



Wall Lamp




Model: VT-751-W
SKU: 7071
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 215×375×170mm
Box Qty: 10



Wall Lamp




Model: VT-843
SKU: 8686
Max.Watts: 60W
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 235×225mm
Box Qty: 10



Wall Lamp




Model: VT-749-B
SKU: 7066
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 208×360×170mm
Box Qty: 10



Wall Lamp




Model: VT-750-B
SKU: 7068
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 208×360×170mm
Box Qty: 10



Wall Lamp




Model: VT-749-W
SKU: 7067
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 208×360×170mm
Box Qty: 10



Wall Lamp




Model: VT-750-W
SKU: 7069
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 208×360×170mm
Box Qty: 10






Ceiling Lamp

Model: VT-752-B
SKU: 7072
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 170×840mm
Box Qty: 10




Stand Lamp

Model: VT-736
SKU: 7059
Max.Watts: 60W
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 170×600mm
Box Qty: 10




Ceiling Lamp

Model: VT-752-W
SKU: 7073
Max.Watts: 40W
Material: Aluminium+Glass
Color: White
Holder: E27
IP Rating: IP44
Dimension: 170×840mm
Box Qty: 10




Ceiling Lamp

Model: VT-850
SKU: 7529
Max.Watts: 60W
Material: Aluminium+PC
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 250×890mm
Box Qty: 8




Ceiling Lamp

Model: VT-735
SKU: 7058
Max.Watts: 60W
Material: Aluminium+Plastic
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 170×740mm
Box Qty: 10



Pole Lamp

Model: VT-839
SKU: 8629
Max.Watts: 40W
Material: Stainless Steel+PC
Color: Dark Grey
Holder: E27
IP Rating: IP44
Dimension: Ø148X800mm
Box Qty: 6






Pole Lamp

Model: VT-851
SKU: 7530
Max.Watts: 60W
Material: Aluminium+PC
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 250×1110mm
Box Qty: 1




Stand Lamp

Model: VT-753-W
SKU: 7075
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt White
Holder: E27
IP Rating: IP44
Dimension: 170×403mm
Box Qty: 10



Stand Lamp

Model: VT-734
SKU: 7057
Max.Watts: 60W
Material: Aluminium+PC
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 170×290mm
Box Qty: 10




Pole Lamp

Model: VT-845
SKU: 8687
Max.Watts: 60W
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 175×950mm
Box Qty: 10




Stand Lamp

Model: VT-753-B
SKU: 7074
Max.Watts: 40W
Material: Aluminium+Glass
Color: Matt Black
Holder: E27
IP Rating: IP44
Dimension: 170×403mm
Box Qty: 10



Stand Lamp


Model: VT-737
SKU: 7060
Max.Watts: 60W
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 345×1365mm
Box Qty: 1






Pole Lamp

Model: VT-847
SKU: 8688
Max.Watts: 60Wx2
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 522x2320mm
Box Qty: 1




Stand Lamp

Model: VT-740
SKU: 7063
Max.Watts: 60Wx3
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm
Box Qty: 1



Stand Lamp

Model: VT-738
SKU: 7061
Max.Watts: 60Wx2
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 480x1410mm
Box Qty: 1



Stand Lamp

Model: VT-739
SKU: 7062
Max.Watts: 60Wx2
Material: Aluminium+Glass
Color: Black
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm
Box Qty: 1

