




LED SMART LIGHT

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting & home efficiency solutions that can be fully controlled via Amazon Alexa or Google Home.



V-TAC[®]
INNOVATIVE LED LIGHTING

V-TAC
SMART
LIGHT



Smart Bulb



Voltage/Frequency: AC:220~240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Base: E14
Body Type: Thermoplastic
Life Span: 30,000-hour
Dimension: 37×100mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5114	2754 RGB+2700K-6400K	5W	470	200



Smart Bulb



Voltage/Frequency: AC:220~240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Base: E27
Body Type: Thermoplastic
Life Span: 30,000-hour
Dimension: Ø45×81mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5124	2755 RGB+2700K-6400K	5W	470	200



Smart Bulb



Voltage/Frequency: AC:220~240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Base: E14
Body Type: Thermoplastic
Life Span: 30,000-hour
Dimension: Ø45×81mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5154	2756 RGB+2700K-6400K	5W	470	200



Smart Bulb



Voltage/Frequency: AC:220~240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Base: B22
Body Type: Thermoplastic
Life Span: 30,000-hour
Dimension: Ø60×120mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5110	2791 RGB+2700K-6400K	10w	806	100



Smart Bulb



Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Base: E27
Body Type: Thermoplastic
Life Span: 30,000-hour
Dimension: Ø60×120mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5119	2751 RGB+2700K-6400K	10W	806	100



Smart Bulb



Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Base: E27
Body Type: Thermoplastic
Life Span: 30,000-hour
Dimension: Ø60×120mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5113	2752 RGB+2700K-6400K	11W	1055	100



Smart Bulb



Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Base: E27
Body Type: Thermoplastic
Life Span: 30,000-hour
Dimension: Ø65×135mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5117	2753 RGB+2700K-6400K	15W	1300	100



Smart Spotlight



Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 110°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Base: GU10
Body Type: Plastic
Life Span: 30,000-hour
Dimension: 50×57mm

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

Model	SKU	Watts	Lumen	Box Qty
VT-5174	2750 3000K-6400K	4.5W	300	200



Smart Spotlight



Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 110°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Base: GU10
Body Type: Plastic
Life Span: 30,000-hour
Dimension: 50×57mm

- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Model	SKU	Watts	Lumen	Box Qty
VT-5164	2757 RGB+2700K-6400K	5.5W	400	200



Smart LED Dome Light



Voltage/Frequency: AC:175-265V,50/60Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4Ghz
Body Type: Plastic+Metal
Life Span: 20,000-hour
Dimension: Ø:467×70mm

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

Model	SKU	Watts	Lumen	Box Qty
VT-5141	1497 3IN1	40w	2800	5



Smart LED Dome Light



Voltage/Frequency: AC:175-265V,50/60Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4Ghz
Body Type: Plastic+Metal
Life Span: 20,000-hour
Dimension: Ø572.5×70mm

- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

Model	SKU	Watts	Lumen	Box Qty
VT-5161	1498 3IN1	60w	4200	5



LED Smart Striplight Kit



LED Type: SMD
Watt/M: 10w
Current/M: 1.5A
Voltage: DC:12V
Im/M: 1000
Im/LED: 14-16lm
Beam Angle: 120°
IP Rating: IP20
Width: 8mm

Model	SKU	Box Qty
VT-5050 60 EU	2583 RGB 2584 RGB+W	20
VT-5050 60 BS	2585 RGB 2586 RGB+W	20



LED Smart Striplight Kit-2IN1

LED Type: SMD
Watt/M: 4w
Current/M: 0.75A
Voltage: DC:12V,50/60Hz
lm/M: 230
lm/LED: NA
Beam Angle: 120°
IP Rating: IP65
Width: 10mm



Model	SKU	Box Qty
<u>VT-5050 54 EU</u>	2628 RGB+3IN1	20
<u>VT-5050 54 BS</u>	2629 RGB+3IN1	20



LED Smart Striplight Kit-new

LED Type: SMD
Watt/M: 13W
Current/M: 1.08A
Beam Angle: 120°
IP Rating: IP65
Width: 10mm



Model	SKU	Box Qty
<u>VT-5050 90 BS</u>	2699 3IN1	20
<u>VT-5050 90 EU</u>	2910 RGB+3IN1	20



Smart Panel

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4GHz
Body Type: Aluminium
Life Span: 20,000-hour
Dimension: 595x595mm



- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

Model	SKU	Watts	Lumen	Box Qty
<u>VT-5140</u>	8080 3IN1	40w	4800	5



IR Remote Control

- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Infrared Range: ≤ 8meters



Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.

Real-Time Control

Multi-Brand

Set Timer

Cloud Panel

Power Save

Smart Scene

Model	SKU	Box Qty
<u>VT-5151</u>	8651	100



Wi-Fi Thermostat

- Power Supply: 95~240 VAC, 50/60Hz
- Fan Relay Amps Resistance: 5A; Inductive: 3A
- Valve Relay Amps Resistance: 3A; Inductive: 1A
- Sensor: NTC 3950, 10K
- Accuracy: +0.5°C
- Set Temp. Range: 5~35°C
- Display Temp. Range: 5~99°C
- Ambient Temp.: 0~45°C
- Ambient Humidity: 5~95%
- RH (Non Condensing)
- Storage Temp.: -5~ 45°C
- Power Consumption: <1.5W
- Timing Error: <1%
- Shell Material: PC + ABS(Fireproof)
- Wire Terminals: Wire 2 × 1.5mm2 or 1 × 2.5mm2
- Protection Class: IP20



Model	SKU	Box Qty
<u>VT-5888</u>	7908	1 pc



Smart Tower Fan

- Power(Watts): 55
- Input Voltage: AC:220~240V,50Hz
- Size(Inches): 46
- Material: ABS
- Speed: 3(Low-Med-High)
- Wind Mode: 3(Normal-Natural-Sleep)
- Timer: 1~15hrs(Max)
- Wireless Frequency: 2.4Ghz
- Remote Control Included



Model	SKU	Box Qty
<u>VT-5566-EU</u>	7927	1
<u>VT-5566-BS</u>	7928	1

SMART GYRO
ROBOT VACUUM

Digital Robot Cleaning Vacuum with Wi-Fi App
and Wireless Remote Control



Multi Cleaner

Hardwood, Tile, Marble
& Hard Carpet Floors



SMART CLEAN

Smart, Self-Programmed
Cleaning Path Navigation



SMART CONNECT

Wireless Wi-Fi App
Remote Control

MOTOR SUCTION POWER


1800 PA



Automatic Return to Dock Base
for Self-Charging



Robot learns the layout of your home and cleans
in S path to more efficiently cover large areas
on a single charge.



Gyro Robot Vacuum Cleaner

Model	SKU	Box Qty
VT-5555-EU	8650 BLACK EU-PLUG 8649 WHITE EU-PLUG	4
VT-5555-BS	7912 BLACK BS-PLUG 7911 WHITE BS-PLUG	4

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Versatile & Convenient Floor Clean Ability
- Smart, Self-Programmed Cleaning Path Navigation
- Wi-Fi Wireless Network for Hassle-Free Device Pairing
- Take Control of the Vacuum via Remote Control or App
- Preset Multi-Clean Modes: Auto, Single Room, Edge
- Automatic Return to Dock Base for Self-Charging
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Slim Low-Profile Housing Slides Underneath Furniture
- Perfect for the Home or Office



SMART GYRO ROBOT VACUUM

Digital Robot Cleaning Vacuum with Wi-Fi App
and Wireless Remote Control



Multi Cleaner

Hardwood, Tile, Marble
& Hard Carpet Floors



SMART CLEAN

Smart, Self-Programmed
Cleaning Path Navigation



SMART CONNECT

Wireless Wi-Fi App
Remote Control

3000mAh
Using LG battery


MOTOR SUCTION POWER
2200 PA



Automatic Return to Dock Base
for Self-Charging


360° LASER

Scanning provides insight into the whole house



Robot learns the layout of your home and cleans
in S path to more efficiently cover large areas
on a single charge.

Accessories :



Robot Laser Vacuum Cleaner

Model	SKU	Box Qty
VT-5556-B	8992 BLACK EU-PLUG 7933 WHITE EU-PLUG	3

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- 360 Laser scanning provides insight into the whole house
- Smart, Self-Programmed Cleaning Path Navigation
- Wi-Fi Wireless Network for Hassle-Free Device Pairing
- Take Control of the Vacuum via V-TAC App or Alexa and Google Home
- Preset Multi-Clean Modes: Auto, Single Room, Edge
- Automatic Return to Dock Base for Self-Charging
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Cleaning area coverage: Up to 120m² – Dustbin capacity: 600 ml
- Suction Power: Japanese Nidec Motor 2200 PA



Plug-Wi-Fi

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.4GHz
Max Watts: 2200w
Material: PC
On/Off Cycle: 10,000 Times
IP RATING : IP20
Dimension: 110×62×36mm

Model	SKU	Box Qty
<u>VT-5001</u>	8415-EU PLUG 8427-BS PLUG	50



Mini Plug-Wi-Fi

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.4GHz
Max Watts: 2200w
Material: PC
On/Off Cycle: 10,000 Times
IP RATING : IP20
Dimension: 63×45×30mm

Model	SKU	Box Qty
<u>VT-5002</u>	8416-EU PLUG 8428-BS PLUG	100



E27 Lamp Holder-Wi-Fi

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.4GHz
Max Watts: 20w(LED Bulb)
Material: PC
On/Off Cycle: 10,000 Times
IP RATING : IP20
Dimension: D:67×02mm

Model	SKU	Box Qty
<u>VT-5007</u>	8421	50



Wall Socket-Wi-Fi(EU)

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.4GHz
Max Watts: 3500w
Material: PC
On/Off Cycle: 10,000 Times
IP RATING : IP20
Dimension: 86×86×45mm

Model	SKU	Box Qty
<u>VT-5134</u>	8797- BLACK 8798- WHITE	60



Wall Socket-Wi-Fi(BS)

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.4Ghz
Max Watts: 2900w
Material: PC
On/Off Cycle: 10,000 Times
IP RATING : IP20
Dimension: 146×86×32mm

Model	SKU	Box Qty
<u>VT-5017</u>	8446	100





RF433 Gateway

- Input Voltage: 90-250V
- Max Current:13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material:PC
- Power supply: Micro USB 5V/1A
- RF:433MHz
- Control Mode:VTAC Smartphone App
- Size: 110×25mm

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.

Model	SKU	Box Qty
VT-5144	8466	100



Temperature Humidity Scheduler

- Max. Current-16A
- Material: PC
- Input: AC:90-250V,50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Size: 137×45×28mm

Model	SKU	Box Qty
VT-5145	8467	100



Temperature & Humidity Sensor

- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)"
- Size: 61×26mm(50cm Wire Length)

Model	SKU	Box Qty
VT-5146	8468	200



Waterproof Temperature Probe

- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof – IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Size: 70×70×1000mm

Model	SKU	Box Qty
VT-5147	8469	200





SMART SWITCHES

Introducing the next generation self-powered wireless switches, functions using an RF receiver, making their use a hassle free experience. Offering a push-touch button and remote features.

Smart Switch is made of Advanced PC Material, High Strength, Impact, and High-Temperature Resistance, Non- toxic and Eco Friendly, Easy to Clean and Color Fadeless.

No-Screw Design On Panel Surface, Big Button Design With Indicator, Easy ON/OFF operation With Good Sense Of Touch, Low Sound of pressing



1Gang 1Way Sensor Switch



Model	SKU	Box Qty
VT-5131	8460	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86×86×11mm
Remote Distance: Outdoor >600m | Indoor >40m

2Gang 1Way Sensor Switch



Model	SKU	Box Qty
VT-5132	8461	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86×86×11mm
Remote Distance: Outdoor >600m | Indoor >40m

3Gang 1Way Sensor Switch



Model	SKU	Box Qty
VT-5133	8462	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86×86×11mm
Remote Distance: Outdoor >600m | Indoor >40m

Remote Three Gang



Model	SKU	Box Qty
VT-5143	8463	364

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: ABS
Dimensions: 62×30×12mm
Remote Distance: Outdoor >160m | Indoor >20m

Receiver



Model	SKU	Box Qty
VT-5129	8458	364

Input Power: AC:180-240V
Body Type: PC
Dimensions: 39×23×22 mm
Remote Distance: Outdoor >600m | Indoor >40m


Wi-Fi Receiver



Model	SKU	Box Qty
VT-5130	8459	196

Input Power: AC:85-265V
Body Type: PC
Dimensions: 75×28×28.5 mm
Remote Distance: Outdoor >500m | Indoor >40m





Remote Dimmer 1Gang 1Way

Input Power: AC:180-250V,50/60Hz
Operating Temp: -10~60°C
Switch Lifetime: >100,000 times
Relative Humidity: 10%~93%
Load Power: 5-500W
Body Type: PC+Glass Finish
Dimensions: 86×86mm

Model	SKU	Color	Box Qty
VT-5311-B	8395	Black	100
VT-5311-W	8369	White	100



Doorbell-Switch 1Gang 1Way

Input Power: AC:180-250V,50/60Hz
Operating Temp: -10~60°C
Switch Lifetime: >100,000 times
Relative Humidity: 10%~93%
Load Power: 5-500W
Body Type: PC+Glass Finish
Dimensions: 86×34×86mm

Model	SKU	Color	Box Qty
VT-5411-B	8397	Black	100
VT-5411-W	8372	White	100



Socket EU 2 Way

Model	SKU	Box Qty
VT-5811-B	8401	60
VT-5811-W	8402	60

Input Power: AC:200-250V,50Hz
Switch Lifetime: >100,000 times
Body Type: PC+Glass Finish



Socket EU Glass Panel

Model	SKU	Box Qty
VT-5711-B	8399	80
VT-5711-W	8379	80

Input Power: AC:200-250V,50Hz
Switch Lifetime: >100,000 times
Body Type: PC+Glass Finish

Robotic Vacuum Cleaner

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Smart, Self-Programmed Cleaning Path Navigation
- Dustbin Capacity 430ml
- Construction Material: ABS Housing
- Preset Multi-Clean Modes: Auto, Spot, Edge
- Cleaning area coverage upto 120Sq. Meters
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery 14.4V Li-ion, 2000mAh
- Power Supply 120-240V (12V Power Adaptor)
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Noise level less than 65db
- Suction Power Brusless Motor 800PA



MULTI CLEANER
Hardwood, Tile, Marble
& Hard Carpet Floors



SMART CLEAN
Smart, Self-Programmed
Cleaning Path Navigation

Model	SKU	Size	Box Qty
VT-5522	8659 BLACK 8660 WHITE+BLUE	315×315×76mm	4

