

V-TAC[®]
INNOVATIVE LED LIGHTING

**SAMSUNG
LED**

Illuminated



LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. Our recent in-branding program enabled us to equip all LED PRO Series lamp range with LEDs provided by Samsung.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range of options to replace 60W to 150W traditional lamps and achieve energy-saving lighting in your home, office, or business.

Key Features

- Includes Amber & Clear Filament Bulbs, High Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Lightweight yet durable body: made of Aluminium + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hour lifespan: remarkable performance than conventional and other LED lamps

Application

General lighting in residential, commercial, and industrial areas




LED BULBS

Evolution Series

Our bestselling LED Bulbs — now upgraded with a superior efficiency of 160 lm/W through the latest in LED technology.




- E27 Base
- A60 Shape
- AC:220-240V, 50Hz
- PF: >0.6
- CRI: >80
- 200° Beam Angle



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2307	2806 3000K WARM WHITE	6.5W	75w	1055lm	100
	2807 4000K DAY WHITE				
	2808 6400K WHITE				




- E27 Base
- A60 Shape
- AC:220-240V, 50Hz
- PF: >0.6
- CRI: >80
- 200° Beam Angle



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2310	2809 3000K WARM WHITE	9.5W	100w	1521lm	100
	2810 4000K DAY WHITE				
	2811 6400K WHITE				




- E27 Base
- A65 Shape
- AC:220-240V, 50Hz
- PF: >0.6
- CRI: >80
- 200° Beam Angle



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2315	2812 3000K WARM WHITE	15W	150w	2452lm	100
	2813 4000K DAY WHITE				
	2814 6400K WHITE				



- E27 Base
- ED120 Shape
- AC:220~240V, 50Hz
- PF: >0.6
- CRI: >80
- 310° Beam Angle




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2324	2816 4000K DAY WHITE 2817 6400K WHITE	24W	250w	4000lm	20

LED BULBS
LED Amber Filament

V-TAC's decorative Amber Filament lamp range is devised with the latest technology to provide the warm look and feel of conventional Edison bulbs but with the efficiency of LED lamps.




- B22 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-228	107 2200K WARM WHITE	4w	35w	350	96



- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-266	286 2200K WARM WHITE	6w	55w	725	50

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.



- E27 Base
- G125 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



120
lm/W




3 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-297</u>	291 2200K WARM WHITE	6w	55w	725	20



- E27 Base
- ST64 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



120
lm/W



3 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-276</u>	290 2200K WARM WHITE	6w	55w	725	50


LED BULBS

LED Clear Filament

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.



- B22 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



3 YEAR
WARRANTY




BAYONET
HOLDER

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-208</u>	106 3000K WARM WHITE	4w	40w	400	96



- B22 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




3 YEAR WARRANTY

BAYONET HOLDER

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-222	105 3000K WARM WHITE	4w	40w	400	192



- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-254	272 2700K WARM WHITE	4w	35w	400	100



- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




DIMMABLE LIGHT CONTROL

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-254D	278 2700K WARM WHITE	4w	30w	350	100



- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-274	279 2700K WARM WHITE	4w	35w	400	100

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.




- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-264	275 2700K WARM WHITE	4w	35w	400	100




- B15 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-284D	862 3000K WARM WHITE	4w	30w	350	100




- E27 Base
- G45 Shape
- AC:220~240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-244	280 2700K WARM WHITE 944 4000K DAY WHITE	4w	35w	400	100




- E27 Base
- G95 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-286	294 2700K WARM WHITE	6w	60w	806	20



- E27 Base
- G125 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-287	292 2700K WARM WHITE	6w	60w	806	20

LED BULBS
High Lumen Bulbs

The High Lumen range takes it up a notch with a broad selection of our bestselling lamps but brighter light at less wattage. Achieve next level efficiency in any room.




- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-255	258 3000K WARM WHITE	4.5w	40w	470	200
	259 4000K DAY WHITE				
	260 6400K WHITE				



- E27 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-245	261 3000K WARM WHITE	4.5w	40w	470	200
	262 4000K DAY WHITE				
	263 6400K WHITE				

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E14 Base
- P45 Shape
- AC:220~240V,50Hz
- PF: >0.4
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



120
lm/W




5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-225	264 3000K WARM WHITE	4.5w	40w	470	200
	265 4000K DAY WHITE				
	266 6400K WHITE				



- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



120
lm/W




5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-265	255 3000K WARM WHITE	6.5w	60w	806	100
	256 4000K DAY WHITE				
	257 6400K WHITE				



- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



120
lm/W



5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-285	252 3000K WARM WHITE	8.5w	75w	1055	100
	253 4000K DAY WHITE				
	254 6400K WHITE				



- E27 Base
- A65 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



120
lm/W




5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-295	249 3000K WARM WHITE	12w	100w	1521	100
	250 4000K DAY WHITE				
	251 6400K WHITE				



- E27 Base
- G120 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-242	20021 3000K WARM WHITE	22w	160	2650	20
	20022 4000K DAY WHITE				
	20023 6400K WHITE				
VT-242-N	2120021 3000K WARM WHITE	22W	155w	2600	20
	2120022 4000K DAY WHITE				
	2120023 6500K WHITE				

LED BULBS
LED Thermoplastic Bulbs

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.




- E14 Base
- ST26 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 230° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-202	234 3000K WARM WHITE	2w	20w	180	400
	235 4000K DAY WHITE				
	236 6400K WHITE				
VT-202-N	21234 3000K WARM WHITE	2W	18w	180	400
	21235 4000K DAY WHITE				
	21236 6500K WHITE				



- E14 Base
- T37 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 230° Beam Angle
- 30,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-248	267 3000K WARM WHITE	8w	50w	660	200
	268 4000K DAY WHITE				
	269 6400K WHITE				
VT-248-N	21269 6500K WHITE	7.5W	50w	660	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




- E27 Base
- T37 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 230° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-237	144 3000K WARM WHITE	8w	50w	660	200
	145 4000K DAY WHITE				
	146 6400K WHITE				
VT-237-N	21146 6500K WHITE	7.5W	50w	660	200




- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-226	171 3000K WARM WHITE	5.5w	40w	470	200
	172 4000K DAY WHITE				
	173 6400K WHITE				




- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-293D	20045 3000K WARM WHITE	5.5w	40w	470	200
	20186 4000K DAY WHITE				
	20187 6400K WHITE				
VT-293D-N	2120186 4000K DAY WHITE 2120187 6500K WHITE	5.5W	40w	470	200




- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-294D	859 3000K WARM WHITE	5.5w	40w	470	200




- E27 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-289	858 3000K WARM WHITE	5.5w	40w	470	200




- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-258	117 3000K WARM WHITE	5.5w	40w	470	200
	118 4000K DAY WHITE				
	119 6400K WHITE				




- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-268	111 3000K WARM WHITE	7w	45w	600	200
	112 4000K DAY WHITE				
	113 6400K WHITE				



- E27 Base
- G45 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-246	174 3000K WARM WHITE	5.5w	40w	470	200
	175 4000K DAY WHITE				
	176 6400K WHITE				

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.




- E27 Base
- G45 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-283	857 3000K WARM WHITE	5.5w	40w	470	200




- E27 Base
- G45 Shape
- AC:220~240V
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-290	866 3000K WARM WHITE	7w	45w	600	200
	867 4000K DAY WHITE				
	868 6400K WHITE				
VT-290-N	21867 4000K DAY WHITE	6.5W	45w	600	200
	21868 6500K WHITE				




- E14 Base
- P45 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-236	168 3000K WARM WHITE	5.5w	40w	470	200
	169 4000K DAY WHITE				
	170 6400K WHITE				




- E14 Base
- P45 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-282	856 3000K WARM WHITE	5.5w	40w	470	200




- E14 Base
- P45 Shape
- AC:220~240V
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-270	863 3000K WARM WHITE	7w	45w	600	200
	864 4000K DAY WHITE				
	865 6400K WHITE				




- E14 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-269	114 3000K WARM WHITE	9w	60w	806	100
	115 4000K DAY WHITE				
	116 6400K WHITE				
VT-269-N	21115 4000K DAY WHITE	8.5W	60w	806	100



- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-210	228 3000K WARM WHITE	9w	60w	806	100
	229 4000K DAY WHITE				
	230 6400K WHITE				



- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-212	231 3000K WARM WHITE	11w	75w	1055	100
	232 4000K DAY WHITE				
	233 6400K WHITE				

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.



- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




- DIMMABLE
LIGHT CONTROL
- 5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-262D	20044 3000K WARM WHITE	12w	75w	1055	100
	20184 4000K DAY WHITE				
	20185 6400K WHITE				



- E27 Base
- A65 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




- 5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-215	159 3000K WARM WHITE	15w	85w	1250	100
	160 4000K DAY WHITE				
	161 6400K WHITE				



- E27 Base
- A65 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




- 5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-217	162 3000K WARM WHITE	17w	100w	1521	100
	163 4000K DAY WHITE				
	164 6400K WHITE				



- E27 Base
- A65 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




- DIMMABLE
LIGHT CONTROL
- 5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-217D	20188 3000K WARM WHITE	17w	100w	1521	100
	20189 4000K DAY WHITE				
	20190 6400K WHITE				



- E27 Base
- A80 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-298	126 3000K WARM WHITE	18w	125w	2000	100
	127 4000K DAY WHITE				
	128 6400K WHITE				




- E27 Base
- A80 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-233	237 3000K WARM WHITE	20w	150w	2452	50
	238 4000K DAY WHITE				
	239 6400K WHITE				
VT-233-N	21237 3000K WARM WHITE	20W	150w	2452	50
	21238 4000K DAY WHITE				
	21239 6500K WHITE				




- B15 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-299	860 3000K WARM WHITE	5.5w	40w	470	200
VT-299-N	21860 3000K WARM WHITE	5.5w	40w	470	200



- B15 Base
- Candle Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-299D	861 3000K WARM WHITE	5.5w	40w	470	200
VT-299D-N	21861 3000K WARM WHITE	5.5W	40w	470	200


*Suitable for use up to 10~12 hours daily, constant use of the product will void the warranty.



- B22 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



BAYONET
HOLDER



5 YEAR
WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-223	103 3000K WARM WHITE	5.5w	40w	470	192
	20152 6400K WHITE				
VT-223-N	21103 3000K WARM WHITE 2120152 6500K WHITE	4.5W	40w	470	200



- B22 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



BAYONET
HOLDER



5 YEAR
WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-221	104 3000K WARM WHITE	5.5w	40w	470	192
VT-221-N	21104 3000K WARM WHITE	4.5W	40w	470	200



- B22 Base
- A58 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



BAYONET
HOLDER



5 YEAR
WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-229	101 3000K WARM WHITE	9w	60w	806	96
	850 4000K DAY WHITE				
	851 6400K WHITE				
VT-229-N	21101 3000K WARM WHITE	8.5W	60w	806	100
	21850 4000K DAY WHITE				
	21851 6500K WHITE				



- B22 Base
- A58 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



BAYONET
HOLDER



5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-259D	852 3000K WARM WHITE	9w	60	806	100




DIMMABLE
LIGHT CONTROL



- B22 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



BAYONET
HOLDER



5 YEAR
WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-213</u>	110 4000K DAY WHITE	11w	75w	1055	100
<u>VT-213-N</u>	21110 4000K DAY WHITE	10.5w	75w	1055	100



- B22 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



BAYONET
HOLDER



5 YEAR
WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-231</u>	102 3000K WARM WHITE 853 6400K WHITE	11w	75w	1055	96
<u>VT-231-N</u>	21102 3000K WARM WHITE 21853 6500K WHITE	10.5W	75w	1055	100



- B22 Base
- A65 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



BAYONET
HOLDER



5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-281</u>	854 3000K WARM WHITE 943 4000K DAY WHITE 855 6400K WHITE	15w	85w	1250	100
<u>VT-281-N</u>	21854 3000K WARM WHITE 21855 6500K WHITE	15W	100w	1521	100

LED BULBS

LED Reflector Bulb


We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.



*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




- E14 Base
- R39 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-239	210 3000K WARM WHITE	3w	25w	250	200
	211 4000K DAY WHITE				
	212 6400K WHITE				




- E14 Base
- R50 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-250	138 3000K WARM WHITE	6w	40w	470	200
	139 4000K DAY WHITE				
	140 6400K WHITE				
VT-250-N	21238 3000K WARM WHITE	4.8W	40w	470	200
	21239 4000K DAY WHITE				
	21140 6500K WHITE				




- E27 Base
- R63 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-263	141 3000K WARM WHITE	8w	60w	570	200
	142 4000K DAY WHITE				
	143 6400K WHITE				
VT-263-N	21141 3000K WARM WHITE	8.5W	60w	806	100



- E27 Base
- R80 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-280	135 3000K WARM WHITE	10w	75w	800	200
	136 4000K DAY WHITE				
	137 6400K WHITE				
VT-280-N	21135 3000K WARM WHITE	11W	75w	1055	100




LED BULBS
LED PAR Bulb

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.




- E27 Base
- PAR20 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 40° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-220	147 3000K WARM WHITE	7w	65w	495	100
	148 4000K DAY WHITE				
	149 6400K WHITE				
VT-220-N	21149 6500K WHITE	5.8W	55w	425	100




- E27 Base
- PAR30 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 40° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-230	153 3000K WARM WHITE	11w	95w	825	30
	154 4000K DAY WHITE				
	155 6400K WHITE				



- E27 Base
- PAR38 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 40° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-238	150 3000K WARM WHITE	14w	120w	1100	30
	151 4000K DAY WHITE				
	152 6400K WHITE				
VT-238-N	21151 4000K DAY WHITE	12.8W	105w	925	30

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED BULBS

Big Bulb & UFO

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.




- E27 Base
- F150 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-216	213 3000K WARM WHITE	15w	85w	1200	20
	214 4000K DAY WHITE				
	215 6400K WHITE				




- E27 Base
- F200 Shape
- AC:220~240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-224	216 3000K WARM WHITE	24w	120w	1950	20
	217 4000K DAY WHITE				
	218 6400K WHITE				




- E27 Base
- F250 Shape
- AC:220~240V,50Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-235	219 3000K WARM WHITE	36w	170w	2900	20
	220 4000K DAY WHITE				
	221 6400K WHITE				




- GX53 Base
- Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-207	222 3000K WARM WHITE	7w	45w	550	200
	223 4000K DAY WHITE				
	224 6400K WHITE				
VT-207-N	21222 3000K WARM WHITE	6.4W	45w	560	200
	21223 4000K DAY WHITE				
	21224 6500K WHITE				




- E27 Base
- G120 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-218	226 4000K DAY WHITE	17w	100w	1521	20



- E27 Base
- G120 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-288	123 3000K WARM WHITE	18w	125w	2000	20
	124 4000K DAY WHITE				
	125 6400K WHITE				



- E27 Base
- NA Shape
- AC:220-240V,50Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-240	283 3000K WARM WHITE	36w	250w	3960	20
	284 4000K DAY WHITE				
	285 6400K WHITE				

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




- E40 Base
- NA Shape
- AC:220~240V,50Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-260	186 3000K WARM WHITE	60w		5400	20
	187 4000K DAY WHITE				
	188 6400K WHITE				



- E40 Base
- NA Shape
- AC:100~277V,50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-85	521 6400K WHITE	85w		6800	4


LED BULBS

LED Emergency Bulb

The Emergency Bulb is equipped with battery back-ups which enable the unit to work for up to 3-hour in power outages and other emergency situations. It is also a portable, multifunctional LED bulb which can also be used as camping light, flashlight, hooklight, warehouse light, and more.



- E27 Base
- A70 Shape
- AC:220~240V,50Hz
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	Lumen	Box Qty
VT-2309	2371 3000K WARM WHITE	9w	806	50
	2372 4000K DAY WHITE			
	2373 6400K WHITE			



LED BULBS

Acrylic Bulbs

V-TAC's Acrylic Bulb range with its unique designs, all with significantly greater luminous flux. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.



- E27 Base
- NA Shape
- AC: 200-240V,50/60Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2311	2781 3000K WARM WHITE	11w	70w	900	18
	2782 4000K DAY WHITE				
	2783 6400K WHITE				



- E27 Base
- NA Shape
- AC: 200-240V,50/60Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2318	2784 3000K WARM WHITE	18w	90w	1200	18
	2785 4000K DAY WHITE				
	2786 6400K WHITE				

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



LED BULBS High CRI Bulbs

Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must in commercial lighting. A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used to achieve accurate color discrimination.

A red apple appears red because it reflects red wavelengths, but absorbs others. But not all white light sources have the same amount of red wavelength light. As a result, under different light sources, a red apple can reflect different amounts of red light, changing its appearance.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase the appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas



Witness the *True to Life* Colors



LED P45 Bulb CRI>95

- E14 Base
- P45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >95
- 180° Beam Angle




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2236	7488 – 2700K WARM WHITE	5.5w	40w	470	200
	7489 – 4000K DAY WHITE				
	7490 – 6400K WHITE				



LED G45 Bulb CRI>95

- E27 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >95
- 180° Beam Angle



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2216	7491 – 2700K WARM WHITE	5.5w	40w	470	200
	7492 – 4000K DAY WHITE				
	7493 – 6400K WHITE				




CE/EMC

ACCREDITATION FROM TOP EUROPEAN LABS



LED Candle Bulb CRI>

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >95
- 200° Beam Angle




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2226	7494 - 2700K WARM WHITE	5.5w	40w	470	200
	7495 - 4000K DAY WHITE				
	7496 - 6400K WHITE				



LED A60 Bulb CRI>95

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >95
- 200° Beam Angle




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2210	7479 - 2700K WARM WHITE	10w	60w	806	100
	7480 - 4000K DAY WHITE				
	7481 - 6400K WHITE				



LED A60 Bulb CRI>96

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >95
- 200° Beam Angle




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2212	7482 - 2700K WARM WHITE	12w	75w	1055	100
	7483 - 4000K DAY WHITE				
	7484 - 6400K WHITE				



LED A65 Bulb CRI>97

- E27 Base
- A65 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >95
- 200° Beam Angle



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2217	7485 - 2700K WARM WHITE	17w	100w	1521	100
	7486 - 4000K DAY WHITE				
	7487 - 6400K WHITE				



LED BULBS

Smart Bulbs

This smart bulb range includes lamps with remote controllable dimming & colour changing features, and automating sensors for a next-level approach to efficient indoor lighting. Includes standard bulb shapes (Candle, Golf, P45, A60) and base variations

- Colour Changing Modes: Hopping, gradient
- Environmentally friendly: No UV radiation and mercury free
- Suitable for mood lighting, residential, bars, hotels, restaurants etc.
- Environmentally friendly: No UV radiation and mercury-free




RF Remote Control Bulb

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.4
- CRI: >80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



DIMMABLE
WITH RF REMOTE



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2214	2769 -RGB+3000K	3.5w	30w	320	200
	2770 -RGB+4000K				
	2771 -RGB+6400K				
VT-2214-N-1	2926 -RGB+3000K	4.8w	30w	320	200
	2929 -RGB+4000K				




RF Remote Control Bulb

- E27 Base
- G45 Shape
- AC:220-240V,50Hz
- 180° Beam Angle
- PF: >0.4
- CRI: >80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



DIMMABLE
WITH RF REMOTE



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2224	2772 -RGB+3000K	3.5w	30w	320	200
	2773 -RGB+4000K				
	2774 -RGB+6400K				




RF Remote Control Bulb

- E14 Base
- P45 Shape
- AC:220-240V,50Hz
- 180° Beam Angle
- PF: >0.4
- CRI: >80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



DIMMABLE
WITH RF REMOTE



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2234	2775 -RGB+3000K	3.5w	30w	320	200
	2776 -RGB+4000K				
	2777 -RGB+6400K				
VT-2234-N	212775 - RGB+3000K WARM WHITE	4.8W	40w	470	200



IR Remote Control Bulb

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



DIMMABLE
WITH IR REMOTE



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2022	7121 - 2700K WARM WHITE	6w	40w	470	100
	7150 - 4000K DAY WHITE				
	7151 - 6400K WHITE				
VT-2022-N	217121 - 3000K WARM WHITE	4.8W	40w	470	100




RF Remote Control Bulb

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



DIMMABLE
WITH RF REMOTE



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2229	2766 -RGB+3000K	9w	60w	806	100
	2767 -RGB+4000K				
	2768 -RGB+6400K				
VT-2229-N	212766 - RGB+3000K WARM WHITE	4.8W	60w	806	100



RF Remote Control Bulb

- E27 Base
- A60 Shape
- AC:220-240V, 50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



DIMMABLE
WITH RF REMOTE




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2229-N-1	2925 -RGB+3000K	8.5w	60w	806	100
	2928 -RGB+4000K				



3 Step Dimming Bulb

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2011	4448 - 4000K DAY WHITE	9w	60w	806	100
	4449 - 6400K WHITE				



3 Step Dimming Bulb 2Pc Blister Pack

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting
Power from 100% to 50% and if need to Reduce
more click again to go to 15%.



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2129	7288 - 2700K WARM WHITE	9w	60w	806	25
	7289 - 4000K DAY WHITE				
	7290 - 6400K WHITE				



Color Changing Bulb

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

- Switch the light on for cool white.
- Turn the Switch off and on again for warm white.
- Turn the Switch off and on again for day white.
- Switch between these to select your ideal colour.



COLOR CHANGING



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2119	7317 - 3 IN 1	9w	60w	806	100



Color Changing Bulb 2Pc Blister Pack

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

- Switch the light on for cool white.
- Turn the Switch off and on again for warm white.
- Turn the Switch off and on again for day white.
- Switch between these to select your ideal colour.



COLOR CHANGING



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2149	7309 - 3 IN 1	9w	60w	806	25



Sensor Bulb

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

Our smart sensor bulbs have built-in photocells which transmit the signal to the light source and smartly save power by switching into Light mode, enabling energy efficiency and reduced power consumption when required.



SENSOR LED BULB



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2016	4459 - 2700K WARM WHITE	9w	60w	806	100
	4460 - 4000K DAY WHITE				
	4461 - 6000K WHITE				



Sensor Bulb 2Pc Blister Pack

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

Our smart sensor bulbs have built-in photocells which transmit the signal to the light source and smartly save power by switching into Light mode, enabling energy efficiency and reduced power consumption when required.



SENSOR LED BULB



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2109	7285 - 2700K WARM WHITE	9w	60w	806	25



Microwave Sensor Bulb

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80

1. Auto Switch on at dusk and switches off at dawn.
2. Built-in Daylight Sensor
3. Automatically switches On when the room light is less
4. Light stays for 60 seconds upon detection of movement



MICROWAVE SENSOR BULB
8-10 meter detection range



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2219	2760 -3000K WARM WHITE	9w	60w	806	100
	2761 -4000K DAY WHITE				
	2762 -6400K WHITE				
VT-2211	2763 -3000K WARM WHITE	11w	75w	1055	100
	2764 -4000K DAY WHITE				
	2765 -6400K WHITE				

LED BULBS
LED Candle Bulbs


Our candle-shaped LED bulbs are energy-efficient replacements for traditional halogen lamps that come with chandeliers, wall lights, desk lamps, and other decorative lighting fixtures.

- Includes E14 and E27 base variations
- No UV radiation and mercury-free



LED Flame Candle

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1818TP	4164 - 2700K WARM WHITE	4w	30w	320	200
	4156 - 4000K DAY WHITE				



LED Candle Bulb

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1818	4216 - 2700K WARM WHITE	4w	30w	320	200
	4166 - 4000K DAY WHITE				
	4122 - 6400K WHITE				
VT-1818-N	214216 - 3000K WARM WHITE	3.7W	25w	320	200
	214166 - 4000K DAY WHITE				
	214122 - 6500K WHITE				



LED Candle Bulb

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1855	42151 - 2700K WARM WHITE	5.5w	40w	470	200
	42581 - 4000K DAY WHITE				
	42411 - 6400K WHITE				
VT-1855-N	2142151 - 3000K WARM WHITE	4.5w	40w	470	200
	2142581 - 4000K DAY WHITE				
	2142411 - 6500K WHITE				



LED Candle E27 Bulb

- E27 Base
- Candle Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1821N	43421 - 2700K WARM WHITE	5.5w	40w	470	200
	43431 - 4000K DAY WHITE				
	43441 - 6400K WHITE				
VT-1821N-N	2143421 - 3000K WARM WHITE	4.5W	40w	470	200
	2143431 - 4000K DAY WHITE				
	2143441 - 6500K WHITE				



2Pc Blister Packing

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2106	7291 - 2700K WARM WHITE	5.5w	40w	470	50
	7293 - 6400K WHITE				



LED Candle 3Pc Pack

- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2076	7263 - 2700K WARM WHITE	5.5w	40w	470	60
	7264 - 4000K DAY WHITE				
	7265 - 6400K WHITE				
VT-2076-N	217263 - 3000K WARM WHITE	4.5W	40w	470	180
	217264 - 4000K DAY WHITE				
	217265 - 6500K WHITE				



LED Candle 6Pc Pack

- E14 Base
- Candle Shape
- AC:220~240V,50Hz
- 200 Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2246	2736 - 2700K WARM WHITE	5.5w	40w	470	30
	2737 - 4000K DAY WHITE				
	2738 - 6400K WHITE				
VT-2246-N	212738 - 6500K WHITE	4.5W	40w	470	180

LED BULBS

LED G45 Bulbs


Small, round, 45mm golf bulbs usually used in vanities, bedside lamps, desk lamps, and other fixtures in residential spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free



LED G45 Bulb

- E27 Base
- G45 Shape
- AC:220~240V,50Hz
- 180° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1830	4160 - 2700K WARM WHITE	4w	30w	320	200
	4162 - 4000K DAY WHITE				
	4207 - 6400K WHITE				
VT-1830-N	214160 - 3000K WARM WHITE	3.7W	25w	320	200
	214162 - 4000K DAY WHITE				
	214207 - 6500K WHITE				



LED G45 Bulb

- E27 Base
 - G45 Shape
 - AC:220-240V,50Hz
- 180° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1879N	7407 - 2700K WARM WHITE	5.5w	40w	470	200
	7408 - 4000K DAY WHITE				
	7409 - 6400K WHITE				
VT-1879N-N	217407 - 3000K WARM WHITE	4.5W	40w	470	200
	217408 - 4000K DAY WHITE				
	217409 - 6500K WHITE				



LED G45 Blister Pack

- E27 Base
 - G45 Shape
 - AC:220-240V,50Hz
- 180° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2166	7360 - 2700K WARM WHITE	5.5w	40w	470	50



LED G45 3Pc Pack

- E27 Base
 - G45 Shape
 - AC:220-240V,50Hz
- 180° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2176	7362 - 2700K WARM WHITE	5.5w	40w	470	60
	7363 - 4000K DAY WHITE				
	7364 - 6400K WHITE				
VT-2176-N	217362 - 3000K WARM WHITE	4.5W	40w	470	180
	217363 - 4000K DAY WHITE				



LED G45 6Pc Pack

- E27 Base
 - G45 Shape
 - AC:220-240V,50Hz
- 180° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2256	2730 - 2700K WARM WHITE	5.5w	40w	470	30
	2731 - 4000K DAY WHITE				
	2732 - 6400K WHITE				
VT-2256-N	212730 - 3000K WARM WHITE	4.5W	40w	470	180

LED BULBS

LED P45 Bulbs


Ball-shaped E14 base-type bulbs usually used in chandeliers, table lamps, wall lamps, and other decorative lighting fixtures in residential and commercial spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free



LED P45 Bulb


- E14 Base
- P45 Shape
- AC:220~240V,50Hz
- 180° Beam Angle
- PF: >0.4
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1819	4123 - 2700K WARM WHITE	4w	30w	320	200
	4174 - DAY WHITE				
	4124 - 6400K WHITE				
VT-1819-N	214123 - 3000K WARM WHITE	3.7W	25w	320	200
	214174 - 4000K DAY WHITE				
	214124 - 6500K WHITE				

LED P45 Bulb


- E14 Base
- P45 Shape
- AC:220~240V,50Hz
- 180° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1880N	42501 - 2700K WARM WHITE	5.5w	40w	470	200
	42511 - 4000K DAY WHITE				
	42521 - 6400K WHITE				
VT-1880N-N	2142501 - 3000K WARM WHITE	4.5W	40w	470	200
	2142511 - 4000K DAY WHITE				
	2142521 - 6500K WHITE				

LED P45 Blister Pack

- E14 Base
- P45 Shape
- AC:220~240V,50Hz
- 180° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2146	7355 - 2700K WARM WHITE	5.5w	40w	470	50
	7356 - 4000K DAY WHITE				



LED P45 3Pc Pack

- E14 Base
- P45 Shape
- AC:220-240V,50Hz
- 180° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2156	7357 - 2700K WARM WHITE	5.5w	40w	470	60
	7358 - 4000K DAY WHITE				
	7359 - 6400K WHITE				
VT-2156-N	217357 - 3000K WARM WHITE 217359 - 6500K WHITE	4.5W	40w	470	180



LED P45 6Pc Pack

- E14 Base
- P45 Shape
- AC:220-240V,50Hz
- 180° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2266	2733 - 2700K WARM WHITE	5.5w	40w	470	30
	2734 - 4000K DAY WHITE				
	2735 - 6400K WHITE				
VT-2266-N	212733 - 3000K WARM WHITE 212734 - 4000K DAY WHITE	4.5W	40w	470	180

LED BULBS
LED Thermoplastic Bulbs


Our extensive range of classic, thermoplastic GLS bulbs are efficient replacements for traditional incandescent light fittings in both indoor and outdoor locations.

- Includes standard base variations (E27 and B22)
- Varying watts and sizes (A60, A65, and A80) available
- Available in blister packs and 3/6pc multipacks



LED A60-B22 Bulb

- B22 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2189	7422 - 2700K WARM WHITE	9w	60w	806	100
	7402 - 4000K DAY WHITE				
	7403 - 6400K WHITE				
VT-2189-N	217422 - 3000K WARM WHITE 217402 - 4000K DAY WHITE 217403 - 6500K WHITE	8.5W	60w	806	100



LED A60-B22 Bulb 3Pc Pack

- B22 Base
- A60 Shape
- AC:220~240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2069-3PC	7246 - 2700K WARM WHITE	9w	60w	806	20
VT-2069-3PC-N	217246 - 3000K WARM WHITE	8.5W	60w	806	120



LED A60-E27 Bulb

- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2099	7260 - 2700K WARM WHITE	9w	60w	806	100
	7261 - 4000K DAY WHITE				
	7262 - 6400K WHITE				
VT-2099-N	217260 - 3000K WARM WHITE	8.5W	60w	806	200
	217261 - 4000K DAY WHITE				
	217262 - 6500K WHITE				



LED A60-E27 Bulb 3Pc Pack

- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1900	7240 - 2700K WARM WHITE	9w	60w	806	20
	7241 - 4000K DAY WHITE				
	7242 - 6400K WHITE				
VT-1900-N	217240 - 3000K WARM WHITE	8.5W	60w	806	120
	217241 - 4000K DAY WHITE				
	217242 - 6500K WHITE				



LED A60-E27 Bulb

- E27 Base
- A60 Shape
- AC:220~240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2112	7350 - 2700K WARM WHITE	11w	75w	1055	100
	7349 - 4000K DAY WHITE				
	7351 - 6400K WHITE				



LED A60-E27 Bulb 2Pc Blister Pack

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2111	7297 - 2700K WARM WHITE	11w	75w	1055	25



LED A60-E27 Bulb 3Pc Pack

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2113	7352 - 2700K WARM WHITE 7353 - 4000K DAY WHITE 7354 - 6400K WHITE	11w	75w	1055	40
VT-2113-N	217353 - 4000K DAY WHITE 217354 - 6500K WHITE	10.5W	75w	1055	120



LED A65-B22 Bulb

- B22 Base
- A65 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2015-B22	7229 - 2700K WARM WHITE	15w	90w	1350	100
VT-2015-B22-N	217229 - 3000K WARM WHITE	15W	100w	1521	100



LED A65-E27 Bulb

- E27 Base
- A65 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2015-E27	4453 - 2700K WARM WHITE 4454 - 4000K DAY WHITE 4455 - 6400K WHITE	15w	90w	1350	100



Bulbs-A65-E27-2Pc Blister Pack

- E27 Base
 - A65 Shape
 - AC:220~240V,50Hz
- 200° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2117	7300 - 2700K WARM WHITE	15w	90w	1350	25
	7302 - 6400K WHITE				



LED A65-E27 Bulb 3PC Pack

- E27 Base
 - A65 Shape
 - AC:220~240V, 50Hz
- 200° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2015-3PC	2819 - 2700K WARM WHITE	15W	90w	1350	120
	2820 - 4000K DAY WHITE				
	2818 - 6400K WHITE				



LED A65-E27 Bulb

- E27 Base
 - A65 Shape
 - AC:220~240V,50Hz
- 200° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2017	4456 - 2700K WARM WHITE	17w	100w	1521	100
	4457 - 4000K DAY WHITE				
	4458 - 6400K WHITE				



LED A80-E27 Bulb

- E27 Base
 - A80 Shape
 - AC:220~240V, 50Hz
- 200° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2218	2707 - 3000K WARM WHITE	18w	125w	2000	50
	2708 - 4000K DAY WHITE				
	2709 - 6400K WHITE				



LED A80-E27 Bulb

- E27 Base
- A80 Shape
- AC:220-240V, 50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2220	2710 - 3000K WARM WHITE	20w	150w	2452	20


LED BULBS
Special Utility Bulbs

Includes our innovative range of double-ended R7S bulbs, PAR bulbs, Globe, UFO bulbs, and T37 bulbs that are usually used for task and general lighting purposes in residential and commercial areas.



LED Bulbs-R7S

- R7S Base
- R7S Shape
- AC:220-240V,50Hz
- 360° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1990	4390 - 6400K WHITE	10w	60w	1000	100



LED Bulbs-R7S

- R7S Base
- R7S Shape
- AC:220-240V,50Hz
- 360° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2237	2713 - 3000K WARM WHITE 2714 - 4000K DAY WHITE 2715 - 6400K WHITE	7w	45w	580	200



LED Bulbs-R7S

- R7S Base
 - R7S Shape
 - AC:220~240V,50Hz
- 360° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2213	2716 - 3000K WARM WHITE	13w	80w	1200	200
	2717 - 4000K DAY WHITE				
	2718 - 6400K WHITE				



LED R7S Ceramic Bulb

- R7S Base
 - R7S Shape
 - AC:220~240V,50Hz
- 360° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2118	2834 - 3000K WARM WHITE	18W	150w	2140	100
	2835 - 4000K DAY WHITE				
	2836 - 6400K WHITE				



LED PAR38 Bulb

- E27 Base
 - PAR38 Shape
 - AC:180~240V,50/60Hz
- 40° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1125-G	4418 - GREEN	15w	100w	1200	40
	4419 - RED				
	4420 - BLUE				



LED PAR38 Bulb

- E27 Base
 - PAR38 Shape
 - AC:220~240V,50/60Hz
- 100° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1227	45691 - 4000K DAY WHITE	17w	95w	1300	40



LED Globe Bulb G95

- E27 Base
- G95 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1893	4276 - 3000K WARM WHITE 4277 - 4000K DAY WHITE 4278 - 6400K WHITE	10w	60w	810	12



LED Globe Bulbs G120

- E27 Base
- G120 Shape
- AC:220-240V,50Hz
- 200° Beam Angle
- PF: >0.7
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1884D	7194 - 4000K DAY WHITE 7195 - 6000K WHITE	13w	75w	1055	12



LED Bulb T37-E14

- E14 Base
- T37 Shape
- AC:220-240V,50/60Hz
- 230° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2029	7173 - 2700K WARM WHITE	9w	50w	750	200



UFO-F150-E27

- E27 Base
- F150 Shape
- AC:220-240V,50/60Hz
- 120° Beam Angle
- PF: >0.9
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2136	7164 - 3000K WARM WHITE 7166 - 6400K WHITE	36w	190w	3240	20




LED FILAMENT BULBS

- Classic Vintage Design
- Available in Amber cover, White cover, and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, environmental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non-Dimmable options



LED 3D Filament Bulb A60

- E27 Base
 - A60 Shape
 - AC:220-240V,50/60Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2203	2704 - 3000K WARM WHITE	3w	NA	20	100
VT-2203-N	212704 - 3000K WARM WHITE	3w	NA	20	100



LED 3D Filament Bulb ST64

- E27 Base
 - ST64 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2223	2705 - 3000K WARM WHITE	3w	NA	25	100
VT-2223-N	212705 - 3000K WARM WHITE	3w	NA	25	100



LED 3D Filament Bulb G125

- E27 Base
 - G125 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2233	2706 - 3000K WARM WHITE	3w	NA	40	50
VT-2233-N	212706 - 3000K WARM WHITE	3w	NA	40	20



Filament-G125-E27

- E27 Base
 - G125 Shape
 - AC:220-240V, 50Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2205	2700 - 2200K WARM WHITE	5w	30w	70	50



Amber-G165-E27

- E27 Base
 - G165 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2159	45641 - 2200K WARM WHITE	8w	NA	620	6



Smoky-G165-E27

- E27 Base
 - G165 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2159-S	45651 - 2200K WARM WHITE	8w	NA	240	6



Amber-S180-E27

- E27 Base
 - S180 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2169	45661 - 2200K WARM WHITE	8w	NA	620	6



Smoky-S180-E27

- E27 Base
 - S180 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2169-S	45671 - 2200K WARM WHITE	8w	NA	240	6



Filament-G100-E27

- E27 Base
 - G100 Shape
 - AC:170-240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2235	2748 - 2200K WARM WHITE	5w	25w	250	20



Amber Cover-T60-E27

- E27 Base
 - T60 Shape
 - AC:170-240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2245	2749 - 2200K WARM WHITE	5w	25w	250	35



Filament-T180-E27

- E27 Base
 - T180 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2308	2790 -2200K WARM WHITE	8w	55w	620	6
VT-2308-N	212790 -1800K WARM WHITE	8w	55w	620	12



Filament-A165-E27

- E27 Base
 - A165 Shape
 - AC:220-240V,50Hz
- 340° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2138D	7461 - 2000K WARM WHITE	8w	40w	500	6



Filament-G200-E27


- E27 Base
- G200 Shape
- AC:220-240V,50Hz
- 340° Beam Angle
- PF: >0.5
- CRI: >80



DIMMABLE
LIGHT CONTROL



DECORATIVE
BULBS



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2158D	7462 - 2000K WARM WHITE	8w	40w	500	4
VT-2158D-N	217462 - 2000K WARM WHITE	8w	40w	500	12



Filament-BF180-E27

- E27 Base
- BF180 Shape
- AC:220-240V,50Hz
- 340° Beam Angle
- PF: >0.5
- CRI: >80



DIMMABLE
LIGHT CONTROL



DECORATIVE
BULBS



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2168D	7463 - 2000K WARM WHITE	8w	40w	500	6
VT-2178D	7464 - 2000K WARM WHITE	8w	50w	600	6



Smoky Filament-S200-E27


- E27 Base
- S200 Shape
- AC:220-240V,50Hz
- 340° Beam Angle
- PF: >0.5
- CRI: >80



DIMMABLE
LIGHT CONTROL



DECORATIVE
BULBS



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2188D	7465 - 2000K WARM WHITE	8w	30w	350	4
VT-2188D-N	217465 - 1800K WARM WHITE	8w	30w	350	12



Filament-R125-E27

- E27 Base
- R125 Shape
- AC:220-240V,50Hz
- 110° Beam Angle
- PF: >0.5
- CRI: >80



DIMMABLE
LIGHT CONTROL



DECORATIVE
BULBS




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2198D	7466 - 2700K WARM WHITE 7467 - 4000K DAY WHITE 7468 - 6500K WHITE	8w	50w	600	24



Amber Cover -LED Filament Bulbs

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2154	7335 - 2200K WARM WHITE	4w	40w	250	50
VT-2154-N	217335 - 1800K WARM WHITE	4w	40w	220	100



Filament-A60-E27

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2164	7336 - 2700K WARM WHITE	4w	40w	300	50
VT-2164-N	217336 - 3000K WARM WHITE	4w	40w	300	100



Amber Cover -Filament-A60-E27

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1954	4498 - 2200K WARM WHITE	4w	35w	350	50
VT-1958	4472 - 2200K WARM WHITE	8w	60w	720	50



Amber Cover -Filament-A67-E27

- E27 Base
- A67 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2028	7157 - 2200K WARM WHITE	10w	65w	900	50
VT-2028-N	217157 - 2200K WARM WHITE	10w	65w	950	100



Amber Filament-A70-E27

- E27 Base
 - A70 Shape
 - AC:220~240V,50Hz
- 330° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2123	7457 - 2200K WARM WHITE	12.5w	85w	1240	50
VT-2123-N	217457 - 2200K WARM WHITE	12w	85w	1350	100



Filament-ST64-E27

- E27 Base
 - ST64 Shape
 - AC:220~240V, 50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2185	7474 - 1800K WARM WHITE	4w	20w	200	50
VT-2185-N	217474 - 1800K WARM WHITE	4w	20w	200	100



Filament-ST64-E27

- E27 Base
 - ST64 Shape
 - AC:220~240V, 50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1964	4361 - 2200 WARM WHITE	4W	40w	350	50
VT-1964-N	214361 - 2200 WARM WHITE	4W	40w	350	100




Amber Cover -Filament-ST64-B22

- B22 Base
 - ST64 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80

 DIMMABLE
LIGHT CONTROL

 BAYONET
HOLDER



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2145D	7420 - 2200K WARM WHITE	4w	25w	350	100



Amber Cover -Filament-ST64-E27

- E27 Base
- ST64 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2065	7218 - 2200K WARM WHITE	5w	30w	300	100
VT-2065-N	217218 - 1800K WARM WHITE	4.8w	30w	280	100



Amber Cover -Filament-ST64-E27

- E27 Base
- ST64 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2066	7220 - 2200K WARM WHITE	5w	30w	300	100
VT-2066-N	217220 - 2200K WARM WHITE	4.8w	30w	280	100



Amber Cover -Filament-ST64-E27

- E27 Base
- ST64 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2065D	7416 - 2200K WARM WHITE	5w	30w	300	100
VT-2065D-N	217416 - 1800K WARM WHITE	4.8w	30w	250	100



Amber Cover -Filament-ST64-E27

- E27 Base
- ST64 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1966	4362 - 2200K WARM WHITE	6w	45w	500	50
VT-1966-N	214362 - 2200K WARM WHITE	6w	45w	550	100



Amber Cover -Filament-ST64-E27

- E27 Base
 - ST64 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1968	4421 - 2200K WARM WHITE	8w	60w	700	50
VT-1968-N	214421 - 2200K WARM WHITE	8w	60w	720	100



Amber Cover -Filament-Globe-E27

- E27 Base
 - G80 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2004	7148 - 2200K WARM WHITE	4w	35w	400	100
VT-2004-N	217148 - 2200K WARM WHITE	4w	35w	400	100



Amber Cover -Filament-Globe-E27

- E27 Base
 - G95 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2024	7146 - 2200K WARM WHITE	4w	35w	350	50
VT-2024-N	217146 - 2200K WARM WHITE	4w	35w	350	20



Amber Cover -Filament-Globe-E27

- E27 Base
 - G95 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2075	7217 - 2200K WARM WHITE	5w	30w	300	50
VT-2075-N	217217 - 1800K WARM WHITE	4.8w	30w	280	20



Amber Cover -Filament-Globe-E27

- E27 Base
- G95 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.7
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2026D	7156 - 2200K WARM WHITE	6w	50w	500	12



Amber Cover -Filament-Globe-E27

- E27 Base
- G95 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2027	7147 - 2200K WARM WHITE	7w	60w	700	50
VT-2027-N	217147 - 2200K WARM WHITE	7w	60w	700	20



Amber Cover -Filament-Globe-E27

- E27 Base
- G95 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2019	7145 - 2200K WARM WHITE	8w	65w	700	50
VT-2019-N	217145 - 2200K WARM WHITE	8w	65w	700	20



Filament-Globe-E27


- E27 Base
- G125 Shape
- AC:220-240V, 50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2195	7475 - 1800K WARM WHITE	4w	20w	200	20
VT-2195-N	217475 - 1800K WARM WHITE	4w	20w	200	20



Amber Cover -Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1956	4473 - 2200K WARM WHITE	4w	55w	350	12
VT-1956-N	214473 - 2200K WARM WHITE	6w	55w	550	20



Amber Cover -Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2085	7216 - 2200K WARM WHITE	5w	30w	300	20
VT-2085-N	217216 - 1800K WARM WHITE	4.8w	30w	280	20



Amber Cover -Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2085D	7415 - 2200K WARM WHITE	5w	30w	300	20
VT-2085D-N	217415 - 1800K WARM WHITE	4.8w	30w	250	20



Amber Cover -Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >70




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2126	7328 - 2200K WARM WHITE	6w	55w	480	100
VT-2126-N	217328 - 1800K WARM WHITE	6w	55w	380	20



Amber Cover -Filament-Globe-E27

- E27 Base
- G125 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.7
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-2018D</u>	7155 - 2200K WARM WHITE	8w	60w	700	12
<u>VT-2018D-N</u>	217155 - 2200K WARM WHITE	8w	60w	700	20



Filament-G125-E27

- E27 Base
- G125 Shape
- AC:220-240V,50Hz
- 330° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-2153</u>	7456 - 2200K WARM WHITE	12.5w	85w	1240	25
<u>VT-2153-N</u>	217456 - 2200K WARM WHITE	12w	85w	1350	20



Amber Cover -Filament-T30-E27


- E27 Base
- T30 Shape
- AC:220-240V, 50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-2162</u>	7473 - 1800K WARM WHITE	2w	9w	65	100
<u>VT-2162-N</u>	217473 - 1800K WARM WHITE	2w	9w	65	100



Amber Cover -Filament-T30-E27

- E27 Base
- T30 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-2052</u>	7252 - 2200K WARM WHITE	2w	20w	200	100



Amber Cover -Filaments-T30-E27

- E27 Base
 - T30 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2005	7142 - 2200K WARM WHITE	5w	45w	500	100
VT-2005-N	217142 - 2200K WARM WHITE	5w	45w	500	100



Amber Cover -Filaments-T30-E27

- E27 Base
 - T30 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2006	7143 - 2200K WARM WHITE	6w	50w	600	100
VT-2006-N	217143 - 2200K WARM WHITE	6w	50w	600	100



Amber Cover -Filaments-T30-E27

- E27 Base
 - T30 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2008	7144 - 2200K WARM WHITE	7w	60w	700	100
VT-2008-N	217144 - 2200K WARM WHITE	7w	60w	700	100



Filament-Candle-E14


- E14 Base
 - Candle Shape
 - AC:220~240V, 50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2152	7472 - 1800K WARM WHITE	2w	9w	65	200
VT-2152-N	217472 - 1800K WARM WHITE	2w	9w	65	100



Amber Cover -Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1955	7113 - 2200K WARM WHITE	4w	40w	350	100
VT-1955-N	217113 - 2200K WARM WHITE	4w	40w	350	100



Amber Cover -Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1949	7114 - 2200K WARM WHITE	4w	35w	350	100
VT-1949-N	217114 - 2200K WARM WHITE	4w	35w	350	100



Amber Cover -Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1948	7115 - 2200K WARM WHITE	4w	35w	350	100
VT-1948-N	217115 - 2200K WARM WHITE	4w	35w	350	100



Amber Cover -Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1947	7116 - 2200K WARM WHITE	4w	35w	350	100
VT-1947-N	217116 - 2200K WARM WHITE	4w	35w	350	100



Amber Cover -Filament-G45-E27

- E27 Base
 - G45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-1957-N</u>	217100 - 2200K WARM WHITE	4w	30w	350	100



Amber Cover -Filament-P45-E14

- E14 Base
 - P45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-1953</u>	4499 - 2200K WARM WHITE	4W	30w	350	100
<u>VT-1953-N</u>	214499 - 2200K WARM WHITE	4W	30w	350	100



Cross Filament-Candle-E14

- E14 Base
 - Candle Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-1924C</u>	71031 - 6400K WHITE	4w	35w	350	100



Frost Cover -Filament-Candle-E14

- E14 Base
 - Candle Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-1937</u>	4479 - 6400K WHITE	4w	40w	400	100



Frost Cover -Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1923	7112 - 6400K WHITE	4w	40w	400	100



Frost Cover -Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2056D	7177 - 2700K WARM WHITE	4w	35w	350	100



Frost Cover -Filament-A60-E27

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1934	4486 - 2700K WARM WHITE 4487 - 4000K DAY WHITE 4488 - 6400K WHITE	4w	40w	400	50



Frost Cover -Filament-A60-E27

- E27 Base
- A60 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2045	7178 - 2700K WARM WHITE 7179 - 4000K DAY WHITE 7180 - 6400K WHITE	5w	50w	600	50



Frost Cover -Filament-A60-E27

- E27 Base
 - A60 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1935C	44801 - 2700K WARM WHITE	6w	55w	660	50



Frost Cover -Filament-A60-E27

- E27 Base
 - A60 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1935	4482 - 6400K WHITE	6w	55w	660	50



Frost Cover -Filament-A60-E27

- E27 Base
 - A60 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2047	7181 - 2700K WARM WHITE 7183 - 6400K WHITE	7w	60w	840	50



Frost Cover -Filament-A60-E27

- E27 Base
 - A60 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2047C	71811 - 2700K WARM WHITE	7w	60w	840	50



Frost Cover -Filament-A67-E27

- E27 Base
- A67 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1938	4483 - 2700K WARM WHITE	8w	60w	800	50
	4484 - 4000K DAY WHITE				
	4485 - 6400K WHITE				



Frost Cover -Filament-A67-E27

- E27 Base
- A67 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2023	7154 - 6400K WHITE	10w	75w	1055	50



Frost Cover -Filament-A67-E27

- E27 Base
- A67 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2049	7184 - 2700K WARM WHITE	9w	80w	1100	50
	7186 - 6400K WHITE				



Frost Cover -Filament-Globe-E27

- E27 Base
- G95 Shape
- AC:220-240V,50/60Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2057	7187 - 2700K WARM WHITE	7w	60w	840	12
	7188 - 6400K WHITE				



Frost Cover -Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2067	7189 - 2700K WARM WHITE 7190 - 6400K WHITE	7w	60w	840	12



Frost Cover -Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2067D	7191 - 2700K WARM WHITE	7w	55w	750	12



Filament-T30-E27

- E27 Base
 - T30 Shape
 - AC:220~240V,50/60Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2042	7251 - 2700K WARM WHITE	2w	20w	200	100
VT-2042-N	217251 - 3000K WARM WHITE	2w	20w	200	100



Filament-T20-E14

- E14 Base
 - T20 Shape
 - AC:220~240V,50/60Hz
- 360° Beam Angle
 - PF: >0.45
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2204	2701 - 2700K WARM WHITE 2702 - 4000K DAY WHITE 2703 - 6000K WHITE	4w	35w	400	100



Clear Glass-Filament-A60-E27

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1885	7119 - 4000K DAY WHITE	4w	40w	400	50
	7120 - 6400K WHITE				



Clear Glass-Filament-A60-E27

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1885D	4364 - 2700K WARM WHITE	4w	30w	350	50



Clear Glass-Filament-A60-E27

- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1887-N	214272 - 3000K WARM WHITE	6w	30w	600	100
	214303 - 4000K DAY WHITE				



Clear Glass-Filament-A67-E27

- E27 Base
- A67 Shape
- AC:220-240V, 50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2288D	2815 - 2700K WARM WHITE	8W	50w	700	100
VT-2288D-N	212815 - 2700K WARM WHITE	8W	50w	720	100



Clear Glass-Filament-A67-E27

- E27 Base
 - A67 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1978	4407 - 3000K WARM WHITE	8w	60w	800	100
	4408 - 4000K DAY WHITE				
	4409 - 6400K WHITE				



Clear Glass-Filament-A67-E27

- E27 Base
 - A67 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1981	4410 - 3000K WARM WHITE	10w	75w	1055	50
	4411 - 4000K DAY WHITE				
	4412 - 6400K WHITE				
VT-1981-N	214410 - 3000K WARM WHITE	10w	75w	1055	20
	214411 - 4000K DAY WHITE				
	214412 - 6500K WHITE				



Clear Filament-A67-E27

- E27 Base
 - A67 Shape
 - AC:220~240V
- 330° Beam Angle
 - PF: 0.5
 - CRI: 80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2328	2802 - 3000K WARM WHITE	18w	150w	2520	50
VT-2328-N	212802 - 3000K WARM WHITE	18w	150w	2520	100



Clear Filament-A70-E27

- E27 Base
 - A70 Shape
 - AC:220~240V,50Hz
- 330° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2133	7458 - 3000K WARM WHITE	12.5w	100w	1550	50
	7459 - 4000K DAY WHITE				
	7460 - 6400K WHITE				
VT-2133-N	217458 - 3000K WARM WHITE	12w	100w	1521	100
	217459 - 4000K DAY WHITE				
	217460 - 6500K WHITE				



Clear Glass-Filament-ST26-E14

- E14 Base
- ST26 Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1952	4444 - 2700K WARM WHITE	2w	20w	180	100
VT-1952-N	214444 - 3000K WARM WHITE 214445 - 4000K DAY WHITE 214446 - 6400K WHITE	2w	20w	200	200



Clear Glass-Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1986	4301 - 2700K WARM WHITE 4413 - 4000K DAY WHITE 4414 - 6400K WHITE	4w	40w	400	100
VT-1986-N	214301 - 3000K WARM WHITE 214413 - 4000K DAY WHITE 214414 - 6500K WHITE	4W	35w	400	100



NEW

Clear Glass-Filament-Candle-E14-Dimmable

- E14 Base
- Candle Shape
- AC:220-240V, 50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2304D	2870 - 3000K WARM WHITE	4W	35w	400	200



Clear Glass-Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1986D	4365 - 2700K WARM WHITE	4w	30w	350	100




ACCREDITATION FROM TOP EUROPEAN LABS





Clear Glass-Filament-Candle-E14

- E14 Base
 - Candle Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1985	4307 – 2700K WARM WHITE	4w	40w	400	100



Clear Filament

- E14 Base
 - Candle Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1985D	4367 – 2700K WARM WHITE	4w	30w	320	100
VT-1985D-N	214367 – 3000K WARM WHITE	4w	30w	400	100



Clear Glass-Filament-Candle-E14

- E14 Base
 - Candle Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1995	4308 – 2700K WARM WHITE 4432 – 6400K WHITE	4w	40w	400	100
VT-1995-N	214308 – 3000K WARM WHITE 214431 – 4000K DAY WHITE 214432 – 6500K WHITE	4w	40w	400	100



Clear Glass-Filament-Candle-E14

- E14 Base
 - Candle Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1995D	4388 – 2700K WARM WHITE	4w	40w	320	100



Clear Glass-Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.4
- CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1997	4302 - 2700K WARM WHITE	4w	40w	400	50
	4429 - 4000K DAY WHITE				
VT-1997-N	214302 - 3000K WARM WHITE	4w	40w	400	100
	214429 - 4000K DAY WHITE				
	214430 - 6500K WHITE				



Clear Glass-Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80





Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1997D	4366 - 2700K WARM WHITE	4w	30w	320	100



Clear Glass-Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2327	2848 - 3000K WARM WHITE	6W	60w	800	100
	2849 - 4000K DAY WHITE				
	2850 - 6400K WHITE				
VT-2327-N	212850 - 6500K WHITE	6W	60w	800	100



Clear Glass-Filament-Candle-E14

- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- 300° Beam Angle
- PF: >0.5
- CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2127	7423 - 3000K WARM WHITE	6w	45w	600	200
	7424- 4000K DAY WHITE				
	7425 - 6400K WHITE				
VT-2127-N	217423 - 3000K WARM WHITE	6w	45w	600	100
	217424- 4000K DAY WHITE				
	217425 - 6500K WHITE				



LED Candle Filament Bulbs

- E14 Base
 - Candle Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2174	7365 - 2700K WARM WHITE	4w	40w	400	50



Clear Glass-Filament-Globe-E27

- E27 Base
 - G45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1980	4306 - 2700K WARM WHITE 4428 - 6400K WHITE	4w	40w	400	100
VT-1980-N	214306 - 3000K WARM WHITE 214428 - 6500K WHITE	4w	40w	400	100



Clear Glass-Filament-G45-E27

- E27 Base
 - G45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2366	2844 - 6400K WHITE 2842 - 3000K WARM WHITE 2843 - 4000K DAY WHITE	6W	45w	600	100
VT-2386	2853 - 6400K WHITE 2851 - 3000K WARM WHITE 2852 - 4000K DAY WHITE	6W	60w	800	100



Color Bulbs-G45-E27

- E27 Base
 - G45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2132-P	7410 - PINK	2w	10w	60	100
VT-2132-P-N	217410 - PINK	2w	10w	60	100



Color Bulbs-G45-E27

- E27 Base
 - G45 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-2132-G</u>	7411 - GREEN	2w	10w	60	100
<u>VT-2132-G-N</u>	217411 - GREEN	2w	10w	60	100



Color Bulbs-G45-E27

- E27 Base
 - G45 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-2132-B</u>	7412 - BLUE	2w	10w	60	100
<u>VT-2132-B-N</u>	217412 - BLUE	2w	10w	60	100



Color Bulbs-G45-E27

- E27 Base
 - G45 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-2132-R</u>	7413 - RED	2w	10w	60	100
<u>VT-2132-R-N</u>	217413 - RED	2w	10w	60	100



Clear Glass-Filament-P45-E14

- E14 Base
 - P45 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<u>VT-1996</u>	4300 - 2700K WARM WHITE 4425 - 4000K DAY WHITE 4426 - 6400K WHITE	4w	40w	400	100
<u>VT-1996-N</u>	214300 - 3000K WARM WHITE	4w	40w	400	100



LED Bulbs-E14

- E14 Base
 - P45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.4
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2184	7366 - 2700K WARM WHITE	4w	40w	400	50



Clear Glass-Filament-P45-E14

- E14 Base
 - P45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80





Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2466	2847 - 6400K WHITE	6W	45w	600	100
	2845 - 3000K WARM WHITE				
	2846 - 4000K DAY WHITE				



Clear Glass-Filament-P45-E14

- E14 Base
 - P45 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2486	2856 - 6400K WHITE	6W	60w	800	100
	2854 - 3000K WARM WHITE				
	2855 - 4000K DAY WHITE				



Clear Glass-Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220~240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1994D	4399 - 2700K WARM WHITE	4w	30w	320	20
VT-1983-N	214304 - 3000K WARM WHITE	6w	30w	600	20



Clear Glass-Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220-240V,50Hz
- 300° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2147	7427 - 6400K WHITE	6w	60w	806	20
VT-1979-N	214422 - 3000K WARM WHITE 214423 - 4000K DAY WHITE 214424 - 6500K WHITE	10w	60w	1055	20



Clear Glass-Filament-Globe-E27

- E27 Base
 - G125 Shape
 - AC:220-240V,50Hz
- 330° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2143	7455 - 6500K WHITE 7453 - 3000K WARM WHITE 7454 - 4000K DAY WHITE	12.5w	100w	1550	25
VT-2143-N	217453 - 3000K WARM WHITE 217454 - 4000K DAY WHITE 217455 - 6500K WHITE	12w	100w	1521	20



Clear Glass-Filament-Globe-E27

- E27 Base
 - G95 Shape
 - AC:220-240V,50Hz
- 330° Beam Angle
 - PF: >0.5
 - CRI: >80




Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-1993-N	214305 - 2700K WARM WHITE	6w	60w	600	20



Clear Glass-Filament-Globe-E27

- E27 Base
 - G95 Shape
 - AC:220-240V
- 330° Beam Angle
 - PF: >0.5
 - CRI: >80



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2338	2803 - 3000K WARM WHITE	18w	150w	2520	25
VT-2338-N	212803 - 3000K WARM WHITE	18w	150w	2520	100



String Light-LED-5M

- 5 Meter Long String
- 10 Bulbs included
- 0.6 watts per Bulb
- 300 Degree Beam Angle
- IP rating IP40
- 10 Pcs In Cartoon

Model	SKU	Watts	Box Qty
<u>VT-71510</u>	2728 – 3000K WARM WHITE	0.6w	10
<u>VT-71510-N</u>	212728 – 3000K WARM WHITE	0.4W	10



String Light-LED-5M

- 2 Meter Long String
- 1 watts per Bulb
- 10 Bulbs included
- 6-8 Hours Working Time
- 8-12 Hours Charging Time
- Battery 1XAA Ni-MH, 1.2V/300mAh
- IP rating IP54
- 10 Pcs In Cartoon


Model	SKU	Watts	Box Qty
<u>VT-71010</u>	8559 – 3000K WARM WHITE	1w	10



String Light-LED-5M

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Bulbs with 0.5 Meter Distance
- IP rating IP44
- 10 Pcs In Cartoon

Model	SKU	Watts	Box Qty
<u>VT-70510</u>	7437 – 6000K WHITE 7436 – 3000K WARM WHITE 7435 – RGB+YELLOW	0.5w	10
<u>VT-70510-N</u>	217436 – 3000K WARM WHITE	5W	10



String Light-LED-5M

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Bulbs with 0.5 Meter Distance
- IP rating IP44
- 5 Pcs In Cartoon

Model	SKU	Watts	Box Qty
<u>VT-71020</u>	7440 – 6000K WHITE 7439 – 3000K WARM WHITE 7438 – RGB+YELLOW	0.5w	10
<u>VT-71020-N</u>	217439 – 3000K WARM WHITE 217440 – 6000K WHITE	0.5W	5



String Light-WP Socket-E27

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included

Model	SKU	Box Qty
<u>VT-7135</u>	3698	4



String Light-WP Socket-E27

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included

Model	SKU	Box Qty
<u>VT-713</u>	3673	4



Lamp Holder E27

SKU	Box Qty
8839	400



Lamp Holder E14

SKU	Box Qty
8840	400



Lamp Holder-E27

SKU	Box Qty
8750	400



Lamp Holder-E14

SKU	Box Qty
8751	400



Lamp Holder-E27

SKU	Box Qty
8752	400



Lamp Holder-E14

SKU	Box Qty
8753	400