



# ROADMAP 2022 CATALOG

You'll find all the information you need about the brand new item in our latest Roadmap catalogue 2022

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING

# **Welcome to our Roadmap 2022**



# Upcoming Categories

LED FLOODLIGHT

GU10 FITTINGS

LED STREETLIGHTS

LED STRIP LIGHTS

OUTDOOR LIGHTING

LED STRIP LIGHTS

LED HIGHBAYS

DESK LAMPS

LED PANELS

CEILING FANS

LED SOLAR LIGHTS

TROLLEY SPEAKERS



## LED FLOODLIGHT with Light Sensor

**SAMSUNG  
LED**

Illuminated

- They will automatically function according to daylight levels.
- Floodlights will be off if natural light is above 140lux, and on if natural light is below 140lux.
- There is no need to turn the light on or off.
- Light Sensor does not work when motion is detected.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



**IP65  
RATING**



**5 YEAR  
WARRANTY**



| Model         | SKU                                                                        | Watts | Lumen | Dimension        |
|---------------|----------------------------------------------------------------------------|-------|-------|------------------|
| <u>VT-37</u>  | 20169   3000K WARM WHITE<br>20170   4000K DAY WHITE<br>20171   6500K WHITE | 30W   | 3000  | 165×46×204.5mm   |
| <u>VT-57</u>  | 20172   3000K WARM WHITE<br>20173   4000K DAY WHITE<br>20174   6500K WHITE | 50W   | 5000  | 197.5×46×241.5mm |
| <u>VT-117</u> | 20175   3000K WARM WHITE<br>20176   4000K DAY WHITE<br>20177   6500K WHITE | 100W  | 10000 | 247.5×49.5×299mm |
| <u>VT-167</u> | 20178   3000K WARM WHITE<br>20179   4000K DAY WHITE<br>20180   6500K WHITE | 150W  | 15000 | 318.5×55×390mm   |
| <u>VT-272</u> | 20181   3000K WARM WHITE<br>20182   4000K DAY WHITE<br>20183   6500K WHITE | 200W  | 20000 | 371×57×458.5mm   |

## LED FLOODLIGHT with Direct Connection

**SAMSUNG**  
LED  
Illuminated

- Instant Start in 1 second
- Operation in Outside Temperature (-20 to +40° C)
- Protection Rating IP65
- Only connect with waterproof cable hose
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



**IP65**  
RATING



**5 YEAR**  
WARRANTY




| Model         | SKU                                                                        | Watts | Lumen | Dimension    |
|---------------|----------------------------------------------------------------------------|-------|-------|--------------|
| <u>VT-118</u> | 20304   3000K WARM WHITE<br>20305   4000K DAY WHITE<br>20306   6500K WHITE | 10W   | 735   | 133×55×88mm  |
| <u>VT-128</u> | 20307   3000K WARM WHITE<br>20308   4000K DAY WHITE<br>20309   6500K WHITE | 20W   | 1510  | 157×56×101mm |
| <u>VT-138</u> | 20310   3000K WARM WHITE<br>20311   4000K DAY WHITE<br>20312   6500K WHITE | 30W   | 2340  | 177×56×117mm |
| <u>VT-158</u> | 20313   3000K WARM WHITE<br>20314   4000K DAY WHITE<br>20315   6500K WHITE | 50W   | 4000  | 195×57×152mm |

# LED FLOODLIGHT Direct Connection with PIR Sensor

SAMSUNG  
LED

Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

**IP65  
RATING****5 YEAR  
WARRANTY**

| Model     | SKU                      | Watts | Lumen | Dimension    |
|-----------|--------------------------|-------|-------|--------------|
| VT-118S-B | 20256   3000K WARM WHITE | 10W   | 735   | 133×60×113mm |
|           | 20257   4000K DAY WHITE  |       |       |              |
|           | 20258   6500K WHITE      |       |       |              |
| VT-128S-B | 20259   3000K WARM WHITE | 20W   | 1510  | 157×60×128mm |
|           | 20260   4000K DAY WHITE  |       |       |              |
|           | 20261   6500K WHITE      |       |       |              |
| VT-138S-B | 20262   3000K WARM WHITE | 30W   | 2340  | 177×60×143mm |
|           | 20263   4000K DAY WHITE  |       |       |              |
|           | 20264   6500K WHITE      |       |       |              |
| VT-158S-B | 20265   3000K WARM WHITE | 50W   | 4000  | 195×60×178mm |
|           | 20266   4000K DAY WHITE  |       |       |              |
|           | 20267   6500K WHITE      |       |       |              |

## LED FLOODLIGHTS Direct Connection with PIR Sensor

**SAMSUNG  
LED**  
Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




| Model            | SKU                                                                        | Watts | Lumen | Dimension    |
|------------------|----------------------------------------------------------------------------|-------|-------|--------------|
| <u>VT-118S-W</u> | 20268   3000K WARM WHITE<br>20269   4000K DAY WHITE<br>20270   6500K WHITE | 10W   | 735   | 133×60×113mm |
| <u>VT-128S-W</u> | 20271   3000K WARM WHITE<br>20272   4000K DAY WHITE<br>20273   6500K WHITE | 20W   | 1510  | 157×60×128mm |
| <u>VT-138S-W</u> | 20274   3000K WARM WHITE<br>20275   4000K DAY WHITE<br>20276   6500K WHITE | 30W   | 2340  | 177×60×143mm |
| <u>VT-158S-W</u> | 20277   3000K WARM WHITE<br>20278   4000K DAY WHITE<br>20279   6500K WHITE | 50W   | 4000  | 195×60×178mm |

## LED FLOODLIGHTS PIR Sensor

SAMSUNG  
LED

Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

IP65  
RATING5 YEAR  
WARRANTY


| Model       | SKU                      | Watts | Lumen | Dimension    |
|-------------|--------------------------|-------|-------|--------------|
| VT-118S-1-B | 20280   3000K WARM WHITE | 10W   | 735   | 133×60×113mm |
|             | 20281   4000K DAY WHITE  |       |       |              |
|             | 20282   6500K WHITE      |       |       |              |
| VT-128S-1-B | 20283   3000K WARM WHITE | 20W   | 1510  | 157×60×128mm |
|             | 20284   4000K DAY WHITE  |       |       |              |
|             | 20285   6500K WHITE      |       |       |              |
| VT-138S-1-B | 20286   3000K WARM WHITE | 30W   | 2340  | 177×60×143mm |
|             | 20287   4000K DAY WHITE  |       |       |              |
|             | 20288   6500K WHITE      |       |       |              |
| VT-158S-1-B | 20289   3000K WARM WHITE | 50W   | 4000  | 195×60×178mm |
|             | 20290   4000K DAY WHITE  |       |       |              |
|             | 20291   6500K WHITE      |       |       |              |

## LED FLOODLIGHTS PIR Sensor

SAMSUNG  
LED

Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220~240V,50Hz
- IP65 Rating

**IP65  
RATING****5 YEAR  
WARRANTY**

| Model              | SKU                                                                        | Watts | Lumen | Dimension    |
|--------------------|----------------------------------------------------------------------------|-------|-------|--------------|
| <u>VT-118S-1-W</u> | 20292   3000K WARM WHITE<br>20293   4000K DAY WHITE<br>20294   6500K WHITE | 10W   | 735   | 133×60×113mm |
| <u>VT-128S-1-W</u> | 20295   3000K WARM WHITE<br>20296   4000K DAY WHITE<br>20297   6500K WHITE | 20W   | 1510  | 157×60×128mm |
| <u>VT-138S-1-W</u> | 20298   3000K WARM WHITE<br>20299   4000K DAY WHITE<br>20300   6500K WHITE | 30W   | 2340  | 177×60×143mm |
| <u>VT-158S-1-W</u> | 20301   3000K WARM WHITE<br>20302   4000K DAY WHITE<br>20303   6500K WHITE | 50W   | 4000  | 195×60×178mm |

## LED FLOODLIGHTS 137lm Black Slimline Pro

SAMSUNG  
LED  
Illuminated

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000



**IP65**  
RATING



**5 YEAR**  
WARRANTY



**137**  
lm/W

| Model         | SKU                                            | Watts | Lumen | Dimension        |
|---------------|------------------------------------------------|-------|-------|------------------|
| <u>VT-32</u>  | 20402   4000K DAY WHITE<br>20403   6500K WHITE | 30W   | 4100  | 165×204.5×46mm   |
| <u>VT-52</u>  | 20404   4000K DAY WHITE<br>20405   6500K WHITE | 50W   | 6850  | 197.5×241.5×46mm |
| <u>VT-132</u> | 20406   4000K DAY WHITE<br>20407   6500K WHITE | 100W  | 13700 | 247.5×299×49.5mm |
| <u>VT-162</u> | 20408   4000K DAY WHITE<br>20409   6500K WHITE | 150W  | 20500 | 318.5×390×55mm   |
| <u>VT-302</u> | 20410   4000K DAY WHITE<br>20411   6500K WHITE | 200W  | 27350 | 371×458.5×57mm   |

## LED FLOODLIGHTS 185lm Black Slimline Pro

SAMSUNG  
LED  
Illuminated

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000



| Model            | SKU                                            | Watts | Lumen | Dimension        |
|------------------|------------------------------------------------|-------|-------|------------------|
| <u>VT-30185</u>  | 20449   4000K DAY WHITE<br>20450   6400K WHITE | 30W   | 5550  | 165×204.5×46mm   |
| <u>VT-50185</u>  | 20451   4000K DAY WHITE<br>20452   6400K WHITE | 50W   | 9250  | 197.5×241.5×46mm |
| <u>VT-100185</u> | 20453   4000K DAY WHITE<br>20454   6400K WHITE | 100W  | 18500 | 247.5×299×49.5mm |
| <u>VT-150185</u> | 20455   4000K DAY WHITE<br>20456   6400K WHITE | 150W  | 28750 | 318.5×390×55mm   |
| <u>VT-200185</u> | 20457   4000K DAY WHITE<br>20458   6400K WHITE | 200W  | 37000 | 371×458.5×57mm   |

# LED STREETLIGHTS



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan



IP65  
RATING

5 YEAR  
WARRANTY

| Model           | SKU                                            | Watts | Lumen | Dimension    |
|-----------------|------------------------------------------------|-------|-------|--------------|
| <u>VT-39ST</u>  | 20422   4000K DAY WHITE<br>20423   6500K WHITE | 30W   | 3600  | 416×138×99mm |
| <u>VT-59ST</u>  | 20424   4000K DAY WHITE<br>20425   6500K WHITE | 50W   | 6000  | 470×149×99mm |
| <u>VT-79ST</u>  | 20438   4000K DAY WHITE<br>20439   6500K WHITE | 70W   | 8400  | 470×149×99mm |
| <u>VT-139ST</u> | 20426   4000K DAY WHITE<br>20427   6500K WHITE | 100W  | 12000 | 567×179×99mm |
| <u>VT-169ST</u> | 20428   4000K DAY WHITE<br>20429   6500K WHITE | 150W  | 18000 | 628×203×99mm |

## LED STREETLIGHTS Light Sensor Pro

SAMSUNG  
LED  
Illuminated

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan



**IP65  
RATING**



**5 YEAR  
WARRANTY**



| Model             | SKU                                            | Watts | Lumen | Dimension    |
|-------------------|------------------------------------------------|-------|-------|--------------|
| <u>VT-39ST-S</u>  | 20430   4000K DAY WHITE<br>20431   6500K WHITE | 30W   | 3600  | 416×138×99mm |
| <u>VT-59ST-S</u>  | 20432   4000K DAY WHITE<br>20433   6500K WHITE | 50W   | 6000  | 470×149×99mm |
| <u>VT-139ST-S</u> | 20434   4000K DAY WHITE<br>20435   6500K WHITE | 100W  | 12000 | 567×179×99mm |
| <u>VT-169ST-S</u> | 20436   4000K DAY WHITE<br>20437   6500K WHITE | 150W  | 18000 | 628×203×99mm |

OUTDOOR LIGHTING Garden Spikes Lights



- IP65 Rating.
- COB-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >80
- PF>0.5
- 20,000-hour lifespan
- On/Off Cycle >15000



| Model  | SKU                      | Watts | Lumen | Dimension |
|--------|--------------------------|-------|-------|-----------|
| VT-907 | 20316   3000K WARM WHITE | 7W    | 420   | 200×714mm |
|        | 20317   4000K DAY WHITE  |       |       |           |
|        | 20318   6400K WHITE      |       |       |           |



## LED HIGHBAYS PRO UFO Series 90°

SAMSUNG  
LED

Illuminated

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Body Type: Die Cast Aluminium
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

**IP65**  
RATING**5 YEAR**  
WARRANTY

| Model            | SKU                                            | Watts | Lumen | Dimension |
|------------------|------------------------------------------------|-------|-------|-----------|
| <u>VT-9-116S</u> | 20319   4000K DAY WHITE<br>20320   6500K WHITE | 100W  | 11500 | 250×94mm  |
| <u>VT-9-156S</u> | 20321   4000K DAY WHITE<br>20322   6500K WHITE | 150W  | 17300 | 295×94mm  |
| <u>VT-9-206S</u> | 20323   4000K DAY WHITE<br>20324   6500K WHITE | 200W  | 23000 | 320×94mm  |

LED PANELS

PRO 60×60

- IP20 Rating.
  - SMD-Samsung Chip
  - 5 Years Warranty
  - AC:200~240V, 50/60Hz
  - Body Type: Aluminium
- 110° Beam Angle
  - CRI >80
  - PF>0.9
  - 30,000-hour lifespan
  - On/Off Cycle >15000

120  
lm/W

5 YEAR  
WARRANTY



| Model           | SKU                     | Watts | Lumen | Box Qty |
|-----------------|-------------------------|-------|-------|---------|
| <u>VT-629-1</u> | 20419   4000K DAY WHITE | 29W   | 3480  | 6 pcs   |



LED PANELS

PRO 60×60

- IP20 Rating.
  - SMD-Samsung Chip
  - 5 Years Warranty
  - AC:200~240V, 50/60Hz
  - Body Type: Aluminium
- 110° Beam Angle
  - CRI >80
  - PF>0.9
  - 30,000-hour lifespan
  - On/Off Cycle >15000

5 YEAR  
WARRANTY



| Model           | SKU                                            | Watts | Lumen | Box Qty |
|-----------------|------------------------------------------------|-------|-------|---------|
| <u>VT-645-1</u> | 20421   4000K DAY WHITE<br>20420   6400K WHITE | 45W   | 4830  | 6 pcs   |



## LED SOLAR STREETLIGHT

### Solar Streetlight



5 YEAR  
WARRANTY



SOLAR  
LIGHTS

- DC:9V, 50W Solar Panel
- CRI: >80
- Lumens: 3000lm
- 6.4V 30000mAh Battery
- Beam Angle: 120°
- IP65 Rating
- Warranty: 5 Years
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours



IP65  
RATING



| Model           | SKU                 | Watts | Lumen | Bo x Qty |
|-----------------|---------------------|-------|-------|----------|
| <u>VT-ST303</u> | 20341   6400K WHITE | 300W  | 3000  | 1 pc     |

SAMSUNG  
LED

Illuminated

## LINEAR LIGHTS

### Linear Surfaced Lights



| Model          | SKU                                                                        | Watts | Lumen | Bo x Qty |
|----------------|----------------------------------------------------------------------------|-------|-------|----------|
| <u>VT-7-46</u> | 20462   3000K WARM WHITE<br>20463   4000K DAY WHITE<br>20464   6400K WHITE | 40W   |       |          |

SAMSUNG  
LED

Illuminated

**Recessed Fitting GU10**



**Model No:** VT-920-W  
**SKU:** 6632  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-920-B  
**SKU:** 6633  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-925-W  
**SKU:** 6636  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 93×55mm  
**Cutting Size:** 83mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-925-B  
**SKU:** 6637  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 93×55mm  
**Cutting Size:** 83mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-929-W  
**SKU:** 6640  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 81×40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-929-B  
**SKU:** 6641  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 81×40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-921-W  
**SKU:** 6634  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 88×88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-921-B  
**SKU:** 6635  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 88×88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-927-W  
**SKU:** 6638  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 93×93×55mm  
**Cutting Size:** 83×83mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-927-B  
**SKU:** 6639  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 93×93×55mm  
**Cutting Size:** 83×83mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-930-W  
**SKU:** 6642  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 81x81x40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-930-B  
**SKU:** 6643  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 81x81x40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-931-W  
**SKU:** 6644  
**Base:** GU10  
**Material:** PC  
**Color:** White+White  
**Dimension:** 85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-931-WB  
**SKU:** 6645  
**Base:** GU10  
**Material:** PC  
**Color:** White+Black  
**Dimension:** 85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-931-B  
**SKU:** 6646  
**Base:** GU10  
**Material:** PC  
**Color:** Black+Black  
**Dimension:** 85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-931-WC  
**SKU:** 6647  
**Base:** GU10  
**Material:** PC  
**Color:** White+Chrome  
**Dimension:** 85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-931-WG  
**SKU:** 6648  
**Base:** GU10  
**Material:** PC  
**Color:** White+Gold  
**Dimension:** 85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-931-WRG  
**SKU:** 6649  
**Base:** GU10  
**Material:** PC  
**Color:** White+Rose Gold  
**Dimension:** 85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-932-W  
**SKU:** 6650  
**Base:** GU10  
**Material:** PC  
**Color:** White+White  
**Dimension:** 85x85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-932-WB  
**SKU:** 6651  
**Base:** GU10  
**Material:** PC  
**Color:** White+Black  
**Dimension:** 85x85x40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-932-B  
**SKU:** 6652  
**Base:** GU10  
**Material:** PC  
**Color:** Black+Black  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-932-WC  
**SKU:** 6653  
**Base:** GU10  
**Material:** PC  
**Color:** White+Chrome  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-932-WG  
**SKU:** 6654  
**Base:** GU10  
**Material:** PC  
**Color:** White+Gold  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-932-WRG  
**SKU:** 6655  
**Base:** GU10  
**Material:** PC  
**Color:** White+Rose Gold  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-933-W  
**SKU:** 6656  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 102×102×42mm  
**Cutting Size:** 95×95mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-933-B  
**SKU:** 6657  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 102×102×42mm  
**Cutting Size:** 95×95mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-934-W  
**SKU:** 6658  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 102×42mm  
**Cutting Size:** 85mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-934-B  
**SKU:** 6659  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 102×42mm  
**Cutting Size:** 85mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-974-W  
**SKU:** 6682  
**Base:** GU10  
**Material:** Aluminum  
**Color:** White  
**Dimension:** 42.5×17.5×35mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-974-B  
**SKU:** 6683  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black  
**Dimension:** 42.5×17.5×35mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-980-WB  
**SKU:** 6694  
**Base:** GU10  
**Material:** Aluminum  
**Color:** White+black  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-980-BW  
**SKU:** 6695  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black+white  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-980-B  
**SKU:** 6696  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black+black  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

### Recessed Fitting GU10



**Model No:** VT-980-GB  
**SKU:** 6697  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Golden+Black  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

### Surface Fittings GU10



**Model No:** VT-978-W  
**SKU:** 6690  
**Base:** GU10  
**Material:** Iron  
**Color:** White  
**Dimension:** 26.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

### Surface Fittings GU10



**Model No:** VT-978-B  
**SKU:** 6691  
**Base:** GU10  
**Material:** Iron  
**Color:** Black  
**Dimension:** 26.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

### Surface Fittings GU10



**Model No:** VT-979-W  
**SKU:** 6692  
**Base:** GU10  
**Material:** Iron  
**Color:** White  
**Dimension:** 27.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

### Surface Fittings GU10



**Model No:** VT-979-B  
**SKU:** 6693  
**Base:** GU10  
**Material:** Iron  
**Color:** Black  
**Dimension:** 27.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

**Model No:** VT-981-W  
**SKU:** 6698  
**Base:** GU10  
**Material:** Iron  
**Color:** White  
**Dimension:** 27.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

**Model No:** VT-981-B  
**SKU:** 6699  
**Base:** GU10  
**Material:** Iron  
**Color:** Black  
**Dimension:** 27.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

Model No: VT-981-SN  
 SKU: **6700**  
 Base: GU10  
 Material:  
 Color:  
 Dimension:  
 Cutting Size:  
 Box Qty:

## Pendant Black-GU10

Model No: VT-975-20CM  
 SKU: **6684**  
 Base: GU10  
 Material: Aluminum  
 Color: Black  
 Dimension: 35.5×25.5×42mm  
 Cutting Size: NA  
 Box Qty: 20



## Pendant Black-GU10

Model No: VT-975-30CM  
 SKU: **6685**  
 Base: GU10  
 Material: Aluminum  
 Color: Black  
 Dimension: 35.5×35.5×43mm  
 Cutting Size: NA  
 Box Qty: 20



## Pendant Black-GU10

Model No: VT-976-30CM  
 SKU: **6686**  
 Base: GU10  
 Material: Aluminum  
 Color: Black  
 Dimension: 35.5×35.5×43mm  
 Cutting Size: NA  
 Box Qty: 20



## Pendant Black-GU10

Model No: VT-976-50CM  
 SKU: **6687**  
 Base: GU10  
 Material: Aluminum  
 Color: Black  
 Dimension: 42×35×54.5mm  
 Cutting Size: NA  
 Box Qty: 20



## Pendant Black-GU10

Model No: VT-977-30CM  
 SKU: **6688**  
 Base: GU10  
 Material: Aluminum  
 Color: Black + Gold  
 Dimension: 35.5×35.5×43mm  
 Cutting Size: NA  
 Box Qty: 20



## Pendant Black-GU10

Model No: VT-977-50CM  
 SKU: **6689**  
 Base: GU10  
 Material:  
 Color:  
 Dimension:  
 Cutting Size:  
 Box Qty:




## Clear Glass-Filament-Candle-E14-Dimmable

- E14 Base
- Candle Shape
- AC:220-240V, 50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle



**DIMMABLE**  
LIGHT CONTROL



| Model           | SKU                            | Watts | EQUIV.W | Lumen | Box Qty |
|-----------------|--------------------------------|-------|---------|-------|---------|
| <u>VT-2304D</u> | <b>2870 - 3000K WARM WHITE</b> | 4W    | 35w     | 400   | 200     |



### LED Strip Lights [Strip Sets-5050 60 LEDs](#)

VT-5050 60 IP20-24W

[2895 - 5IN1](#)

**Watt/M:** 24w  
**Voltage:** DC:12V,50Hz  
**LED Qty/M:** 90  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20



### LED Strip Lights [Strip Sets-5050 60 LEDs](#)

VT-5050 60 IP20-RGB Set-24W

[2896 -5IN1](#)

**Watt/M:** 24w  
**Voltage:** DC:12V,50Hz  
**LED Qty/M:** 90  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20



### LED Strip Lights [Striplights 2835 120 Double PCB](#)

VT-2835 120-IP65-24W

[2898 - 3IN1](#)

**Watt/M:** 14W  
**Voltage:** DC:24V  
**LED Qty/M:** 120  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP65  
**Width:** 10mm  
**Box Qty:** 400 Meters



### LED Strip Lights [Striplights 2835 120 Double PCB](#)

VT-2835 120-IP20-24W

[2897 -3IN1](#)

**Watt/M:** 14W  
**Voltage:** DC:24V  
**LED Qty/M:** 120  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters





### LED Strip Lights Striplights 2835 90-High Lumen

VT-2835 90

2698 – 6400K WHITE  
2696 – 3000K WARM WHITE  
2697 – 4000K DAY WHITE



**Watt/M:** 4w  
**Voltage:** DC:24V  
**LED Qty/M:** 800  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters



### LED Strip Lights LED COB Striplights IP20


VT-COB 421

2669 – 6400K WHITE  
2667 – 3000K WARM WHITE  
2668 – 4000K DAY WHITE



**Watt/M:** 10w  
**Voltage:** DC:24V  
**LED Qty/M:** 420  
**LED Type:**

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters



### LED Strip Lights LED COB Striplights IP20

VT-COB 422

2880 – RGB



**Watt/M:** 13w  
**Voltage:** DC:24V  
**LED Qty/M:** 420  
**LED Type:** COB

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters



QUICK CONNECT WIRE FOR LED STRIP LIGHT



SKU: [11341](#)

QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT



SKU: [11342](#)

QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT



SKU: [11343](#)

Strip-Controller-Infrared



Model: [VT-2428](#)  
SKU: [2899](#)  
Input voltage: DC:12V/24V

Strip-Controller-Infrared



Model: [VT-2425](#)  
SKU: [2901](#)  
Input voltage: DC:12V/24V

Strip-Controller-Wi-Fi RGB

[2900](#)[2900](#)

Strip-Controller-Wi-Fi RGB

SKU: [2902](#)[2902](#)  
Input voltage:

Mounting Kit White



Model: [VT-8126](#)  
SKU: [2871](#)  
Dimension: 2000×50×35mm  
Unit Color: White

Mounting Kit White



Model: [VT-8127](#)  
SKU: [2872](#)  
Dimension: 2000×50×75mm  
Unit Color: White

Mounting Kit Black



Model: [VT-8113](#)  
SKU: [2873](#)  
Dimension: 2000×17.4×7mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8109](#)  
SKU: [2874](#)  
Dimension: 2000×15.8×15.8mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8106](#)  
SKU: [2875](#)  
Dimension: 2000×24.7×7mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8108](#)  
SKU: [2876](#)  
Dimension: 2000×23.5×10mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8114](#)  
SKU: [2877](#)  
Dimension: 2000×19×19mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8110](#)  
SKU: [2878](#)  
Dimension: 2000×17.2×14.4mm  
Unit Color: Black



## Power Supply – Plastic

| Model                    | SKU                  | Watts | Current Capacity: | Input Power         | Output | Box Qty |
|--------------------------|----------------------|-------|-------------------|---------------------|--------|---------|
| <a href="#">VT-23032</a> | <a href="#">2671</a> | 30w   | 2.5A              | AC:100-240V,50/60Hz | DC:12V | 100     |
| <a href="#">VT-23044</a> | <a href="#">2672</a> | 42w   | 3.5A              | AC:100-240V,50/60Hz | DC:12V | 100     |



## Power Supply – Metal

| Model                    | SKU                  | Watts | Current Capacity: | Input Power         | Output | Box Qty |
|--------------------------|----------------------|-------|-------------------|---------------------|--------|---------|
| <a href="#">VT-21061</a> | <a href="#">2682</a> | 60w   | 5A                | AC:100-240V,50/60Hz | DC:12V | 100     |
| <a href="#">VT-21062</a> | <a href="#">2683</a> | 60w   | 2.5A              | AC:100-240V,50/60Hz | DC:24V | 100     |
| <a href="#">VT-21071</a> | <a href="#">2684</a> | 75w   | 6.25A             | AC:176-264V,50/60Hz | DC:12V | 100     |
| <a href="#">VT-21072</a> | <a href="#">2685</a> | 75w   | 3.15A             | AC:176-264V,50/60Hz | DC:24V | 100     |



## Power Supply – Metal

| Model                    | SKU                  | Watts | Current Capacity: | Input Power         | Output | Box Qty |
|--------------------------|----------------------|-------|-------------------|---------------------|--------|---------|
| <a href="#">VT-21121</a> | <a href="#">2686</a> | 120w  | 10A               | AC:176-264V,50/60Hz | DC:12V | 50      |
| <a href="#">VT-21122</a> | <a href="#">2687</a> | 120w  | 5A                | AC:176-264V,50/60Hz | DC:24V | 50      |
| <a href="#">VT-21152</a> | <a href="#">2688</a> | 150w  | 12.5A             | AC:176-264V,50/60Hz | DC:12V | 50      |
| <a href="#">VT-21153</a> | <a href="#">2689</a> | 150w  | 6.25A             | AC:176-264V,50/60Hz | DC:24V | 50      |



## Power Supply – Metal

| Model                    | SKU                  | Watts | Current Capacity: | Input Power         | Output | Box Qty |
|--------------------------|----------------------|-------|-------------------|---------------------|--------|---------|
| <a href="#">VT-21252</a> | <a href="#">2690</a> | 250w  | 20.8A             | AC:176-264V,50/60Hz | DC:12V | 20      |
| <a href="#">VT-21253</a> | <a href="#">2691</a> | 250w  | 10.41A            | AC:176-264V,50/60Hz | DC:24V | 20      |
| <a href="#">VT-21301</a> | <a href="#">2692</a> | 300w  | 25A               | AC:176-264V,50/60Hz | DC:12V | 20      |
| <a href="#">VT-21302</a> | <a href="#">2693</a> | 300w  | 12.5A             | AC:176-264V,50/60Hz | DC:24V | 20      |



## Power Supply – Metal

| Model                    | SKU                  | Watts | Current Capacity: | Input Power         | Output | Box Qty |
|--------------------------|----------------------|-------|-------------------|---------------------|--------|---------|
| <a href="#">VT-21501</a> | <a href="#">2694</a> | 500w  | 42A               | AC:200-240V,50/60HZ | DC:12V | 20      |
| <a href="#">VT-21502</a> | <a href="#">2695</a> | 500w  | 21A               | AC:200-240V,50/60HZ | DC:24V | 20      |

## LED BIG PANELS

### Big Panels-UGR<19

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm

LG7 Compliant   
UGR < 19



| Model            | SKU                    | Watts | Lumen | Size        | Box Qty |
|------------------|------------------------|-------|-------|-------------|---------|
| <u>VT-6068-1</u> | 6676 - 4000K DAY WHITE | 45w   | 4830  | 595×595×9mm | 6       |
| <u>VT-6069-1</u> | 6674 - 4000K DAY WHITE | 45w   | 4830  | 620×620×9mm | 6       |

## LED BIG PANELS

### Big Panels-60×60

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm



| Model            | SKU                    | Watts | Lumen | Size        | Box Qty |
|------------------|------------------------|-------|-------|-------------|---------|
| <u>VT-6237-1</u> | 6673 - 4000K DAY WHITE | 36w   | 3820  | 595×595×9mm | 6       |

## LED BIG PANELS

### Big Panels-60×60

- AC:200–240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >15000
- Life span:25,000 Hours
- Body Type: Aluminium
- Dimension :595×595×8.5mm



| Model          | SKU                                          | Watts | Lumen | Size          | Box Qty |
|----------------|----------------------------------------------|-------|-------|---------------|---------|
| <u>VT-6340</u> | 6671 – 4500K DAY WHITE<br>6672 – 6400K WHITE | 40w   | 4950  | 595×595×8.5mm | 6       |

## LED BIG PANELS

### Big Panels-High Lumen

- AC:200–240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :620×620×9mm



120  
lm/W

| Model            | SKU                    | Watts | Lumen | Size        | Box Qty |
|------------------|------------------------|-------|-------|-------------|---------|
| <u>VT-6262-1</u> | 6675 – 4000K DAY WHITE | 29w   | 3480  | 620×620×9mm | 6       |

LED BIG PANELS

Big Panels-120×30

- AC:200-240V, 50/60Hz
  - PF: >0.9
  - CRI: >80
  - 120° Beam Angle
  - On/Off: >10000
  - Life span:20,000 Hours
  - Body Type: FE+PP
  - Dimension :1195×295×29mm



| Model          | SKU                                                                                                                     | Watts | Lumen | Size          | Box Qty |
|----------------|-------------------------------------------------------------------------------------------------------------------------|-------|-------|---------------|---------|
| <u>VT-6147</u> | <a href="#">6624 - 3000K WARM WHITE</a><br><a href="#">6625 - 4000K DAY WHITE</a><br><a href="#">6626 - 6500K WHITE</a> | 40w   | 4000  | 1195×295×29mm | 6       |



Surface Mounting-60×60 New

SKU:

6627

Box Qty

25



Can for Fire Rated Downlight



SKU: **11281**  
 Dimension: 90×120mm  
 Cutting Size: 80mm  
 Unit Color: Black  
 Body Type: Iron  
 IP Rating: IP20

Can for Fire Rated Downlight



SKU: **11286**  
 Dimension: 90×120mm  
 Cutting Size: 80mm  
 Unit Color: Silver  
 Body Type: Iron  
 IP Rating: IP20

White Bezel-IP20 Push and Lock



SKU: **11277**  
 Dimension: 90mm  
 Unit Color: White  
 Body Type: Iron  
 IP Rating: IP20

Black Bezel-IP20 Push and Lock



SKU: **11278**  
 Dimension: 90mm  
 Unit Color: Black  
 Body Type: Iron  
 IP Rating: IP20

Satin Nickel Bezel-IP20 Push and Lock



SKU: **11279**  
 Dimension: 90mm  
 Unit Color: Satin Nickel  
 Body Type: Iron  
 IP Rating: IP20

Chrome Bezel-IP20 Push and Lock



SKU: **11280**  
 Dimension: 90mm  
 Unit Color: Chrome  
 Body Type: Iron  
 IP Rating: IP20

White Bezel-IP65 Push and Lock



SKU: **11282**  
 Dimension: 90mm  
 Unit Color: White  
 Body Type: Iron  
 IP Rating: IP65

Black Bezel-IP65 Push and Lock



SKU: **11283**  
 Dimension: 90mm  
 Unit Color: Black  
 Body Type: Iron  
 IP Rating: IP65

Satin Nickel Bezel-IP65 Push and Lock



SKU: **11284**  
 Dimension: 90mm  
 Unit Color: Satin Nickel  
 Body Type: Iron  
 IP Rating: IP65

Chrome Bezel-IP65 Push and Lock



SKU: **11285**  
 Dimension: 90mm  
 Unit Color: Chrome  
 Body Type: Iron  
 IP Rating: IP65

### Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size: 20×15.5×25.5

| Model           | SKU                | Watts |
|-----------------|--------------------|-------|
| <u>VT-982-S</u> | <b>2889 - 3IN1</b> |       |



### Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size: 15.5×15.5×27

| Model           | SKU                | Watts |
|-----------------|--------------------|-------|
| <u>VT-983-S</u> | <b>2890 - 3IN1</b> |       |



### Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size: 22×17.5×25

| Model         | SKU                                            | Watts |
|---------------|------------------------------------------------|-------|
| <u>VT-982</u> | <b>2892 - 3000K+6000K<br/>WARM WHITE+WHITE</b> |       |



### Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size: 17.5×17.5×27

| Model         | SKU                                            | Watts |
|---------------|------------------------------------------------|-------|
| <u>VT-983</u> | <b>2893 - 3000K+6000K<br/>WARM WHITE+WHITE</b> |       |



### Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

| Model         | SKU                                    | Watts |
|---------------|----------------------------------------|-------|
| <u>VT-984</u> | 2894 - 3000K+6000K<br>WARM WHITE+WHITE |       |



### Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

| Model           | SKU         | Watts |
|-----------------|-------------|-------|
| <u>VT-984-S</u> | 2891 - 3IN1 |       |



### Solar Bollard Lights

- 3.7V, 2000mAh Battery
- Charging Time:
- Working Time: 12 Hours
- Body Type: ABS+PC
- Size:705.7×155mm
- Lumen: 400


| Model         | SKU                                               | Watts |
|---------------|---------------------------------------------------|-------|
| <u>VT-945</u> | 6666 - 3000K WARM WHITE<br>6665 - 4000K DAY WHITE | 5w    |



### 2IN1 Garden Light

- 3.7V, 1000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC
- Size:148×800mm
- Lumen: 260

| Model         | SKU                                               | Watts |
|---------------|---------------------------------------------------|-------|
| <u>VT-943</u> | 6668 - 3000K WARM WHITE<br>6667 - 4000K DAY WHITE | 3w    |



### Adjustable Garden Light

- 7.4V, 2000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC+Metal
- Size: 264×1290.55mm
- Lumen: 500

| Model         | SKU                                               | Watts |
|---------------|---------------------------------------------------|-------|
| <u>VT-948</u> | 6670 - 3000K WARM WHITE<br>6669 - 4000K DAY WHITE | 8w    |



### Solar Spike Light

- 3.7V Li-on 1200mAh Battery
- Charging Time: 6-8 Hours
- Working Time: 10-12 Hours
- Body Type: ABS
- Size: 140×150×280mm
- Lumen: 40

| Model         | SKU                                                                     | Watts |
|---------------|-------------------------------------------------------------------------|-------|
| <u>VT-952</u> | 6660 - 3000K WARM WHITE<br>6661 - 4000K DAY WHITE<br>6662 - 6400K WHITE | 2w    |




### Solar Tri-Proof Light with Sensor

- Battery
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours
- Body Type: PC
- Size: 1185×80×65mm



| Model            | SKU         | Watts | Lumen |
|------------------|-------------|-------|-------|
| <u>VT-120018</u> | 6500 - 3IN1 |       |       |



### Solar Bulb with Sensor

- 3.7V, 2200mAh Battery
- Charging Time: 8 Hours
- Working Time: 6 Hours
- Body Type: Plastic
- Size: 72×158mm



| Model          | SKU         | Watts | Lumen |
|----------------|-------------|-------|-------|
| <u>VT-2417</u> | 2857 - 3IN1 | 7w    | 500   |



### Table Mirror Lights

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30


| Model          | SKU         | Watts |
|----------------|-------------|-------|
| <u>VT-7572</u> | <b>6629</b> | 3w    |



### Wall Mirror Lights

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

| Model          | SKU         | Watts |
|----------------|-------------|-------|
| <u>VT-7571</u> | <b>6628</b> | 3w    |



### Suction Mirror Lights

- DC:4.5V
- CRI: >80
- 120° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

| Model          | SKU         | Watts |
|----------------|-------------|-------|
| <u>VT-7573</u> | <b>6630</b> | 3.2w  |



Rechargeable Desk Lamps

- CRI:
- Beam Angle
  - Body Type:



RECHARGEABLE

| Model            | SKU                                               | Watts | Lumen |
|------------------|---------------------------------------------------|-------|-------|
| <u>VT-7703-G</u> | 2881 – 3000K WARM WHITE<br>2882 – 4000K DAY WHITE | 3w    |       |



Rechargeable Desk Lamps

- CRI:
- Beam Angle
  - Body Type:



RECHARGEABLE

| Model             | SKU                                               | Watts | Lumen |
|-------------------|---------------------------------------------------|-------|-------|
| <u>VT-7703-GD</u> | 2883 – 3000K WARM WHITE<br>2884 – 4000K DAY WHITE | 3w    |       |



Rechargeable Desk Lamps

- CRI:
- Beam Angle
  - Body Type:



RECHARGEABLE

| Model            | SKU                                               | Watts | Lumen |
|------------------|---------------------------------------------------|-------|-------|
| <u>VT-7703-W</u> | 2885 – 3000K WARM WHITE<br>2886 – 4000K DAY WHITE | 3w    |       |



Rechargeable Desk Lamps

- CRI:
- Beam Angle
  - Body Type:



RECHARGEABLE

| Model            | SKU                                               | Watts | Lumen |
|------------------|---------------------------------------------------|-------|-------|
| <u>VT-7703-B</u> | 2887 – 3000K WARM WHITE<br>2888 – 4000K DAY WHITE | 3w    |       |



### Ceiling Fan AC Motor

- 52" (132CM ) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

| Model       | SKU  |
|-------------|------|
| VT-6552-3-W | 2866 |

65W



### Ceiling Fan AC Motor

- 52" (132CM ) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

| Model        | SKU  |
|--------------|------|
| VT-6552-3-BR | 2867 |

65W



### Ceiling Fan AC Motor

- 52" (132CM ) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

| Model        | SKU  |
|--------------|------|
| VT-6552-3-BL | 2868 |

65W



### Mist Fan with Wheels

- 16" (40.6CM ) Mist fan
- With 430mm diameter radial grill
- 3PP blade with a speed of Max 55.96m³/Min
- Remote type selection with oscillation
- Designed with 3 variants of speed: Low, Medium, and High
- Adjustable Mist
- Timer (with Remote)7.5H
- Water Tank Capacity 3.2 Litre
- 6 Wheels for easy moving

| Model     | SKU  |
|-----------|------|
| VT-8217-3 | 7936 |

80W



### Trolley Speaker

## 2X10W

| Model            | SKU         |
|------------------|-------------|
| <u>VT-6204-2</u> | <b>6663</b> |

- P.M.P.O 150W
- Rechargeable Trolley speaker 2×4 inch woofer.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:185.3×177×410.5mm
- Includes one USB cable.



### Trolley Speaker

## 2X10W

| Model            | SKU         |
|------------------|-------------|
| <u>VT-6203-2</u> | <b>6664</b> |

- P.M.P.O 150W
- Rechargeable Trolley speaker 2×3 inch woofer with handle.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:153.7×143.7×341.5mm
- Includes one USB cable.



### Trolley Speaker

## 40W

| Model            | SKU         |
|------------------|-------------|
| <u>VT-6282-2</u> | <b>8990</b> |

- P.M.P.O 150W
- Rechargeable Trolley speaker 8 inch woofer with handle and RF Control.
- AC:100-240V, 50/60Hz input power.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 7.4V/5000mAh.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX, Guitar and MIC input.
- Working distance up to 15 meters in open space
- Remote Control distance upto 5m in open space
- Dimensions:320×310×685mm
- Includes one Wireless microphone, Remote Control and Power adaptor.





## LED Smart Striplight Kit

LED Type: SMD  
Watt/M: 13W  
Current/M: 1.08A  
lm/M: 1200  
Beam Angle: 120°  
IP Rating: IP20  
Width: 10mm



| Model      | SKU  |
|------------|------|
| VT-5050 90 | 2699 |



App Remote Control



Voice Control.  
Alexa/Google Home  
Compatible



Remote Controller



In-line Controller

## Charging Adapters

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD)  
Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-B  
6677



Watts: 20W  
Unit Color: Black  
Input Power: AC:100-240V,50/60Hz  
Output Voltage: DC:5V, 3A  
USB Port: USB-A + USB-C (PD)



## Charging Adapters

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD)  
Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-W  
6678



Watts: 20W  
Unit Color: White  
Input Power: AC:100-240V,50/60Hz  
Output Voltage: DC:5V, 3A  
USB Port: USB-A + USB-C (PD)



## Charging Adapters

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD)  
Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-B  
6679



Watts: 30W  
Unit Color: Black  
Input Power: AC:100-240V,50/60Hz  
Output Voltage: DC:5V, 3A  
USB Port: USB-A + USB-C (PD)



## Charging Adapters

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD)  
Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-W  
6680



Watts: 30W  
Unit Color: White  
Input Power: AC:100-240V,50/60Hz  
Output Voltage: DC:5V, 3A  
USB Port: USB-A + USB-C (PD)



| OLD ERP | NEW SKU | OLD ERP | NEW SKU | OLD ERP | NEW SKU  | OLD ERP | NEW SKU  | OLD ERP | NEW SKU  | OLD ERP | NEW SKU  | OLD ERP | NEW SKU  |
|---------|---------|---------|---------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|
| 101     | - 21101 | 531     | - 21531 | 791     | - 21791  | 2042    | - 212042 | 2738    | - 212738 | 6620    | - 216620 | 8246    | - 218246 |
| 103     | - 21103 | 535     | - 21535 | 792     | - 21792  | 2043    | - 212043 | 2739    | - 212739 | 6671    | - 216671 | 8280    | - 218280 |
| 104     | - 21104 | 536     | - 21536 | 793     | - 21793  | 2044    | - 212044 | 2740    | - 212740 | 6672    | - 216672 | 8282    | - 218282 |
| 108     | - 21108 | 537     | - 21537 | 796     | - 21796  | 2118    | - 212118 | 2741    | - 212741 | 7078    | - 217078 | 8284    | - 218284 |
| 115     | - 21115 | 538     | - 21538 | 797     | - 21797  | 2122    | - 212122 | 2766    | - 212766 | 7079    | - 217079 | 8285    | - 218285 |
| 131     | - 21131 | 539     | - 21539 | 798     | - 21798  | 2124    | - 212124 | 2775    | - 212775 | 7080    | - 217080 | 8286    | - 218286 |
| 132     | - 21132 | 540     | - 21540 | 799     | - 21799  | 2126    | - 212126 | 2778    | - 212778 | 7081    | - 217081 | 8287    | - 218287 |
| 135     | - 21135 | 600     | - 21600 | 808     | - 21808  | 2128    | - 212128 | 2792    | - 212792 | 7082    | - 217082 | 8288    | - 218288 |
| 140     | - 21140 | 602     | - 21602 | 809     | - 21809  | 2133    | - 212133 | 2793    | - 212793 | 7087    | - 217087 | 8289    | - 218289 |
| 141     | - 21141 | 650     | - 21650 | 853     | - 21853  | 2137    | - 212137 | 2794    | - 212794 | 7088    | - 217088 | 8291    | - 218291 |
| 146     | - 21146 | 651     | - 21651 | 855     | - 21855  | 2138    | - 212138 | 4122    | - 214122 | 7089    | - 217089 | 8292    | - 218292 |
| 149     | - 21149 | 652     | - 21652 | 861     | - 21861  | 2143    | - 212143 | 4123    | - 214123 | 7090    | - 217090 | 8296    | - 218296 |
| 151     | - 21151 | 654     | - 21654 | 867     | - 21867  | 2148    | - 212148 | 4124    | - 214124 | 7091    | - 217091 | 8297    | - 218297 |
| 189     | - 21189 | 657     | - 21657 | 868     | - 21868  | 2149    | - 212149 | 4160    | - 214160 | 7121    | - 217121 | 8298    | - 218298 |
| 195     | - 21195 | 658     | - 21658 | 874     | - 21874  | 2150    | - 212150 | 4162    | - 214162 | 7229    | - 217229 | 8299    | - 218299 |
| 196     | - 21196 | 659     | - 20344 | 875     | - 21875  | 2155    | - 212155 | 4166    | - 214166 | 7240    | - 217240 | 8300    | - 218300 |
| 197     | - 21197 | 660     | - 20345 | 882     | - 21882  | 2156    | - 212156 | 4174    | - 214174 | 7241    | - 217241 | 8301    | - 218301 |
| 199     | - 21199 | 662     | - 20347 | 891     | - 21891  | 2159    | - 212159 | 4207    | - 214207 | 7242    | - 217242 | 8302    | - 218302 |
| 203     | - 21203 | 663     | - 20348 | 892     | - 21892  | 2161    | - 212161 | 4216    | - 214216 | 7246    | - 217246 | 8305    | - 218305 |
| 206     | - 21206 | 664     | - 20349 | 893     | - 21893  | 2163    | - 212163 | 4301    | - 214301 | 7260    | - 217260 | 8306    | - 218306 |
| 207     | - 21207 | 665     | - 20350 | 895     | - 21895  | 2164    | - 212164 | 5946    | - 215946 | 7261    | - 217261 | 8309    | - 218309 |
| 222     | - 21222 | 666     | - 20351 | 896     | - 21896  | 2166    | - 212166 | 5947    | - 215947 | 7262    | - 217262 | 8317    | - 218317 |
| 223     | - 21223 | 667     | - 20352 | 947     | - 21947  | 2403    | - 212403 | 5948    | - 215948 | 7263    | - 217263 | 8318    | - 218318 |
| 224     | - 21224 | 668     | - 20354 | 948     | - 21948  | 2430    | - 212430 | 5949    | - 215949 | 7264    | - 217264 | 8319    | - 218319 |
| 234     | - 21234 | 669     | - 20355 | 951     | - 21951  | 2431    | - 212431 | 5950    | - 215950 | 7265    | - 217265 | 8320    | - 218320 |
| 235     | - 21235 | 672     | - 21672 | 956     | - 21956  | 2459    | - 212459 | 5951    | - 215951 | 7269    | - 217269 | 8321    | - 218321 |
| 236     | - 21236 | 673     | - 21673 | 957     | - 21957  | 2461    | - 212461 | 5952    | - 215952 | 7270    | - 217270 | 8322    | - 218322 |
| 238     | - 21238 | 674     | - 21674 | 958     | - 21958  | 2462    | - 212462 | 5953    | - 215953 | 7271    | - 217271 | 8323    | - 218323 |
| 239     | - 21239 | 675     | - 21675 | 959     | - 21959  | 2463    | - 212463 | 5954    | - 215954 | 7353    | - 217353 | 8324    | - 218324 |
| 240     | - 21240 | 676     | - 21676 | 960     | - 21960  | 2547    | - 212547 | 5955    | - 215955 | 7354    | - 217354 | 8325    | - 218325 |
| 243     | - 21243 | 677     | - 21677 | 961     | - 21961  | 2552    | - 212552 | 5956    | - 215956 | 7357    | - 217357 | 8326    | - 218326 |
| 244     | - 21244 | 678     | - 21678 | 962     | - 21962  | 2553    | - 212553 | 5957    | - 215957 | 7359    | - 217359 | 8333    | - 218333 |
| 246     | - 21246 | 679     | - 21679 | 963     | - 21963  | 2559    | - 212559 | 5958    | - 215958 | 7362    | - 217362 | 8334    | - 218334 |
| 247     | - 21247 | 686     | - 21686 | 969     | - 21969  | 2561    | - 212561 | 5959    | - 215959 | 7363    | - 217363 | 8337    | - 218337 |
| 248     | - 21248 | 687     | - 21687 | 1208    | - 211208 | 2562    | - 212562 | 5960    | - 215960 | 7402    | - 217402 | 8338    | - 218338 |
| 269     | - 21269 | 688     | - 21688 | 1209    | - 211209 | 2563    | - 212563 | 5961    | - 215961 | 7403    | - 217403 | 8341    | - 218341 |
| 321     | - 21321 | 689     | - 21689 | 1210    | - 211210 | 2564    | - 212564 | 5962    | - 215962 | 7407    | - 217407 | 8527    | - 218527 |
| 324     | - 21324 | 690     | - 21690 | 1314    | - 211314 | 2581    | - 212581 | 5963    | - 215963 | 7422    | - 217422 | 8528    | - 218528 |
| 374     | - 21374 | 691     | - 21691 | 1316    | - 211316 | 2591    | - 212591 | 5964    | - 215964 | 7436    | - 217436 | 8529    | - 218529 |
| 375     | - 21375 | 692     | - 21692 | 1317    | - 211317 | 2592    | - 212592 | 5965    | - 215965 | 7439    | - 217439 | 8530    | - 218530 |
| 376     | - 21376 | 695     | - 21695 | 1319    | - 211319 | 2593    | - 212593 | 5966    | - 215966 | 7440    | - 217440 | 8531    | - 218531 |
| 380     | - 21380 | 696     | - 21696 | 1322    | - 211322 | 2594    | - 212594 | 5967    | - 215967 | 7524    | - 217524 | 8532    | - 218532 |
| 381     | - 21381 | 697     | - 21697 | 1323    | - 211323 | 2595    | - 212595 | 5968    | - 215968 | 7527    | - 217527 | 8533    | - 218533 |
| 383     | - 21383 | 748     | - 21748 | 1326    | - 211326 | 2596    | - 212596 | 5969    | - 215969 | 7544    | - 217544 | 8534    | - 218534 |
| 384     | - 21384 | 749     | - 21749 | 1328    | - 211328 | 2597    | - 212597 | 6025    | - 216025 | 7545    | - 217545 | 8535    | - 218535 |
| 404     | - 21404 | 760     | - 21760 | 1329    | - 211329 | 2598    | - 212598 | 6237    | - 216237 | 7547    | - 217547 | 8536    | - 218536 |
| 407     | - 21407 | 761     | - 21761 | 1331    | - 211331 | 2599    | - 212599 | 6256    | - 216256 | 7548    | - 217548 | 8537    | - 218537 |
| 410     | - 21410 | 762     | - 21762 | 1463    | - 211463 | 2600    | - 212600 | 6257    | - 216257 | 7550    | - 217550 | 8538    | - 218538 |
| 412     | - 21412 | 764     | - 21764 | 1466    | - 211466 | 2601    | - 212601 | 6258    | - 216258 | 7551    | - 217551 | 8539    | - 218539 |
| 413     | - 21413 | 765     | - 21765 | 1469    | - 211469 | 2622    | - 212622 | 6284    | - 216284 | 7602    | - 217602 | 8540    | - 218540 |
| 415     | - 21415 | 766     | - 21766 | 1470    | - 211470 | 2623    | - 212623 | 6285    | - 216285 | 7604    | - 217604 | 8544    | - 218544 |
| 416     | - 21416 | 767     | - 21767 | 2002    | - 212002 | 2624    | - 212624 | 6286    | - 216286 | 7608    | - 217608 | 8553    | - 218553 |
| 417     | - 21417 | 768     | - 21768 | 2005    | - 212005 | 2625    | - 212625 | 6287    | - 216287 | 8211    | - 218211 | 8554    | - 218554 |
| 419     | - 21419 | 770     | - 21770 | 2011    | - 212011 | 2626    | - 212626 | 6332    | - 216332 | 8215    | - 218215 | 8560    | - 218560 |
| 422     | - 21422 | 771     | - 21771 | 2013    | - 212013 | 2627    | - 212627 | 6333    | - 216333 | 8233    | - 218233 | 8561    | - 218561 |
| 442     | - 21442 | 772     | - 21772 | 2015    | - 212015 | 2649    | - 212649 | 6487    | - 20359  | 8234    | - 218234 | 8562    | - 218562 |
| 464     | - 21464 | 773     | - 21773 | 2016    | - 212016 | 2650    | - 212650 | 6488    | - 20360  | 8235    | - 218235 | 8563    | - 218563 |
| 473     | - 21473 | 778     | - 21778 | 2025    | - 212025 | 2651    | - 212651 | 6489    | - 20361  | 8237    | - 218237 | 8609    | - 218609 |
| 511     | - 21511 | 779     | - 21779 | 2032    | - 212032 | 2654    | - 212654 | 6490    | - 20362  | 8238    | - 218238 | 8610    | - 218610 |
| 525     | - 21525 | 784     | - 21784 | 2035    | - 212035 | 2667    | - 212667 | 6491    | - 20363  | 8239    | - 218239 | 8613    | - 218613 |
| 527     | - 21527 | 785     | - 21785 | 2036    | - 212036 | 2728    | - 212728 | 6492    | - 20364  | 8241    | - 218241 | 8614    | - 218614 |
| 528     | - 21528 | 787     | - 21787 | 2037    | - 212037 | 2730    | - 212730 | 6493    | - 20365  | 8242    | - 218242 | 8615    | - 218615 |
| 529     | - 21529 | 789     | - 21789 | 2038    | - 212038 | 2733    | - 212733 | 6494    | - 20366  | 8243    | - 218243 | 8617    | - 218617 |
| 530     | - 21530 | 790     | - 21790 | 2041    | - 212041 | 2734    | - 212734 | 6495    | - 20367  | 8245    | - 218245 | 8618    | - 218618 |

**Sofia Office**

V-TAC EUROPE Ltd41, bul.Rozhen,  
1271 Sofia, Bulgaria  
[www.v-tac.eu](http://www.v-tac.eu)

**UK Office**

V-TAC House, Kelpatrick Road,  
Slough, Berkshire, SL1 6BW, UK.  
[www.v-tac.co.uk](http://www.v-tac.co.uk)

**Middle East Office**

Unit# 407/8/9 Jumeirah Bay Towers,  
Plot# X3, JLT,P.O. Box 45244, Dubai.  
[www.vtacexports.comUK](http://www.vtacexports.comUK)

**ROADMAP****2022**

**V-TAC**®  
INNOVATIVE LED LIGHTING