

# V-TAC<sup>®</sup>

INNOVATIVE LED LIGHTING



V-TAC<sup>®</sup>

PRO

5 YEAR  
WARRANTY  
PRODUCTS

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



provided by  
**SAMSUNG**

# Who We Are?

V-TAC is a Premium LED Lighting Brand developed with Energy and Lighting Specialists.

We make it a point to design and distribute High Quality, Affordable and Sustainable LED Lighting Solutions.

Our products follow ERP guidelines and are tested and approved by accredited labs.



## What We Do?

We Import, Stock and Deliver a complete range of High Quality LED Products at **Market-Leading Prices** all across the EU

### OUR APPROVALS



in **2017** we reached the milestone that is

**120** Million \$  
Turnover

## WE BELIEVE IN GROWING TOGETHER

Our Success is built on  
Strong Partnerships and  
Distributor Loyalty



## STRENGTH IN NUMBERS

As our Market Size Grows,  
We make it a point to recruit Top Talent,  
and to establish a Strong Regional Presence.

Founded in 2009, V-TAC has grown from strength to strength and has established itself as a global brand providing energy efficient lighting solutions covering more than 70 countries throughout Europe, Asia Pacific, Africa, Middle East and the USA.

As a result of its relentless pursuit towards excellence, V-TAC has been listed in London Stock Exchange Group's 1000 Companies to Inspire Europe 2016.

V-TAC believes in offering high quality LED solutions with strong product guarantees, competitively priced and easy to install products certified with DEKRA, GS, TUV, CE/EMC, ROHS and UL certifications. With over 1500 value for money products in all categories continued investment in people, systems, and product innovations, V-TAC continues to explore uncharted territories.

Over the last eight years, V-TAC has replaced 50 million standard lights with energy saving LED Lights, resulting in total customer savings of over a £150 million per year, which has led to the reduction of over 150 thousand tons of Carbon Emissions.

With a vision to provide affordable LED Lighting solutions to Residential, Industrial and Commercial sectors, V-TAC surges forward on the foundation of its three pronged approach – Design, Develop and Distribute at lighting speed EVERYDAY!

## Table of contents



**PRO** series



V-TAC is proud to announce our all new PRO-Series with 5 year warranty and LED powered by SAMSUNG. A professional range of products made for professional use.



### LED Bulbs

Pages from  
02-29



### LED Spotlights

Pages from  
30-35



### LED Flood Lights

Pages from  
36-48



### LED Panels

Pages from  
49-53



### LED Tubes & Waterproof Fittings

Pages from  
54-65



### LED Strip Lights

Page  
66



### LED Track Lights

Pages from  
67-71



### LED High and Low Bays

Pages from  
72-78



## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications.  
Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Bulbs

#### Blister Packing



Pages from  
80-86

#### Plastic Bulbs



Pages from  
87-111

#### Amber Cover



Pages from  
112-124

#### White Cover



Pages from  
125-126

#### Frost Cover



Pages from  
127-133

#### Clear Cover



Pages from  
134-145

### LED Spotlights

#### GU10-MR16



Pages from  
146-152

#### G4-G9



Pages from  
153-154

#### Accessories



Pages from  
155-185

#### PAR Lamps



Pages from  
186-191

### LED Flood lights

#### Flood lights



Pages from  
192-211

#### PIR Floodlights



Pages from  
212-227

### LED Panels

#### Big Panels



Pages from  
228-244

#### Mini Panels



Pages from  
245-275

## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Tubes Lights

#### LED Tubes



Pages from  
276-288

#### Waterproof Fittings



Pages from  
289-295

### LED Highbays

#### UFO Highbays



Pages from  
296-306



Pages from  
307-309

### LED Street Lights

#### LED Street Lights



Pages from  
310-314

#### LED Street Lights High Lumens



Pages from  
315-317

### LED Strip Lights

#### Big Panels



Pages from  
319-334

#### Aluminum Profiles



Pages from  
335-338

#### Accessories



Pages from  
339-345

#### Power Supply



Pages from  
346-355

## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Track Lights

#### LED Linear Lights



Pages from  
356-359

#### LED Track Lights



Pages from  
360-375

### LED Downlights

#### LED Down Lights



Pages from  
376-389

#### LED Dome Lights



Pages from  
390-405

#### LED Bulkhead



Pages from  
406-413

#### LED Fierated lights and fittings



Pages from  
414-421

### Motion Sensors

#### Motion Sensors



Pages from  
422-433

### LED Emergency Lights

#### LED Emergency Lights



Pages from  
434-443

### LED Table Lamps

#### LED Table Lamps



Pages from  
444-457

### LED Innovative Lights

#### LED Solar Lights



Pages from  
458-461

#### Smart Switches



Pages from  
462-463

## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Outdoor Lights

#### LED Outdoor Lights



Pages from  
464-471

#### Garden Spike Light



Pages from  
472

#### Pool Lights



Pages from  
473-475

### Garden Lamps

#### Garden Lamps



Pages from  
476-487

### LED Wall Lights

#### LED Wall Lights



Pages from  
488-519

### LED Display Screen

#### LED Display Screen



Pages from  
520-521

### Decorative & LED Pendants

#### Pendants



Pages from  
522-593

#### Holders



Pages from  
594-601

#### Designer Sleek



Pages from  
602-613

#### Chandeliers



Pages from  
614-621

# Teamwork Makes the Dream Work.



Samsung inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, network systems, memory, system LSI, and LED solutions.

Jacob Tarn, the Leader of Samsung Electronics LED Division's Strategic Marketing Team said; "Our lineup of LED products that utilize unparalleled chip scale packaging technologies will continue to meet the strict requirements of the automotive industry, based on outstanding reliability and ease of design implementations. We will continue to lead the technical innovations in LED lighting through continuous R&D efforts."

Founded in 2009, we are currently one of the swiftly growing LED brands in Europe. V-TAC is a brand now known in over **70 countries**. As a result of sheer persistence, we have a range of over **2000 products**, from across **20 different categories**. Through our constant motivation to provide our customers with an enhanced product range, we introduced the PRO-Series; five-year warranty products with the base of the products provided by the thoroughly reliable and efficient LED chips from Samsung.

## **V Stands For Vision.**

Our vision is to take the LED market by storm. Growth-driven approach and philosophy has enabled us to develop cutting-edge LED products at light speed. The PRO-Series is a substantial range of products, constructed with all new Samsung chips. This series is the ideal product range for professional use.



## LED Filament Bulbs

Classic vintage designs with modern tech: V-TAC's Filament Range is devised with the latest technology to closely mimic the warm look and feel of conventional filament bulbs; empowered with massive energy savings.



- Options! Available in amber and clear cover
- Premium quality finish for an elegant aesthetic
- More light. Less Power: 80% lower power consumption than conventional bulbs
- Environmentally friendly: contains no hazardous materials
- Set the right tone: dimmable options available

<sup>\*</sup>  
**5** **V-TAC** **PRO**  
**YEAR**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>



## INNOVATIVE LED LIGHTING

## E27-Amber Filament

**4W** VT-214

EAN Code

282 - 2200K Warm White 3800157634298

**350**  
Lumens**30w**  
EQ. Watts**E27**  
Base**A60**  
Type**>80**  
CRI**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø60x107mm | 30,000 Hours | 50       |

## E27-Amber Filament

**6W** VT-266

EAN Code

286 - 2200K Warm White 3800157634649

**725**  
Lumens**55w**  
EQ. Watts**E27**  
Base**A60**  
Type**>80**  
CRI**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø60x107mm | 20,000 Hours | 50       |



# 5 YEARS WARRANTY



**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

E27-Clear Filament

**6W** VT-256

EAN Code

287 - 2700K Warm White 3800157634656



**806**  
Lumens



**60w**  
EQ.Watts



**E27**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø60x107mm | 20,000 Hours | 50       |

E14-Clear Filament

**4W** VT-254

EAN Code

272 - 2700K Warm White 3800157634199



**400**  
Lumens



**35w**  
EQ.Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.4**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø35x100mm | 20,000 Hours | 100      |

### E14-Clear Filament

**4W** VT-254D

EAN Code

278 - 2700K Warm White 3800157634250



**350**  
Lumens



**30w**  
EQ. Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø35x100mm | 20,000 Hours | 100      |

### E14-Clear Filament

**4W** VT-274

EAN Code

279 - 2700K Warm White 3800157634267



**400**  
Lumens



**35w**  
EQ. Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.4**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø35x100mm | 20,000 Hours | 100      |




### E14-Clear Filament

**4W** VT-264

EAN Code

275 - 2700K Warm White 3800157634229



**400**  
Lumens



**35w**  
EQ.Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.4**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø37x121mm | 20,000 Hours | 100      |

### E27-Clear Filament

**4W** VT-244

EAN Code

280 - 2700K Warm White 3800157633710



**400**  
Lumens



**35w**  
EQ.Watts



**E27**  
Base



**G45**  
Type



**>80**  
CRI



**>0.4**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø45x75mm  | 20,000 Hours | 100      |

**120+ LUMENS PER WATT**

**SUPER EFFICIENT**

E27-Amber Filament

**6W** VT-296

EAN Code

293 - 2200K Warm White 3800157634717



**725**  
Lumens



**55w**  
EQ. Watts



**E27**  
Base



**G95**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø95x135mm | 20,000 Hours | 20       |

**120+ LUMENS PER WATT**

**SUPER EFFICIENT**

E27-Clear Filament

**6W** VT-286

EAN Code

294 - 2700K Warm White 3800157634724



**806**  
Lumens



**60w**  
EQ. Watts



**E27**  
Base



**G95**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø95x135mm | 20,000 Hours | 20       |



**120+** LUMENS  
PER WATT



**SUPER EFFICIENT**

E27-Amber Filament

**6W** VT-297

EAN Code

291 - 2200K Warm White 3800157634694


**725**  
Lumens

**55w**  
EQ.Watts

**E27**  
Base

**G125**  
Type

**>80**  
CRI

**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|------------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø125x177mm | 20,000 Hours | 20       |

**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

E27-Clear Filament

**6W** VT-287

EAN Code

292 - 2700K Warm White 3800157634700


**806**  
Lumens

**60w**  
EQ.Watts

**E27**  
Base

**G125**  
Type

**>80**  
CRI

**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|------------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø125x177mm | 20,000 Hours | 20       |

**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

E27-Amber Filament

**6W** VT-276

EAN Code

290 - 2200K Warm White 3800157634687



**725**  
Lumens



**55w**  
EQ. Watts



**E27**  
Base



**ST64**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | Filament | 300°       | Glass     | Ø64x138mm | 20,000 Hours | 50       |



**5 YEARS**  
WARRANTY





LED Thermoplastic Bulbs

# High Lumen Bulbs

**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING


LED Bulbs

### E14-LED Plastic Bulbs

**4.5W** VT-255

EAN Code

258 - 3000K Warm White 3800157633680  
259 - 4000K Day White 3800157631105  
260 - 6400K White 3800157633703



**470**  
Lumens



**40w**  
EQ. Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.4**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø37x100mm | 30,000 Hours | 200      |

### E27-LED Plastic Bulbs

**4.5W** VT-245

EAN Code

261 - 3000K Warm White 3800157633710  
262 - 4000K Day White 3800157633727  
263 - 6400K White 3800157633734



**470**  
Lumens



**40w**  
EQ. Watts



**E27**  
Base



**G45**  
Type



**>80**  
CRI



**>0.4**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 180°       | Thermoplastic | Ø45x81mm  | 30,000 Hours | 200      |



**5 YEARS WARRANTY**




### E14-LED Plastic Bulbs

**4.5W** VT-225

EAN Code

264 - 3000K Warm White 3800157633741  
265 - 4000K Day White 3800157633758  
266 - 6400K White 3800157633765



**470**  
Lumens



**40w**  
EQ.Watts



**E14**  
Base



**P45**  
Type



**>80**  
CRI



**>0.4**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 180°       | Thermoplastic | Ø45x81mm  | 30,000 Hours | 200      |


**120+** LUMENS  
PER WATT  
**SUPER EFFICIENT**

### E27-LED Plastic Bulbs

**6.5W** VT-265

EAN Code

255 - 3000K Warm White 3800157633659  
256 - 4000K Day White 3800157633666  
257 - 6400K White 3800157633673



**806**  
Lumens



**60w**  
EQ.Watts



**E27**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø60x104mm | 30,000 Hours | 100      |

**120+ LUMENS PER WATT**


**SUPER EFFICIENT**

E27-LED Plastic Bulbs

**8.5W** VT-285

EAN Code

252 - 3000K Warm White 3800157633628  
253 - 4000K Day White 3800157633635  
254 - 6400K White 3800157633642



**1055**  
Lumens



**75w**  
EQ. Watts



**E27**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø60x112mm | 30,000 Hours | 100      |

**120+ LUMENS PER WATT**


**SUPER EFFICIENT**

E27-LED Plastic Bulbs

**12W** VT-295

EAN Code

249 - 3000K Warm White 3800157633598  
250 - 4000K Day White 3800157633604  
251 - 6400K White 3800157633611



**1521**  
Lumens



**100w**  
EQ. Watts



**E27**  
Base



**A65**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø66.5x134mm | 30,000 Hours | 100      |





## LED Thermoplastic Bulbs

The definition of sustainability: Sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.



- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures; warm white, day white, cool white
- Set the right tone: dimmable options available
- Customized exterior for a stronger body



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




### E14-LED Plastic Bulbs

**2W** VT-202

EAN Code

234 - 3000K Warm White 3800157632546  
235 - 4000K Day White 3800157632553  
236 - 6400K White 3800157632560



**180**  
Lumens



**20w**  
EQ. Watts



**E14**  
Base



**ST26**  
Type



**>80**  
CRI



**>0.4**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 150°       | Thermoplastic | Ø25x59mm  | 30,000 Hours | 400      |

### E14-LED Plastic Bulbs

**8W** VT-248

EAN Code

267 - 3000K Warm White 3800157634113  
268 - 4000K Day White 3800157634120  
269 - 6400K White 3800157634137



**725**  
Lumens



**55w**  
EQ. Watts



**E14**  
Base



**T37**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 230°       | Thermoplastic | Ø37x115mm | 30,000 Hours | 200      |




### E27-LED Plastic Bulbs

**8W** VT-237

EAN Code

144 - 3000K Warm White 3800157627573  
145 - 4000K Day White 3800157627580  
146 - 6400K White 3800157627597



**725**  
Lumens



**55w**  
EQ.Watts



**E27**  
Base



**T37**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 230°       | Thermoplastic | Ø37x115mm | 30,000 Hours | 200      |

### E27-LED Plastic Bulbs

**5.5W** VT-246

EAN Code

174 - 3000K Warm White 3800157627870  
175 - 4000K Day White 3800157627887  
176 - 6400K White 3800157627894



**470**  
Lumens



**40w**  
EQ.Watts



**E27**  
Base



**G45**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 180°       | Thermoplastic | Ø45x81mm  | 30,000 Hours | 200      |

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING



LED Bulbs

### E14-LED Plastic Bulbs

**5.5W** VT-236

EAN Code

168 - 3000K Warm White 3800157627818  
169 - 4000K Day White 3800157627825  
170 - 6400K White 3800157627832



**470**  
Lumens



**40w**  
EQ. Watts



**E14**  
Base



**P45**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 180°       | Thermoplastic | Ø45x81mm  | 30,000 Hours | 200      |

### E14-LED Plastic Bulbs

**5.5W** VT-226

EAN Code

171 - 3000K Warm White 3800157627849  
172 - 4000K Day White 3800157627856  
173 - 6400K White 3800157627863



**470**  
Lumens



**40w**  
EQ. Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø37x100mm | 30,000 Hours | 200      |



**5 YEARS**  
WARRANTY




### B22-LED Plastic Bulbs

**9W** VT-219

EAN Code

270 - 3000K Warm White 3800157634151



**806**  
Lumens



**60w**  
EQ.Watts



**B22**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø58x106mm | 30,000 Hours | 100      |

### B22-LED Plastic Bulbs

**11W** VT-213

EAN Code

271 - 3000K Warm White 3800157634168



**1055**  
Lumens



**75w**  
EQ.Watts



**B22**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø60x120mm | 30,000 Hours | 100      |



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING



LED Bulbs

### E27-LED Plastic Bulbs

**9W** VT-209

EAN Code

156 - 3000K Warm White 3800157627696  
157 - 4000K Day White 3800157627702  
158 - 6400K White 3800157627719



**725**  
Lumens



**55w**  
EQ. Watts



**E27**  
Base



**A58**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø58x106mm | 30,000 Hours | 100      |

### E27-LED Plastic Bulbs

**9W** VT-210

EAN Code

228 - 3000K Warm White 3800157631938  
229 - 4000K Day White 3800157631945  
230 - 6400K White 3800157631952



**806**  
Lumens



**60w**  
EQ. Watts



**E27**  
Base



**A58**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø58x106mm | 30,000 Hours | 100      |



**5 YEARS**  
WARRANTY




### E27-LED Plastic Bulbs

**11W** VT-211

EAN Code

177 - 3000K Warm White 3800157627900  
178 - 4000K Day White 3800157627917  
179 - 6400K White 3800157627924



**975**  
Lumens



**70w**  
EQ.Watts



**E27**  
Base



**A58**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø58x106mm | 30,000 Hours | 100      |

### E27-LED Plastic Bulbs

**11W** VT-212

EAN Code

231 - 3000K Warm White 3800157631969  
232 - 4000K Day White 3800157631976  
233 - 6400K White 3800157631983



**1055**  
Lumens



**75w**  
EQ.Watts



**E27**  
Base



**A58**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø58x106mm | 30,000 Hours | 100      |

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING

LED Bulbs

### E27-LED Plastic Bulbs

**15W** VT-215

EAN Code

159 - 3000K Warm White



3800157627726

160 - 4000K Day White

3800157627733

161 - 6400K White

3800157627740



**1250**  
Lumens



**85w**  
EQ. Watts



**E27**  
Base



**A65**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø66.5x134mm | 30,000 Hours | 100      |

### E27-LED Plastic Bulbs

**17W** VT-217

EAN Code

162 - 3000K Warm White


3800157627757

163 - 4000K Day White

3800157627764

164 - 6400K White

3800157627771



**1521**  
Lumens



**100w**  
EQ. Watts



**E27**  
Base



**A65**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø66.5x134mm | 30,000 Hours | 100      |



**5 YEARS**  
WARRANTY




### E14-LED Plastic Bulbs

**3W** VT-239

EAN Code

210 - 3000K Warm White 3800157631754  
211 - 4000K Day White 3800157631761  
212 - 6400K White 3800157631778



**250**  
Lumens



**25w**  
EQ.Watts



**E14**  
Base



**R39**  
Type



**>80**  
CRI



**>0.4**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Thermoplastic | Ø39x67mm  | 30,000 Hours | 200      |

### E14-LED Plastic Bulbs

**6W** VT-250

EAN Code

138 - 3000K Warm White 3800157627511  
139 - 4000K Day White 3800157627528  
140 - 6400K White 3800157627535



**470**  
Lumens



**40w**  
EQ.Watts



**E14**  
Base



**R50**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Thermoplastic | Ø50x86mm  | 30,000 Hours | 200      |

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING

LED Bulbs

### E27-LED Plastic Bulbs

**8W** VT-263

EAN Code

141 - 3000K Warm White



3800157627542

142 - 4000K Day White

3800157627559

143 - 6400K White

3800157627566



**570**  
Lumens



**60w**  
EQ. Watts



**E27**  
Base



**R63**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Thermoplastic | Ø63x100mm | 30,000 Hours | 200      |

### E27-LED Plastic Bulbs

**10W** VT-280

EAN Code

135 - 3000K Warm White


3800157627481

136 - 4000K Day White

3800157627498

137 - 6400K White

3800157627504



**800**  
Lumens



**75w**  
EQ. Watts



**E27**  
Base



**R80**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Thermoplastic | Ø80x114mm | 30,000 Hours | 200      |



**5 YEARS**  
WARRANTY




## E27-PAR Bulbs

**7W** VT-220

EAN Code

147 - 3000K Warm White 3800157627603  
148 - 4000K Day White 3800157627610  
149 - 6400K White 3800157627627



**495**  
Lumens



**65w**  
EQ.Watts



**E27**  
Base



**PAR20**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 40°        | Thermoplastic | Ø63.5x83mm | 30,000 Hours | 100      |

## E27-PAR Bulbs

**11W** VT-230

EAN Code

153 - 3000K Warm White 3800157627665  
154 - 4000K Day White 3800157627672  
155 - 6400K White 3800157627689



**825**  
Lumens



**95w**  
EQ.Watts



**E27**  
Base



**PAR30**  
Type



**>80**  
CRI



**>0.5**  
PF



| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 40°        | Thermoplastic | Ø95x117mm | 30,000 Hours | 30       |

### E27-PAR Bulbs

**14W** VT-238

EAN Code

150 - 3000K Warm White 3800157627634  
151 - 4000K Day White 3800157627641  
152 - 6400K White 3800157627658



**1100**  
Lumens



**120w**  
EQ. Watts



**E27**  
Base



**PAR38**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 40°        | Thermoplastic | Ø120x132mm | 30,000 Hours | 30       |

### GX53-PAR Bulbs

**7W** VT-207

EAN Code

222 - 3000K Warm White 3800157631877  
223 - 4000K Day White 3800157631884  
224 - 6400K White 3800157631891



**550**  
Lumens



**45w**  
EQ. Watts



**GX53**  
Base



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø75x35mm  | 30,000 Hours | 100      |




### E27-LED Plastic Bulbs

**17W** VT-218

EAN Code

225 - 3000K Warm White 3800157631907  
226 - 4000K Day White 3800157631914  
227 - 6400K White 3800157631921



**1521**  
Lumens



**100w**  
EQ.Watts



**E27**  
Base



**G120**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 200°       | Thermoplastic | Ø120x164mm | 30,000 Hours | 20       |

### E27-Big Bulb & UFO

**15W** VT-216

EAN Code

213 - 3000K Warm White 3800157631785  
214 - 4000K Day White 3800157631792  
215 - 6400K White 3800157631808



**1200**  
Lumens



**80w**  
EQ.Watts



**E27**  
Base



**F150**  
Type



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Thermoplastic | Ø150x80mm | 30,000 Hours | 20       |




### E27-Big Bulb & UFO

**24W** VT-224

EAN Code

216 - 3000K Warm White 3800157631815  
217 - 4000K Day White 3800157631822  
218 - 6400K White 3800157631839



**1900**  
Lumens



**120w**  
EQ. Watts



**E27**  
Base



**F200**  
Type



**>80**  
CRI



**>0.5**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Thermoplastic | Ø200x80mm | 30,000 Hours | 20       |

### E27-Big Bulb & UFO

**36W** VT-235

EAN Code

219 - 3000K Warm White 3800157631846  
220 - 4000K Day White 3800157631853  
221 - 6400K White 3800157631860



**2900**  
Lumens



**170w**  
EQ. Watts



**E27**  
Base



**F250**  
Type



**>80**  
CRI



**>0.9**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type     | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|---------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Thermoplastic | Ø250x80mm | 30,000 Hours | 20       |

### E40-Lowbays

**85W** VT-85

EAN Code

520 - 4000K Day White  
521 - 6400K White

3800157635691  
3800157629256



**6800**  
Lumens



**>80**  
CRI



**>0.9**  
PF

| Voltage/Frequency   | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|---------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:100-277V,50/60Hz | SMD      | 110°       | Plastic   | Ø260 x307 | 30,000 Hours | 4        |



**110+** LUMENS  
PER WATT  
**SUPER EFFICIENT**

### E27-Big Bulb & UFO

**36W** VT-240

EAN Code

283 - 3000K Warm White  
284 - 4000K Day White  
285 - 6400K White

3800157634335  
3800157634342  
3800157634359



**3960**  
Lumens



**E27**  
Base



**>80**  
CRI



**>0.9**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Aluminum  | Ø90x212mm | 30,000 Hours | 20       |





### E40-Big Bulb & UFO

**60W** VT-260

EAN Code

187 - 4000K Day White

3800157629461

188 - 6400K White

3800157629478



**4800**  
Lumens



**E40**  
Base



**>80**  
CRI



**>0.9**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Aluminum  | 30,000 Hours | 20       |



## LED Spotlights

Our new range of spotlights are the optimal replacement for halogen spotlights. Don't worry, our new spotlights are still compatible with existing GU10 holders and they deliver the same warm light like halogen spots while exhibiting the benefits that LEDs provide. Perfect for retail and residential lighting.



- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: An efficient retrofit for GU10 holders
- Optional beam angles: We have spotlights with beam angles ranging from 38°D to 300°D
- Set the right tone: dimmable options available

<sup>\*</sup>**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




### G4-Capsules

**1.5W** VT-201

EAN Code

240 - 3000K Warm White 3800157632607  
241 - 4000K Day White 3800157632614  
242 - 6400K White 3800157632621



**100**  
Lumens



**10w**  
EQ.Watts



**G4**  
Base



**>80**  
CRI



**>0.4**  
PF


| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|------------|--------------|----------|
| DC:12V            | SMD      | 300°       | Plastic   | Ø12x38.5mm | 30,000 Hours | 400      |

### G9-Capsules

**2.5W** VT-203

EAN Code

243 - 3000K Warm White 3800157632638  
244 - 4000K Day White 3800157632645  
245 - 6400K White 3800157632652



**200**  
Lumens



**20w**  
EQ.Watts



**G9**  
Base



**>80**  
CRI



**>0.4**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension     | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|---------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 300°       | Plastic   | Ø16.5x 46.5mm | 30,000 Hours | 500      |



**5 YEARS**  
WARRANTY



## G9-Capsules

**3W** VT-204

EAN Code

246 - 3000K Warm White



3800157632669

247 - 4000K Day White

3800157632676

248 - 6400K White

3800157632683

**300**  
Lumens**25w**  
EQ.Watts**G9**  
Base**>80**  
CRI**>0.4**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 300°       | Plastic   | Ø17x 49mm | 30,000 Hours | 500      |

## GU10-Lens-110°

**5W** VT-205

EAN Code

201 - 3000K Warm White


3800157631662

202 - 4000K Day White

3800157631679

203 - 6400K White

3800157631686

**400**  
Lumens**35w**  
EQ.Watts**GU10**  
Base**>80**  
CRI**>0.4**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | Ø50x 55mm | 30,000 Hours | 200      |


GU10-Lens-110°

**6.5W** VT-247

EAN Code

192 - 3000K Warm White  
193 - 4000K Day White  
194 - 6400K White

3800157631570  
3800157631587  
3800157631594



**480**  
Lumens



**60w**  
EQ.Watts



**GU10**  
Base



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | Ø50x 55mm | 30,000 Hours | 200      |


GU10-Lens-110°

**6.5W** VT-247D

EAN Code

198 - 3000K Warm White  
199 - 4000K Day White  
200 - 6400K White

3800157631631  
3800157631648  
3800157631655



**450**  
Lumens



**55w**  
EQ.Watts



**GU10**  
Base



**>80**  
CRI



**>0.5**  
PF





| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | Ø50x 55mm | 30,000 Hours | 200      |



## GU10-Lens-38°

**6.5W** VT-227D EAN Code

195 - 3000K Warm White 3800157631600  
 196 - 4000K Day White 3800157631617  
 197 - 6400K White 3800157631624

**450**  
Lumens**35w**  
EQ.Watts**GU10**  
Base**>80**  
CRI**>0.5**  
PF


DIMMABLE

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 38°        | Plastic   | Ø50x 55mm | 30,000 Hours | 200      |

## GU10-Lens-38°

**7W** VT-277 EAN Code

165 - 3000K Warm White 3800157627788  
 166 - 4000K Day White 3800157627795  
 167 - 6400K White 3800157627801

**480**  
Lumens**65w**  
EQ.Watts**GU10**  
Base**>80**  
CRI**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 38°        | Plastic   | Ø50x 55mm | 30,000 Hours | 200      |



GU5.3-Lens-110°

**6.5W** VT-257

EAN Code

204 - 3000K Warm White


3800157631693

205 - 4000K Day White

3800157631709

206 - 6400K White

3800157631716



**450**  
Lumens



**55w**  
EQ.Watts



**GU5.3**  
Base



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| DC:12V            | SMD      | 110°       | Plastic   | Ø50x 55mm | 30,000 Hours | 200      |

GU5.3-Lens-38°

**6.5W** VT-267

EAN Code

207 - 3000K Warm White


3800157631723

208 - 4000K Day White

3800157631730

209 - 6400K White

3800157631747



**450**  
Lumens



**40w**  
EQ.Watts



**GU5.3**  
Base



**>80**  
CRI



**>0.5**  
PF

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------|--------------|----------|
| DC:12V            | SMD      | 38°        | Plastic   | Ø50x 55mm | 30,000 Hours | 200      |





## LED Floodlights

A symbol of limitless strength. V-TAC's all new slimline series is now manufactured with cutting-edge components to deliver an exceptional performance. Despite its slim exterior, it is extremely sturdy and absolutely perfect for outdoor applications.



- High performance LED Chips to deliver striking light
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design, for high-end support and aesthetics
- Options! Available in black and white finish



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaires is at different distance.

## Slimline-White Body

**10W** VT-10-W


427 - 3000K Warm White  
428 - 4000K Day White  
429 - 6400K White

EAN Code

3800157630832

3800157630849



3800157630856

**800**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 115x108x26mm | 30,000 Hours | 20       |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaires is at different distance.

## Slimline-White Body

**20W** VT-20-W


442 - 3000K Warm White  
443 - 4000K Day White  
444 - 6400K White

EAN Code

3800157630986

3800157630993

3800157631006

**1600**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 153x132x27mm | 30,000 Hours | 20       |



**5 YEARS WARRANTY**





# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.


### Slimline-White Body

**30W** VT-30-W

403 - 3000K Warm White  
404 - 4000K Day White  
405 - 6400K White

EAN Code

3800157629201  
3800157629058  
3800157629065



**IP65**  
RATING



**2400**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF





**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension     | Life span    | Box Qty. |
|------------|-----------------------|---------------|--------------|----------|
| 100°       | Die casting Aluminium | 178x152 x28mm | 30,000 Hours | 10       |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.


### Slimline-White Body

**50W** VT-50-W

409 - 3000K Warm White  
410 - 4000K Day White  
411 - 6400K White

EAN Code

3800157636001  
3800157629096  
3800157629102



**IP65**  
RATING



**4000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 223x188x28mm | 30,000 Hours | 8        |





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at different distances.

## Slimline-White Body

**100W** VT-100-W


415 - 3000K Warm White  
416 - 4000K Day White  
417 - 6400K White

EAN Code

3800157629249



3800157629133

3800157629140

**8000**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 291x240x30mm | 30,000 Hours | 4        |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at different distances.

## Slimline-White Body

**150W** VT-150-W


478 - 3000K Warm White  
479 - 4000K Day White  
480 - 6400K White

EAN Code

3800157631341

3800157631358

3800157631365

**12000**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 404x322x52mm | 30,000 Hours | 2        |



**5 YEARS**  
WARRANTY



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### Slimline-White Body

**200W** VT-200-W



420 - 4000K Day White  
421 - 6400K White

EAN Code


3800157629171

3800157629188

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the distance is at different distance.



**IP65**  
RATING



**1 METER WIRE**



**16000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI





**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 439x346x56mm | 30,000 Hours | 2        |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the distance is at different distance.

### Slimline-White Body


**300W** VT-300-W

486 - 4000K Day White  
487 - 6400K White

EAN Code

3800157631426

3800157631433



**IP65**  
RATING



**1 METER WIRE**



**2400**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 529x415x55mm | 30,000 Hours | 2        |

Live . Light . Life



www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

LED Flood Lights

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at a different distance.

### Slimline-Black Body

**10W** VT-10-B


424 - 3000K Warm White  
425 - 4000K Day White  
426 - 6400K White

EAN Code

3800157630801

3800157630818

3800157630825



**800**  
Lumens



**SMD**  
LED Type



**>80**  
CRI





**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 115x108x26mm | 30,000 Hours | 20       |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at a different distance.

### Slimline-Black Body

**20W** VT-20-B


439 - 3000K Warm White  
440 - 4000K Day White  
441 - 6400K White

EAN Code

3800157630955

3800157630962

3800157630979



**1600**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 153x132x27mm | 30,000 Hours | 20       |



**5 YEARS WARRANTY**





# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

### Slimline-Black Body

**30W** VT-30-B

400 - 3000K Warm White  
401 - 4000K Day White  
402 - 6400K White

EAN Code  
3800157629195  
3800157629034  
3800157629041



**IP65**  
RATING



**2400**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF





**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension     | Life span    | Box Qty. |
|------------|-----------------------|---------------|--------------|----------|
| 100°       | Die casting Aluminium | 178x152 x28mm | 30,000 Hours | 10       |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

### Slimline-Black Body

**50W** VT-50-B

406 - 3000K Warm White  
407 - 4000K Day White  
408 - 6400K White

EAN Code  
3800157629218  
3800157629072  
3800157629089



**IP65**  
RATING



**4000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 223x188x28mm | 30,000 Hours | 8        |







Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at different distances.

## Slimline-Black Body

**100W** VT-100-B


412 - 3000K Warm White  
413 - 4000K Day White  
414 - 6400K White

EAN Code

3800157635684



3800157629119

3800157629126

**8000**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 291x240x30mm | 30,000 Hours | 4        |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the beam is at different distances.

## Slimline-Black Body

**150W** VT-150-B


475 - 3000K Warm White  
476 - 4000K Day White  
477 - 6400K White

EAN Code

3800157631310

3800157631327

3800157631334

**12000**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 404x322x52mm | 30,000 Hours | 2        |



**5 YEARS WARRANTY**



provided by  
**SAMSUNG**

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### Slimline-Black Body

**200W** VT-200-B



418 - 4000K Day White  
419 - 6400K White

EAN Code


3800157629157

3800157629164

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.



**IP65**  
RATING



**1 METER WIRE**



**16000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI





**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 439x346x56mm | 30,000 Hours | 2        |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-Black Body


**300W** VT-300-B

422 - 4000K Day White  
423 - 6400K White

EAN Code

3800157629225

3800157629232



**IP65**  
RATING



**1 METER WIRE**



**24000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 529x415x55mm | 30,000 Hours | 2        |



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®



## INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaires is at different distance.

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaires is at different distance.

## Slimline-Grey Body

**10W** VT-10-G


430 - 3000K Warm White  
431 - 4000K Day White  
432 - 6400K White

EAN Code

3800157630863

3800157630870

3800157630887



**IP65**  
RATING



**800**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency



| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 115x108x26mm | 30,000 Hours | 20       |

## Slimline-Grey Body

**20W** VT-20-G


445 - 3000K Warm White  
446 - 4000K Day White  
447 - 6400K White

EAN Code

3800157631013

3800157631020

3800157631037



**IP65**  
RATING



**1600**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency



| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 153x132x27mm | 30,000 Hours | 20       |

**V-TAC®**  
**PRO**

**5 YEARS**  
**WARRANTY**

**LED**



provided by  
**SAMSUNG**

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

### Slimline-Grey Body

**30W** VT-30-G

454 - 3000K Warm White  
455 - 4000K Day White  
456 - 6400K White

EAN Code  
3800157631105  
3800157631112  
3800157631129



**IP65**  
RATING



**2400**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF





**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension     | Life span    | Box Qty. |
|------------|-----------------------|---------------|--------------|----------|
| 100°       | Die casting Aluminium | 178x152 x28mm | 30,000 Hours | 10       |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

### Slimline-Grey Body

**50W** VT-50-G

463 - 3000K Warm White  
464 - 4000K Day White  
465 - 6400K White

EAN Code  
3800157631198  
3800157631204  
3800157631211



**IP65**  
RATING



**4000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 223x188x28mm | 30,000 Hours | 8        |





Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

## Slimline-Grey Body

**100W** VT-100-G


472 - 3000K Warm White  
473 - 4000K Day White  
474 - 6400K White

EAN Code

3800157631280



3800157631297

3800157631303

**8000**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 291x240x30mm | 30,000 Hours | 4        |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

## Slimline-Grey Body

**150W** VT-150-G


481 - 3000K Warm White  
482 - 4000K Day White  
483 - 6400K White

EAN Code

3800157631372

3800157631389

3800157631396

**12000**  
Lumens**SMD**  
LED Type**>80**  
CRI**>0.9**  
PF**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 404x322x52mm | 30,000 Hours | 2        |



**5 YEARS WARRANTY**



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### Slimline-Grey Body

**200W** VT-200-G



484 - 4000K Day White  
485 - 6400K White

EAN Code


3800157631402

3800157631419

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.



**IP65**  
RATING



**1 METER WIRE**



**16000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI





**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 439x346x56mm | 30,000 Hours | 2        |

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-Grey Body


**300W** VT-300-G

488 - 4000K Day White  
489 - 6400K White

EAN Code

3800157631440

3800157631457



**IP65**  
RATING



**1 METER WIRE**



**24000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

| Beam Angle | Body Type             | Dimension    | Life span    | Box Qty. |
|------------|-----------------------|--------------|--------------|----------|
| 100°       | Die casting Aluminium | 529x415x55mm | 30,000 Hours | 2        |

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Panels

Performance is key. However, along with performance, customers prefer lighting that is attractive and easy to install. Our all new panels are a combination of all three. They light up all the way to the edges, making them THE perfect aesthetic for your indoor spaces.



- Instant startup: V-TAC's LED Panels power up instantly upon being switched on
- More light. Less Power: 80% lower power consumption than conventional downlights
- Customized exterior for a stronger body
- Five-Year Warranty

<sup>\*</sup>  
**5** V-TAC<sup>®</sup> PRO  
— YEAR —  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





### Square Panels-60x60

**45W** VT-645 EAN Code

632 - 3000K Warm White 3800157634304  
633 - 4000K Day White 3800157634311  
634 - 6400K White 3800157634328




**3600**  
Lumens



**>80**  
CRI



**>0.9**  
PF



QUICK CONNECTOR

| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension    | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|--------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Aluminum+P-MMA+PP | 595x595x14mm | 30,000 Hours | 6        |





### Edge Panels

**8W** VT-608RD EAN Code

626 - 3000K Warm White 3800157630672  
627 - 4000K Day White 3800157630689  
628 - 6400K White 3800157630696




**800**  
Lumens



**>80**  
CRI



**>0.5**  
PF



Cutting Size

Ø 70 mm



QUICK CONNECTOR



| Voltage/Frequency | LED Type | Beam Angle | Body Type   | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | ABS+Plastic | Ø93x37mm  | 30,000 Hours | 100      |

### Edge Panels

**8W** VT-608SQ EAN Code

623 - 3000K Warm White 3800157630641  
624 - 4000K Day White 3800157630658  
625 - 6400K White 3800157630665




**800**  
Lumens



**>80**  
CRI



**>0.5**  
PF



Cutting Size

70 X 70mm



QUICK CONNECTOR



| Voltage/Frequency | LED Type | Beam Angle | Body Type   | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | ABS+Plastic | 93x93x37mm | 30,000 Hours | 100      |



### Edge Panels

**15W** VT-615RD EAN Code

620 - 3000K Warm White 3800157630610  
621 - 4000K Day White 3800157630627  
622 - 6400K White 3800157630634




**1500**  
Lumens



**>80**  
CRI



**>0.5**  
PF



QUICK CONNECTOR



| Voltage/Frequency | LED Type | Beam Angle | Body Type   | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | ABS+Plastic | 120x37mm  | 30,000 Hours | 40       |

### Edge Panels

**15W** VT-615SQ EAN Code

617 - 3000K Warm White 3800157630580  
618 - 4000K Day White 3800157630597  
619 - 6400K White 3800157630603




**1500**  
Lumens



**>80**  
CRI



**>0.5**  
PF



QUICK CONNECTOR



| Voltage/Frequency | LED Type | Beam Angle | Body Type   | Dimension    | Life span    | Box Qty. |
|-------------------|----------|------------|-------------|--------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | ABS+Plastic | 120x120x37mm | 30,000 Hours | 40       |

### Edge Panels

**20W** VT-620RD EAN Code

614 - 3000K Warm White 3800157630559  
615 - 4000K Day White 3800157630566  
616 - 6400K White 3800157630573




**2000**  
Lumens



**>80**  
CRI



**>0.9**  
PF



QUICK CONNECTOR

| Voltage/Frequency | LED Type | Beam Angle | Body Type   | Dimension | Life span    | Box Qty. |
|-------------------|----------|------------|-------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | ABS+Plastic | 170x37mm  | 30,000 Hours | 40       |

### Edge Panels

**20W** VT-620SQ EAN Code

611 - 3000K Warm White 3800157630528  
612 - 4000K Day White 3800157630535  
613 - 6400K White 3800157630542




**2000**  
Lumens



**>80**  
CRI



**>0.9**  
PF



QUICK CONNECTOR

| Voltage/Frequency | LED Type | Beam Angle | Body Type   | Dimension    | Life span    | Box Qty. |
|-------------------|----------|------------|-------------|--------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | ABS+Plastic | 170x170x37mm | 30,000 Hours | 40       |



## LED Fittings and Tubes

V-TAC's advance grill fixtures are a new generation of linear fittings. Designed with high-caliber materials, these fixtures provide exceptional light levels, are extremely energy efficient and are easy to install. The unparalleled performance of our Grill fittings makes it a cut-above conventional fixtures. It's easy to install function and aesthetic lighting effect gives this new range an amazing potential for retail and residential applications.

These fixtures are the better choice, in terms of performance and aesthetic value, for commercial, retail or residential applications in comparison to conventional fluorescent fixtures.



- Delivering a high lumen output of over 120 lumen per watt
- Designed to deliver a smooth and soft lighting effect
- Options! Available in 60cm, 120cm, 150cm and 180cm
- The push fit connectors make it easy to install
- Five year warranty



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life

www.vtacexports.com | www.v-tac.eu


**V-TAC**®  
INNOVATIVE LED LIGHTING

Prismatic Fittings

### Prismatic Fittings

**10W** VT-8-10 EAN Code

659 - 3000K Warm White 3800157632140  
660 - 4000K Day White 3800157632157  
661 - 6400K White 3800157632164



**1200**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**<1s**  
Instant Start



**15000**  
On/Off




**0.26kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension       | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | 300x74.1x24.4mm | 30,000 Hours | 10       |

### Prismatic Fittings

**20W** VT-8-20 EAN Code

662 - 3000K Warm White 3800157632171  
663 - 4000K Day White 3800157632188  
664 - 6400K White 3800157632195



**2400**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**<1s**  
Instant Start



**15000**  
On/Off



**0.42kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension       | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-----------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | 600x74.1x24.4mm | 30,000 Hours | 10       |



**5 YEARS**  
WARRANTY



55

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING


Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### Prismatic Fittings

**40W** VT-8-40

EAN Code

665 - 3000K Warm White 3800157632201  
666 - 4000K Day White 3800157632218  
667 - 6400K White 3800157632225



**4800**  
Lumens



**>80**  
CRI



**>0.9**  
PF



**<1s**  
Instant Start



**15000**  
On/Off



**0.84kg**  
Weight


| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension        | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|------------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | 1200x74.1x24.4mm | 30,000 Hours | 10       |

### Prismatic Fittings

**50W** VT-8-50

EAN Code

668 - 4000K Day White 3800157632232  
669 - 6400K White 3800157632249



**6000**  
Lumens



**>80**  
CRI



**>0.9**  
PF



**<1s**  
Instant Start



**15000**  
On/Off




**1kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension        | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|------------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | 1500x74.1x24.4mm | 30,000 Hours | 10       |

Prismatic Fittings

**60W** VT-9-60

EAN Code



670 - 4000K Day White  
671 - 6400K White

3800157632256  
3800157632263



**7200**  
Lumens



**>80**  
CRI



**>0.9**  
PF



**<1s**  
Instant Start



**15000**  
On/Off



**1.2kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension        | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|------------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | 1800x74.1x24.4mm | 30,000 Hours | 10       |



**5 YEARS**  
WARRANTY



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

G13-T8 -Nano Plastic Tube-120CM

**18W** VT-122

EAN Code

688 - 3000K Warm White 3800157632911  
672 - 4000K Day White 3800157632928  
673 - 6400K White



**2250**  
Lumens



**45w**  
EQ. Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off



**0.1904kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 160°       | Plastic   | 1200x27.9mm | 30,000 Hours | 25       |

**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

G13-T8 -Nano Plastic Tube-150CM

**22W** VT-152

EAN Code

689 - 3000K Warm White 3800157632935  
674 - 4000K Day White 3800157632942  
675 - 6400K White



**3000**  
Lumens



**75w**  
EQ. Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off



**0.2572kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 160°       | Plastic   | 1500x27.9mm | 30,000 Hours | 25       |




Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC®**  
INNOVATIVE LED LIGHTING

LED Tubes




### G13-T8 -Nano Plastic Tube-60CM

**10W** VT-061

EAN Code

650 - 3000K Warm White 3800157632010  
651 - 4000K Day White 3800157632027  
652 - 6400K White 3800157632034



**850**  
Lumens



**18w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start




**15000**  
On/Off



**0.1264kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 160°       | Plastic   | 600x27.9mm | 30,000 Hours | 25       |




### G13-T8 -Nano Plastic Tube-120CM

**18W** VT-121

EAN Code

653 - 3000K Warm White 3800157632041  
654 - 4000K Day White 3800157632058  
655 - 6400K White 3800157632065



**1700**  
Lumens



**36w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off



**0.1904kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 160°       | Plastic   | 1200x27.9mm | 30,000 Hours | 25       |




**5 YEARS WARRANTY**



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu




### G13-T8 -Nano Plastic Tube-150CM

**22W** VT-151

EAN Code

656 - 3000K Warm White 3800157632072  
657 - 4000K Day White 3800157632089  
658 - 6400K White 3800157632096



**2000**  
Lumens



**58w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off



**0.2572kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 160°       | Plastic   | 1500x27.9mm | 30,000 Hours | 25       |



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING

LED Tubes



Single Batten Fitting-120cm

**18W** VT-12026 EAN Code

6442 - 4000K Day White 3800157631501  
6443 - 6400K White 3800157631518

**LED TUBE**  
**INCLUDED**



**1700**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

| Voltage/Frequency  | LED Type | Body Type | Dimension | Life span    |
|--------------------|----------|-----------|-----------|--------------|
| AC:200-240,50/60Hz | SMD      | Iron      | 1200mm    | 30,000 Hours |



Single Batten Fitting-150cm

**22W** VT-15023 EAN Code

6438 - 4000K Day White 3800157631464  
6439 - 6400K White 3800157631471

**LED TUBE**  
**INCLUDED**



**2000**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

| Voltage/Frequency  | LED Type | Body Type | Dimension | Life span    |
|--------------------|----------|-----------|-----------|--------------|
| AC:200-240,50/60Hz | SMD      | Iron      | 1500mm    | 30,000 Hours |



**5 YEARS**  
WARRANTY



61

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu



Double Batten Fitting-120cm

**36W** VT-12027 EAN Code

6444 - 4000K Day White 3800157631525  
6445 - 6400K White 3800157631532

**LED TUBE  
INCLUDED**



**3400**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

| Voltage/Frequency  | LED Type | Body Type | Dimension | Life span    |
|--------------------|----------|-----------|-----------|--------------|
| AC:200-240,50/60Hz | SMD      | Iron      | 1200mm    | 30,000 Hours |



Double Batten Fitting-150cm

**44W** VT-15024 EAN Code

6440 - 4000K Day White 3800157631488  
6441 - 6400K White 3800157631495

**LED TUBE  
INCLUDED**



**4000**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

| Voltage/Frequency  | LED Type | Body Type | Dimension | Life span    |
|--------------------|----------|-----------|-----------|--------------|
| AC:200-240,50/60Hz | SMD      | Iron      | 1500mm    | 30,000 Hours |



## LED Tri-proof Lights

Our Tri-proof lights just got tougher. 80% lower power consumption than fluorescent lights, IP65 Rating and easy-to-install lights make perfect to use in tough conditions. These high performing Tri-proofs provide the necessary light levels for any indoor and outdoor applications.

- Easy installation and maintenance
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design
- Great return on investment due to low energy consumption
- Five year warranty

<sup>\*</sup>  
**5** **V-TAC** **PRO**  
**YEAR**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### Waterproof Fittings

**60W** VT-160


EAN Code

678 - 4000K Day White  
679 - 6400K White

3800157632980  
3800157632997



**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



**7200**  
Lumens



**>80**  
CRI



**>0.9**  
PF



**15000**  
On/Off



**2.1kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension    | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|--------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Aluminum  | 1200x86x70mm | 20,000 Hours | 9        |

### Waterproof Fittings

**70W** VT-170


EAN Code

676 - 4000K Day White  
677 - 6400K White

3800157632966  
3800157632973



**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



**8400**  
Lumens



**>80**  
CRI



**>0.9**  
PF



**15000**  
On/Off



**2.67kg**  
Weight

| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension    | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|--------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Aluminum  | 1500x86x70mm | 20,000 Hours | 9        |

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

**V-TAC**®  
INNOVATIVE LED LIGHTING

Waterproof Fittings


Waterproof Fittings

**60W** VT-180

EAN Code

680 - 4000K Day White  
681 - 6400K White

3800157634731  
3800157634748



| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension    | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|--------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 110°       | Plastic   | 1800x66x58mm | 30,000 Hours | 9        |



**5 YEARS WARRANTY**



65

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
[www.vtacexports.com](http://www.vtacexports.com) | [www.v-tac.eu](http://www.v-tac.eu)

Striplights-IP20

**15W** VT-10-240 EAN Code

320 - 3000K Warm White 3800157634564  
 321 - 4000K Day White 3800157634571  
 322 - 6400K White 3800157634588



**1600**  
Lumens



**>80**  
CRI



| Voltage/Frequency | LED Type | Beam Angle | Dimension | Life span    | Box Qty.   |
|-------------------|----------|------------|-----------|--------------|------------|
| DC:24V            | SMD 2835 | 120°       | 10mm      | 20,000 Hours | 80 Packets |







**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING



**AESTHETICALLY FUNCTIONAL**



High **CRI**



## **The Right Track**

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### 4 Line Tracklights-Black Body

**7W** VT-407-B EAN Code

353 - 3000K Warm White 3800157633963  
354 - 4000K Day White 3800157633970  
355 - 5000K White 3800157633987




**420**  
Lumens



**>90**  
CRI



**>0.5**  
PF



| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension     | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|---------------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°        | Aluminum  | 180x40.5x50mm | 30,000 Hours | 40       |

### 4 Line Tracklights-White Body

**7W** VT-407-W EAN Code

350 - 3000K Warm White 3800157633932  
351 - 4000K Day White 3800157633949  
352 - 5000K White 3800157633956




**490**  
Lumens



**>90**  
CRI



**>0.5**  
PF



| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension     | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|---------------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°        | Aluminum  | 180x40.5x50mm | 30,000 Hours | 40       |

#### 4 Line Tracklights-Black Body

**15W** VT-415-B EAN Code

359 - 3000K Warm White 3800157634021  
360 - 4000K Day White 3800157634038  
361 - 5000K White 3800157634045




**1050**  
Lumens



**>90**  
CRI



**>0.5**  
PF



| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°        | Aluminum  | 200x50x50mm | 30,000 Hours | 40       |

#### 4 Line Tracklights-White Body

**15W** VT-415-W EAN Code

356 - 3000K Warm White 3800157633994  
357 - 4000K Day White 3800157634007  
358 - 5000K White 3800157634014




**1200**  
Lumens



**>90**  
CRI



**>0.5**  
PF



| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°        | Aluminum  | 200x50x50mm | 30,000 Hours | 40       |

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### 4 Line Tracklights-Black Body

**20W** VT-420-B EAN Code

365 - 3000K Warm White 3800157634083  
366 - 4000K Day White 3800157634090  
367 - 5000K White 3800157634106




**1400**  
Lumens



**>90**  
CRI



**>0.9**  
PF



| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°        | Aluminum  | 220x60x50mm | 30,000 Hours | 40       |

### 4 Line Tracklights-White Body

**20W** VT-420-W EAN Code

362 - 3000K Warm White 3800157634052  
363 - 4000K Day White 3800157634069  
364 - 5000K White 3800157634076




**1600**  
Lumens



**>90**  
CRI



**>0.9**  
PF



| Voltage/Frequency | LED Type | Beam Angle | Body Type | Dimension   | Life span    | Box Qty. |
|-------------------|----------|------------|-----------|-------------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°        | Aluminum  | 220x60x50mm | 30,000 Hours | 40       |

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

**V-TAC®**  
INNOVATIVE LED LIGHTING

LED Track Lights

#### 4 Line Tracklights-Black Body

**33W** VT-433-B EAN Code

371 - 3000K Warm White 3800157635462  
372 - 4000K Day White 3800157635479  
373 - 5000K White 3800157635486



**2640**  
Lumens



**>90**  
CRI



**>0.9**  
PF



| Voltage/Frequency | LED Type | Beam Angle            | Body Type | Life span    | Box Qty. |
|-------------------|----------|-----------------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°-60°<br>Adjustable | Aluminum  | 30,000 Hours | 8        |

#### 4 Line Tracklights-White Body

**33W** VT-433-W EAN Code

368 - 3000K Warm White 3800157635431  
369 - 4000K Day White 3800157635448  
370 - 5000K White 3800157635455



**2640**  
Lumens



**>90**  
CRI



**>0.9**  
PF



| Voltage/Frequency | LED Type | Beam Angle            | Body Type | Life span    | Box Qty. |
|-------------------|----------|-----------------------|-----------|--------------|----------|
| AC:220-240V,50Hz  | COB      | 24°-60°<br>Adjustable | Aluminum  | 30,000 Hours | 8        |



**5 YEARS**  
WARRANTY





## LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.



- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

## Reflector-Highbays

**100W** VT-9-102 EAN Code566 - 4000K Day White  
567 - 6400K White3800157633048  
3800157633055**18000**  
Lumens**>80**  
CRI**>0.9**  
PF

## Optional

Daylight Sensor

SKU - 1369



| Voltage/Frequency   | LED Type | Beam Angle | Body Type | Dimension  | Life span    | Box Qty. |
|---------------------|----------|------------|-----------|------------|--------------|----------|
| AC:100-277V,50/60Hz | SMD      | 120°       | Aluminum  | Ø260x145mm | 30,000 Hours | 2        |

## : Cover Options :



Aluminum Reflector

**90°** SKU-570


Aluminum Reflector

**120°** SKU-571

PC Transparent Reflector

**120°** SKU-574

## Reflector-Highbays

**120W** VT-9-120 EAN Code568 - 4000K Day White  
569 - 6400K White3800157633321  
3800157633338**21600**  
Lumens**>80**  
CRI**>0.9**  
PF

## Optional

Daylight Sensor

SKU - 1369



| Voltage/Frequency   | LED Type | Beam Angle | Body Type | Dimension  | Life span    | Box Qty. |
|---------------------|----------|------------|-----------|------------|--------------|----------|
| AC:100-277V,50/60Hz | SMD      | 120°       | Aluminum  | Ø260x145mm | 30,000 Hours | 2        |



**5 YEARS**  
WARRANTY



# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### UFO Series

**100W** VT-9-100 EAN Code

564 - 4000K Day White 3800157632898  
565 - 6400K White 3800157632904



#### Optional

Daylight Sensor

SKU - 1369




| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 90°        | Die cast Aluminum | Ø280x165mm | 30,000 Hours | 4        |

### UFO Series

**150W** VT-9-150 EAN Code

560 - 4000K Day White 3800157632850  
561 - 6400K White 3800157632867



#### Optional

Daylight Sensor

SKU - 1369




| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 90°        | Die cast Aluminum | Ø340x171mm | 30,000 Hours | 2        |



### UFO Series

**100W** VT-9-101 EAN Code

562 - 4000K Day White 3800157632874  
563 - 6400K White 3800157632881



ø280mm



**12000**  
Lumens



**>80**  
CRI



**>0.9**  
PF



#### Optional

**Daylight** Sensor  
SKU - 1369




| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Die cast Aluminum | Ø280x165mm | 30,000 Hours | 4        |

### UFO Series

**150W** VT-9-151 EAN Code

558 - 4000K Day White 3800157632836  
559 - 6400K White 3800157632843



ø340mm



**18000**  
Lumens



**>80**  
CRI



**>0.9**  
PF



#### Optional

**Daylight** Sensor  
SKU - 1369



| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Die cast Aluminum | Ø340x171mm | 30,000 Hours | 2        |



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### UFO Series

**100W** VT-9-98 EAN Code

556 - 4000K Day White 3800157632812  
557 - 6400K White 3800157632829




**8000**  
Lumens

**>80**  
CRI

**>0.9**  
PF

**IP 44**  
Rating



| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 90°        | Die cast Aluminum | Ø340x138mm | 30,000 Hours | 4        |

### UFO Series

**150W** VT-9-148 EAN Code

552 - 4000K Day White 3800157632775  
553 - 6400K White 3800157632782




**12000**  
Lumens

**>80**  
CRI

**>0.9**  
PF

**IP 44**  
Rating




| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 90°        | Die cast Aluminum | Ø340x138mm | 30,000 Hours | 2        |

UFO Series

**100W** VT-9-99 EAN Code

554 - 4000K Day White 3800157632799  
555 - 6400K White 3800157632805





| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Die cast Aluminum | Ø280x131mm | 30,000 Hours | 4        |

UFO Series

**150W** VT-9-149 EAN Code

550 - 4000K Day White 3800157632751  
551 - 6400K White 3800157632768



| Voltage/Frequency | LED Type | Beam Angle | Body Type         | Dimension  | Life span    | Box Qty. |
|-------------------|----------|------------|-------------------|------------|--------------|----------|
| AC:220-240V,50Hz  | SMD      | 120°       | Die cast Aluminum | Ø340x138mm | 30,000 Hours | 2        |



# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### LED Canopy

**150W** VT-9-155 EAN Code

572 - 4000K Day White 3800157633369  
573 - 6400K White 3800157633376



**18000**  
Lumens

**>80**  
CRI



**>0.9**  
PF

**IP 44**  
Rating

| Voltage/Frequency   | LED Type | Beam Angle | Body Type | Dimension      | Life span    | Box Qty. |
|---------------------|----------|------------|-----------|----------------|--------------|----------|
| AC:100-277V,50/60Hz | SMD      | 110°       | Aluminum  | 380x380x69.5mm | 30,000 Hours | 2        |

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.





• Hanging Cable



• Pole Fixing



USING  
**SAMSUNG**  
POWER SUPPLY

**V-TAC**®  
**INNOVATIVE LED LIGHTING**

\*  
**5** **V-TAC**® **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED Street Light

COMING  
**SOON**

## LED Bulbs Blister Packing

With a focus on the ever-evolving demands, we are engaged in supplying a wide range of LED Bulb Blister Packs.



### LED Bulbs-E14

**4w VT-2184**


7366 - 2700K Warm White

3800157628570



Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **P45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **45x77mm**

### LED Bulbs-E27

**4w VT-2194**



7367 - 2700K Warm White

3800157628587



Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **45x75mm**

### LED Candle Filament Bulbs

**4w VT-2104**



7282 - 2700K Warm White

3800157623728



Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



## LED Candle Filament Bulbs


**4W VT-2134D**

7284 - 2700K Warm White 3800157623742



 Box Qty.  
**50 Pcs**

**DIMMABLE**

EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: Candle  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x100mm



## LED Candle Filament Bulbs


**4W VT-2174**

7365 - 2700K Warm White 3800157628563



 Box Qty.  
**50 Pcs**

**DIMMABLE**

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 Commercial Type: Candle  
 LED Type: SMD  
 CRI: >80



PF: >0.4  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x100mm



## LED Filament Bulbs


**4W VT-2114**

7283 - 2700K Warm White 3800157623735


 Box Qty.  
**25 Pcs**

**DIMMABLE**

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 Commercial Type: A60  
 LED Type: SMD  
 CRI: >80



PF: >0.4  
 Beam Angle: 300°  
 Base: E27  
 Body Type: Glass  
 Dimension: 60x107mm







### LED Bulbs-E27


**6W VT-2186**

7368 - 2700K Warm White

3800157628594



Box Qty.  
**25 Pcs**



EQ. Watts: **55w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **660lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **60x107mm**



### LED Candle Bulbs

**5.5w VT-2106**

7291 - 2700K Warm White

7292 - 4000K Day White

7293 - 6400K White



3800157623810

3800157623827

3800157623834



Box Qty.  
**50 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



### LED Bulbs-E14

**5.5w VT-2146**

7355 - 2700K Warm White



7356 - 4000K Day White

3800157628136

3800157628143



Box Qty.  
**50 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **P45**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **180°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **45x81mm**



## LED Bulbs-E27

5.5W VT-2166



7360 - 2700K Warm White  
7361 - 4000K Day White

3800157628181  
3800157628198



Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **180°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**



## LED Bulbs-E27

9W VT-2139


7295 - 4000K Day White  
7296 - 6400K White

3800157623858  
3800157623865



Box Qty.  
**25 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**



## LED Bulbs-E27

11W VT-2111



7297 - 2700K Warm White  
7298 - 4000K Day White  
7299 - 6400K White

3800157623872  
3800157623889  
3800157623896



Box Qty.  
**25 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**



### LED Bulbs-E27


**6W VT-2022BP**

7324 - 2700K Warm White 3800157624602  
7325 - 4000K Day White 3800157624619  
7326 - 6400K White 3800157624626

Box Qty.  
**40 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**





### LED Bulbs-E27

**9W VT-2109**

7285 - 2700K Warm White 3800157623759  
7286 - 4000K Day White 3800157623766  
7287 - 6400K White 3800157623773

Box Qty.  
**25 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x122mm**





### LED Bulbs-E27

**9W VT-2129**

7288 - 2700K Warm White 3800157623780  
7289 - 4000K Day White 3800157623797  
7290 - 6400K White 3800157623803

Box Qty.  
**25 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**





## LED Bulbs-E27

**9w VT-2149**

7309 - 3 IN 1

3800157623995


 Box Qty.  
**25 Pcs**


EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**



## LED Bulbs-E27

**15w VT-2117**

7300 - 2700K Warm White

3800157623902


 Box Qty.  
**25 Pcs**


EQ. Watts: **100w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1500lm**  
 Commercial Type: **A65**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **66.5x134mm**





## LED Thermoplastic Bulbs

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders like E27, E14, B22, B15, G24 and R7S
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.



## Bulbs-A60-E27-RGB

### 6w VT-2022



7121 - 2700K Warm White 3800157609975  
 7150 - 4000K Day White 3800157610711  
 7151 - 6400K White 3800157610728



Box Qty.  
**100 Pcs**



EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**



- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice



## Bulbs-A60-E27-Sensor


### 9w VT-2016

4459 - 2700K Warm White 3800157608237  
 4460 - 4000K Day White 3800157608244  
 4461 - 6000K White 3800157608251



Box Qty.  
**100 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x122mm**



Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.





### Bulbs-A60-E27-3 Step Dimming

**9w VT-2011**

4447 - 2700K Warm White 3800157607988  
4448 - 4000K Day White 3800157607995  
4449 - 6400K White 3800157608008

Box Qty.  
**100 Pcs**



|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60w</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>ThermoPlastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60x112mm</b>      |
| CRI:               | <b>&gt;80</b>           |             |                      |



Smart Dimming Technology Without A Dimmer!  
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.





### Bulbs-A60-E27-Color Changing

**9w VT-2119**

7317 - 3 IN 1 3800157624497

Box Qty.  
**100 Pcs**



|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60w</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>ThermoPlastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60x112mm</b>      |
| CRI:               | <b>&gt;80</b>           |             |                      |



**HOW IT WORKS**  
1. Switch the light on for cool white.  
2. Turn the Switch off and on again for warm white.  
3. Turn the Switch off and on again for day white.  
4. Switch between these to select your ideal colour.

**new!**

## Fire Flame-Bulb

4w VT-2135

7426 - 1800K Warm White

3800157633109



Flame Effect



Box Qty.

|                    |                     |             |          |
|--------------------|---------------------|-------------|----------|
| EQ. Watts:         | N/A                 | PF:         | >0.6     |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 300°     |
| Luminous Flux:     | 280lm               | Base:       | E27      |
| Commercial Type:   |                     | Body Type:  | Plastic  |
| LED Type:          | SMD                 | Dimension:  | 50x128mm |
| CRI:               | >80                 |             |          |

- Dynamic Moving Flame, Simulate Nature Fire Flicker Flame.
- Soft LED Light Source
- Low Corbin Environment

## Bulbs-A60-E27-DC 24V

9w VT-2059

7417 - 4000K Day White

7224 - 6400K White


3800157632744

3800157617543



Box Qty.

100 Pcs



|                    |        |             |               |
|--------------------|--------|-------------|---------------|
| EQ. Watts:         | 55w    | PF:         | >0.7          |
| Voltage/Frequency: | DC:24V | Beam Angle: | 200°          |
| Luminous Flux:     | 720lm  | Base:       | E27           |
| Commercial Type:   | A60    | Body Type:  | ThermoPlastic |
| LED Type:          | SMD    | Dimension:  | 60x112mm      |
| CRI:               | >80    |             |               |








**Bulbs-A60-E27**

**9w VT-2000R**

7341 - Red

3800157626033



Box Qty.  
**100 Pcs**

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 30w              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 270lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | ThermoPlastic |
| LED Type:          | SMD              | Dimension:  | 60x112mm      |
| CRI:               | >80              |             |               |




**Bulbs-A60-E27**

**9w VT-2000Y**

7342 - Yellow

3800157626040



Box Qty.  
**100 Pcs**

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 50w              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 570lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | ThermoPlastic |
| LED Type:          | SMD              | Dimension:  | 60x112mm      |
| CRI:               | >80              |             |               |



## Bulbs-A60-E27

**9w**      **VT-2000G**


7343 - Green

3800157626057

Box Qty.  
**100 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **310lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**



## Bulbs-A60-E27

**9w**      **VT-2000B**


7344 - Blue

3800157626064

Box Qty.  
**100 Pcs**

EQ. Watts: **15w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **120lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**



### LED Bulbs-E27


**5w VT-2055**

7266 - 2700K Warm White

3800157622981



Box Qty.  
**30 Pcs**



EQ. Watts: **35w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **420lm**  
Commercial Type: **A55**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **55x106mm**

### Bulbs-A60-E27



**9w VT-2099**

7260 - 2700K Warm White  
7261 - 4000K Day White  
7262 - 6400K White

3800157622110  
3800157622127  
3800157622134



Box Qty.  
**100 Pcs**



EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**

### LED Bulbs-E27



**9w VT-1900**

7241 - 4000K Day White  
7242 - 6400K White

3800157620147  
3800157620154



Box Qty.  
**20 Pcs**



EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**

## LED Bulbs-E27



**11W VT-2113**


7352 - 2700K Warm White  
7353 - 4000K Day White  
7354 - 6400K White

3800157627412  
3800157627429  
3800157627436



Box Qty.  
**40 Pcs**



EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**

## Bulbs-A60-E27


**11W VT-2112**


7350 - 2700K Warm White  
7349 - 4000K Day White  
7351 - 6400K White

3800157627399  
3800157627320  
3800157627405



Box Qty.  
**100 Pcs**



EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**



## Bulbs-A60-E27

**12W VT-1864-E27**


4228 - 2700K Warm White



Box Qty.  
**100 Pcs**



EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**



**Bulbs-A65-E27**


**15w VT-2015-E27**

4453 - 2700K Warm White  
4454 - 4000K Day White  
4455 - 6400K White

3800157608091  
3800157608107  
3800157608114



Box Qty.  
**100 Pcs**



EQ. Watts: **100w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1500lm**  
Commercial Type: **A65**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **66.5x134mm**



**Bulbs-A65-E27**


**17w VT-2017**

4456 - 2700K Warm White

3800157608121



Box Qty.  
**100 Pcs**



EQ. Watts: **130w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1800lm**  
Commercial Type: **A65**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **66.5x134mm**



**LED Bulbs-B22**



**9w VT-2069-3PC**

7246 - 2700K Warm White

3800157620192



Box Qty.  
**20 Pcs**



EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**



Bayonet Holder



## Bulbs-A60-B22



9w VT-1853

7401 - 2700K Warm White  
7402 - 4000K Day White  
7403 - 6400K White

3800157629263  
3800157629270  
3800157629287

Box Qty.  
**100 Pcs**

EQ. Watts: 60w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 806lm  
Commercial Type: A60  
LED Type: SMD  
CRI: >80



PF: >0.5  
Beam Angle: 200°  
Base: B22  
Body Type: ThermoPlastic  
Dimension: 60x112mm

**new!**

## Bulbs-A60-B22


9w VT-2189

7422 - 2700K Warm White

3800157634175

Box Qty.  
**100 Pcs**

EQ. Watts: 60w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 806lm  
Commercial Type: A60  
LED Type: SMD  
CRI: >80



PF: >0.5  
Beam Angle: 200°  
Base: B22  
Body Type: ThermoPlastic  
Dimension: 60x106mm



## Bulbs-A60-B22



11w VT-1864

7404 - 2700K Warm White  
7405 - 4000K Day White  
7406 - 6400K White

3800157629294  
3800157629300  
3800157629317

Box Qty.  
**100 Pcs**

EQ. Watts: 75w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 1055lm  
Commercial Type: A60  
LED Type: SMD  
CRI: >80



PF: >0.7  
Beam Angle: 200°  
Base: B22  
Body Type: ThermoPlastic  
Dimension: 60x120mm



**Bulbs-A60-B22**

**12w VT-1864-B22**


7223 - 6400K White

3800157617338



Box Qty.  
**100 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.7**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**



**Bulbs-A65-B22**

**15w VT-2015-B22**

7229 - 2700K Warm White

7399 - 4000K Day White

7400 - 6400K White

3800157619554



3800157629010

3800157629027



Box Qty.  
**100 Pcs**

EQ. Watts: **100w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1350lm**  
Commercial Type: **A65**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **66.5x134mm**



**Bulbs-G45-B22**

**3w VT-2053-B22**

7232 - 2700K Warm White

7233 - 6400K White



3800157619776

3800157619783



Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **180°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **45x75mm**

**new!**

## Bulbs-G45-B22



**5.5W VT-2197D**

7419 - 2700K Warm White

3800157633079

Box Qty.  
**100 Pcs****DIMMABLE**

EQ. Watts: **50w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **G45**  
 LED Type: **SMD**  
 CRI: **>80**



Bayonet Holder

PF: **>0.7**  
 Beam Angle: **200°**  
 Base: **B22**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x81mm**

## Bulbs-G45-B22



**6W VT-1973**

4441 - 2700K Warm White

3800157607674

Box Qty.  
**100 Pcs****DIMMABLE**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **G45**  
 LED Type: **SMD**  
 CRI: **>80**



Bayonet Holder

PF: **>0.5**  
 Beam Angle: **180°**  
 Base: **B22**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x80mm**

## Bulbs-Candle-B15

**6W VT-1857**

4217 - 3000K Warm White



3800230624802

7348 - 6000K White

3800157627306

Box Qty.  
**200 Pcs****DIMMABLE**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **Candle**  
 LED Type: **SMD**  
 CRI: **>80**



Bayonet Holder

PF: **>0.5**  
 Beam Angle: **180°**  
 Base: **B15**  
 Body Type: **ThermoPlastic**  
 Dimension: **37x102mm**



### Bulbs-Candle-B22

**3w VT-2073**


7230 - 2700K Warm White  
7231 - 6400K White

3800157619578  
3800157619585



Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



Bayonet Holder

PF: **>0.4**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **37x102mm**

**new!**

### Bulbs-Candle-B22

**5.5w VT-2196D**

7418 - 2700K Warm White



3800157633062



Box Qty.  
**200 Pcs**



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



Bayonet Holder

PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**

### Bulbs-Candle-B22

**6w VT-1965**



4440 - 2700K Warm White  
7346 - 6400K White

3800157607667  
3800157627283



Box Qty.  
**200 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



Bayonet Holder

PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **37x102mm**



## Bulbs-Candle-E14



**3w VT-2033**

7196 - 2700K Warm White  
7197 - 4000K Day White  
7198 - 6400K White

3800157615808  
3800157615815  
3800157615822



Box Qty.  
**200 Pcs**



EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



## Bulbs-Candle-E14



**4w VT-1818**

4216 - 2700K Warm White  
4166 - 4000K Day White  
4122 - 6400K White

3800230624796  
3800230620675  
3800230620668



Box Qty.  
**200 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



## Candle-E14 - 3Pc Pack



**5.5w VT-2076**

7263 - 2700K Warm White  
7264 - 4000K Day White  
7265 - 6400K White

3800157622950  
3800157622967  
3800157622974



Box Qty.  
**60 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



**Bulbs-Candle-E14**

**4w VT-1818TP**

4164 - 2700K Warm White

3800230620743  
3800230620736



Box Qty.  
**200 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x124mm**



**Bulbs-Candle-E14**



**6w VT-1854D**

4213 - 3000K Warm White

3800230624765



Box Qty.  
**200 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



**Bulbs-Candle-E14**



**7w VT-2097**

7320 - 6400K White

3800157624527



Box Qty.  
**200 Pcs**



EQ. Watts: **55w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **750lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**





## Bulbs-Candle-E27

5.5W VT-1821N

43421 - 2700K Warm White  
43431 - 4000K Day White  
43441 - 6400K White

3800157624381  
3800157624398  
3800157624404

Box Qty.  
**200 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**





## Bulbs-G45-E27

3W VT-2053-E27

7202 - 2700K Warm White  
7203 - 4000K Day White  
7204 - 6400K White

3800157615860  
3800157615877  
3800157615884

Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **180°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **45x76mm**





## Bulbs-G45-E27

4W VT-1830

4207 - 6400K White

3800230624611

Box Qty.  
**200 Pcs**

EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **180°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**

**new!**




### Bulbs-G45-E27 5.5w VT-1879N

7407 - 2700K Warm White  
7408 - 4000K Day White  
7409 - 6400K White

3800157629485  
3800157629492  
3800157629508

Box Qty.  
**200 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **180°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**



### Bulbs-G45 - 3Pc Pack 5.5w VT-2176

7362 - 2700K Warm White  
7363 - 4000K Day White  
7364 - 6400K White

3800157628204  
3800157628211  
3800157628228

Box Qty.  
**60 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **180°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**





### Bulbs-P45-E14 3w VT-2043

7199 - 2700K Warm White  
7200 - 4000K Day White  
7201 - 6400K White

3800157615839  
3800157615846  
3800157615853

Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **P45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **180°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **45x81mm**





## Bulbs-P45-E14

4w VT-1819

4124 - 6400K White

3800230621016

Box Qty.  
**200 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **320lm**  
 Commercial Type: **P45**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.4**  
 Beam Angle: **180°**  
 Base: **E14**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x82mm**



## Bulbs-P45-E14

5.5w VT-1880N

42501 - 2700K Warm White


42511 - 4000K Day White

42521 - 6400K White

3800157624367

3800157626408

3800157624374

Box Qty.  
**200 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **P45**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **180°**  
 Base: **E14**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x81mm**



## LED Bulbs-E14

5.5w VT-2156

7357 - 2700K Warm White



7358 - 4000K Day White

7359 - 6400K White

3800157628150

3800157628167

3800157628174

Box Qty.  
**60 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **P45**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **180°**  
 Base: **E14**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x81mm**



### Bulbs-T37-E14



**9w VT-2029**

7173 - 2700K Warm White  
7174 - 4000K Day White  
7175 - 6400K White

3800157615495  
3800157615501  
3800157615518



Box Qty.  
**200 Pcs**



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **750lm**  
Commercial Type: **T37**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **230°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x115mm**



### Bulbs-T37-E27



**9w VT-2089**

7256 - 2700K Warm White

3800157621915



Box Qty.  
**200 Pcs**



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **750lm**  
Commercial Type: **T37**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **230°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **37x115mm**





## Bulbs-R39-E14



**3w**      **VT-1861**

 4220 - 4000K Day White  
 4242 - 6400K White

3800230625489


 Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **210lm**  
 Commercial Type: **R39**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **120°**  
 Base: **E14**  
 Body Type: **ThermoPlastic**  
 Dimension: **39x67mm**



## Bulbs-R50-E14


**6w**      **VT-1876**

4246 - 6400K White

 3800230626813  
 3800230626967

 Box Qty.  
**200 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **R50**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **120°**  
 Base: **E14**  
 Body Type: **ThermoPlastic**  
 Dimension: **50x86mm**



## Bulbs-R63-E27



**8w**      **VT-1862**

 4140 - 4000K Day White  
 4244 - 6400K White

 3800230620903  
 3800230626820

 Box Qty.  
**200 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **500lm**  
 Commercial Type: **R63**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **120°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **63x100mm**





**Bulbs-R7S**

**7W VT-1917**


7123 - 3000K Warm White  
7124 - 4000K Day White

3800157610032  
3800157610049



Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **R7S**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **360°**  
Base: **R7S**  
Body Type: **ThermoPlastic**  
Dimension: **25x118mm**



**Bulbs-R7S**

**10w VT-1990**



4369 - 3000K Warm White  
4389 - 4000K Day White  
4390 - 6400K White

3800157602952  
3800157604130  
3800157604147



Box Qty.  
**100 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1000lm**  
Commercial Type: **R7S**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **360°**  
Base: **R7S**  
Body Type: **ThermoPlastic**  
Dimension: **25x118mm**





## Bulbs-PL-E27

**6w**      **VT-2046-E27**

7211 - 3000K Warm White      3800157617031


 Box Qty.  
**50 Pcs**

EQ. Watts:                    **50w**  
 Voltage/Frequency:   **AC:200-240V,50Hz**  
 Luminous Flux:         **480lm**  
 Commercial Type:      **PL**  
 LED Type:                **SMD**  
 CRI:                        **>80**



PF:                            **>0.5**  
 Beam Angle:            **120°**  
 Base:                        **E27**  
 Body Type:               **Plastic+Aluminium**  
 Dimension:              **38x145mm**




## Bulbs-PL-G24

**6w**      **VT-2046-G24**

 7210 - 3000K Warm White      3800157617024  
 7209 - 4500K Day White      3800157617017

 Box Qty.  
**50 Pcs**

EQ. Watts:                    **50w**  
 Voltage/Frequency:   **AC:220-240V,50Hz**  
 Luminous Flux:         **480lm**  
 Commercial Type:      **PL**  
 LED Type:                **SMD**  
 CRI:                        **>80**



PF:                            **>0.5**  
 Beam Angle:            **120°**  
 Base:                        **G24**  
 Body Type:               **Plastic+Aluminium**  
 Dimension:              **38x145mm**





## Bulbs-PL-G24

**10w**      **VT-2050-G24**

 7213 - 4000K Day White      3800157617055  
 7212 - 6000K White      3800157617048

 Box Qty.  
**50 Pcs**

EQ. Watts:                    **85w**  
 Voltage/Frequency:   **AC:220-240V,50Hz**  
 Luminous Flux:         **820lm**  
 Commercial Type:      **PL**  
 LED Type:                **SMD**  
 CRI:                        **>80**



PF:                            **>0.5**  
 Beam Angle:            **120°**  
 Base:                        **G24**  
 Body Type:               **Plastic+Aluminium**  
 Dimension:              **38x157mm**



**Bulbs-Globe-E27**


**13w VT-1883**

4253 - 3000K Warm White  
4274 - 6400K White

3800230627094  
3800230627865

Box Qty.  
**12 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **G120**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.7**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **120x164mm**



**Bulbs-Globe-E27**



**10w VT-1893**

4276 - 3000K Warm White  
4277 - 4000K Day White  
4278 - 6400K White

3800230627889  
3800230627896  
3800230627902

Box Qty.  
**12 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **810lm**  
Commercial Type: **G95**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **95x140mm**



**Bulbs-Globe-E27**

**13w VT-1884D**



4254 - 2700K Warm White

3800230627100

Box Qty.  
**12 Pcs**



EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **G120**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.7**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **120x164mm**



## Big Bulbs-T100-E27


24w VT-2125

7275 - 3000K Warm White  
7276 - 4000K Day White  
7277 - 6400K White

3800157623650  
3800157623667  
3800157623674

Box Qty.  
**40 Pcs**

EQ. Watts: **150w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **2080lm**  
Commercial Type: **T100**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **Plastic**  
Dimension: **100x174mm**



## Bulbs-ED90-E27


40w VT-1940

7132 - 3000K Warm White  
7133 - 4000K Day White  
7134 - 6500K White

3800157610285  
3800157610292  
3800157610308

Box Qty.  
**30 Pcs**

EQ. Watts: **250w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **3500lm**  
Commercial Type: **ED-90**  
LED Type: **SMD2835**  
CRI: **>80**



PF: **>0.9**  
Beam Angle: **235°**  
Base: **E27**  
Body Type: **Aluminium+PC**  
Dimension: **90x212mm**

UFO-F150-E27



**15w VT-2116**

7158 - 3000K Warm White  
7159 - 4000K Day White  
7160 - 6400K White

3800157612494  
3800157612500  
3800157612517



Box Qty.  
**20 Pcs**



EQ. Watts: **90w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1350lm**  
Commercial Type: **F150**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **120°**  
Base: **E27**  
Body Type: **Plastic**  
Dimension: **150x80mm**

UFO-F150-E27



**24w VT-2124**

7161 - 3000K Warm White  
7162 - 4000K Day White  
7163 - 6400K White

3800157612524  
3800157612531  
3800157612548



Box Qty.  
**20 Pcs**



EQ. Watts: **160w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2610lm**  
Commercial Type: **F150**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **120°**  
Base: **E27**  
Body Type: **Plastic**  
Dimension: **200x80mm**

UFO-F150-E27


**36w VT-2136**

7164 - 3000K Warm White  
7165 - 4000K Day White  
7166 - 6400K White

3800157612555  
3800157612562  
3800157612579



Box Qty.  
**20 Pcs**



EQ. Watts: **190w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3240lm**  
Commercial Type: **F150**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **120°**  
Base: **E27**  
Body Type: **Plastic**  
Dimension: **250x80mm**



## LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars




### Amber Cover -LED Filament Bulbs

**4w VT-2154**

7335 - 2200K Warm White 3800157625197



EQ. Watts: 40w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 360lm  
Commercial Type: A60  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 60x98mm





### Filament-A60-E27

**4w VT-2164**


7336 - 2700K Warm White 3800157625203



EQ. Watts: 40w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 400lm  
Commercial Type: A60  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 60x98mm




### Amber Cover -Filament-ST64-E27

**4w VT-2144**

7327 - 2200K Warm White 3800157624718



EQ. Watts: 40w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 400lm  
Commercial Type: ST64  
LED Type: Filament  
CRI: >80



PF: >0.4  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 64x140mm



## Amber Cover -Filament-A60-E27



**3w**      **VT-2063**

7219 - 2200K Warm White      3800157617277


 Box Qty.  
**100 Pcs**

EQ. Watts:            **20w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:    **150lm**  
 Commercial Type:   **A60**  
 LED Type:           **Filament**  
 CRI:                  **>80**

PF:                    **>0.4**  
 Beam Angle:       **300°**  
 Base:                **E27**  
 Body Type:         **Glass**  
 Dimension:         **60x105mm**



## Amber Cover -Filament-ST64-E27



**5w**      **VT-2065**

7218 - 2200K Warm White      3800157617260


 Box Qty.  
**100 Pcs**

EQ. Watts:            **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:    **300lm**  
 Commercial Type:   **ST64**  
 LED Type:           **Filament**  
 CRI:                  **>80**

PF:                    **>0.5**  
 Beam Angle:       **300°**  
 Base:                **E27**  
 Body Type:         **Glass**  
 Dimension:         **64x140mm**



## Amber Cover -Filament-Globe-E27


**6w**      **VT-2126**

7328 - 2200K Warm White      3800157624725


 Box Qty.  
**100 Pcs**

EQ. Watts:            **55w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:    **480lm**  
 Commercial Type:   **G125**  
 LED Type:           **Filament**  
 CRI:                  **>70**

PF:                    **>0.5**  
 Beam Angle:       **300°**  
 Base:                **E27**  
 Body Type:         **Glass**  
 Dimension:         **125x175mm**








### Amber Cover -Filament-ST64-E27

**5w VT-2066**

7220 - 2200K Warm White 3800157617284



Box Qty.  
**100 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **300lm**  
Commercial Type: **ST64**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **64x140mm**




### Amber Cover -Filament-Globe-E27

**5w VT-2085**

7216 - 2200K Warm White 3800157617246



Box Qty.  
**20 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **300lm**  
Commercial Type: **G125**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **125x175mm**





### Amber Cover -Filament-Globe-E27

**5w VT-2075**

7217 - 2200K Warm White 3800157617253



Box Qty.  
**50 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **300lm**  
Commercial Type: **G95**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **95x138mm**




## Amber Cover -Filament-Globe-E27


**4W VT-2024**
**7146 - 2200K Warm White** 3800157610612

**Box Qty.**  
**50 Pcs**

EQ. Watts: **35w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **G95**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **95x140mm**



## Amber Cover -Filament-Globe-E27


**7W VT-2027**
**7147 - 2200K Warm White** 3800157610629

**Box Qty.**  
**50 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **700lm**  
 Commercial Type: **G95**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **95x140mm**




## Amber Cover -Filament-Globe-E27


**4W VT-2004**
**7148 - 2200K Warm White** 3800157610636

**Box Qty.**  
**100 Pcs**

EQ. Watts: **35w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **G80**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **80x140mm**





**Amber Cover -Filament-Globe-E27**

**4w VT-1956**

4473 - 2200K Warm White 3800157609074

Box Qty.  
**12 Pcs**

EQ. Watts: 55w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 550lm  
Commercial Type: G125  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 125x165mm

**new!**



**Amber Cover -Filament-Globe-E27**


**5w VT-2085D**

7415 - 2200K Warm White 3800157631990

Box Qty.  
**20 Pcs**



EQ. Watts: 30w  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 300lm  
Commercial Type: G125  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 125x175mm





**Amber Cover -Filament-Globe-E27**

**8w VT-2019**

7145 - 2200K Warm White 3800157610605

Box Qty.  
**50 Pcs**

EQ. Watts: 65w  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 800lm  
Commercial Type: G95  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 95x140mm





## Amber Cover -Filament-T30-E27

**2W**      **VT-2052**
**7252 - 2200K Warm White**      3800157620833

**Box Qty.**  
**100 Pcs**

EQ. Watts: **20w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **200lm**  
 Commercial Type: **T30**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **30x136mm**





## Filament-T30-E27

**2W**      **VT-2042**
**7251 - 2700K Warm White**      3800157620826

**Box Qty.**  
**100 Pcs**

EQ. Watts: **20w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **200lm**  
 Commercial Type: **T30**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **30x136mm**





## Amber Cover -Filaments-T30-E27

**5W**      **VT-2005**
**7142 - 2200K Warm White**      3800157610575

**Box Qty.**  
**100 Pcs**

EQ. Watts: **45w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **500lm**  
 Commercial Type: **T30**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **30x300mm**







**Amber Cover -Filaments-T30-E27**

**6W VT-2006**

7143 - 2200K Warm White 3800157610582



Box Qty.  
**100 Pcs**



|                    |                     |             |          |
|--------------------|---------------------|-------------|----------|
| EQ. Watts:         | 50w                 | PF:         | >0.5     |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 300°     |
| Luminous Flux:     | 600lm               | Base:       | E27      |
| Commercial Type:   | T30                 | Body Type:  | Glass    |
| LED Type:          | Filament            | Dimension:  | 30x185mm |
| CRI:               | >80                 |             |          |





**Amber Cover -Filaments-T30-E27**

**7W VT-2008**

7144 - 2200K Warm White 3800157610599



Box Qty.  
**100 Pcs**



|                    |                     |             |          |
|--------------------|---------------------|-------------|----------|
| EQ. Watts:         | 60w                 | PF:         | >0.5     |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 300°     |
| Luminous Flux:     | 700lm               | Base:       | E27      |
| Commercial Type:   | T30                 | Body Type:  | Glass    |
| LED Type:          | Filament            | Dimension:  | 30x300mm |
| CRI:               | >80                 |             |          |





**Amber Cover -Filament-Candle-E14**

**4W VT-1955**

7113 - 2200K Warm White 3800157609883



Box Qty.  
**100 Pcs**



|                    |                  |             |          |
|--------------------|------------------|-------------|----------|
| EQ. Watts:         | 40w              | PF:         | >0.4     |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 300°     |
| Luminous Flux:     | 350lm            | Base:       | E14      |
| Commercial Type:   | Candle           | Body Type:  | Glass    |
| LED Type:          | Filament         | Dimension:  | 35x100mm |
| CRI:               | >80              |             |          |





## Amber Cover -Filament-Candle-E14

4W VT-1949

7114 - 2200K Warm White 3800157609890

Box Qty.  
**100 Pcs**

EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: Candle  
 LED Type: Filament  
 CRI: >80



PF: >0.4  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x121mm





## Amber Cover -Filament-Candle-E14

4W VT-1948

7115 - 2200K Warm White 3800157609906

Box Qty.  
**100 Pcs**

EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: Candle  
 LED Type: Filament  
 CRI: >80



PF: >0.4  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x100mm





## Amber Cover -Filament-Candle-E14

4W VT-1947

7116 - 2200K Warm White 3800157609913

Box Qty.  
**100 Pcs**

EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: Candle  
 LED Type: Filament  
 CRI: >80



PF: >0.4  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x121mm




### Amber Cover -Filament-A60-E27

**4w VT-1954**

4498 - 2200K Warm White 3800157609739



EQ. Watts: 35w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 350lm  
Commercial Type: A60  
LED Type: Filament  
CRI: >80



PF: >0.4  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 60x107mm





### Amber Cover -Filament-A60-E27

**8w VT-1958**

4472 - 2200K Warm White 3800157609067



EQ. Watts: 60w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 720lm  
Commercial Type: A67  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 67x123mm





### Amber Cover -Filament-A67-E27

**10w VT-2028**

7157 - 2200K Warm White 3800157612227



EQ. Watts: 65w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 900lm  
Commercial Type: A67  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 67x123mm

**new!**

## Amber Cover -Filament-ST64-B22



4w VT-2145

7421 - 2200K Warm White 3800157633093



Box Qty.

EQ. Watts: 30w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: ST64  
 LED Type: Filament  
 CRI: >80



PF: >0.5  
 Beam Angle: 300°  
 Base: B22  
 Body Type: Glass  
 Dimension: 64x138mm

**new!**

## Amber Cover -Filament-ST64-B22

4w VT-2145D



7420 - 2200K Warm White 3800157633086



Box Qty.



EQ. Watts: 25w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: ST64  
 LED Type: Filament  
 CRI: >80



PF: >0.5  
 Beam Angle: 300°  
 Base: B22  
 Body Type: Glass  
 Dimension: 64x138mm





## Amber Cover -Filament-ST64-E27

4w VT-1964D

4368 - 2200K Warm White 3800157602945

Box Qty.  
100 Pcs

EQ. Watts: 30w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: ST64  
 LED Type: Filament  
 CRI: >80



PF: >0.7  
 Beam Angle: 300°  
 Base: E27  
 Body Type: Glass  
 Dimension: 64x138mm






**Amber Cover -Filament-ST64-E27**

**4w VT-1964**

4361 - 2200K Warm White 3800157602747



EQ. Watts: 40w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 350lm  
Commercial Type: ST64  
LED Type: Filament  
CRI: >80



PF: >0.4  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 64x138mm

**new!**




**Amber Cover -Filament-ST64-E27**

**5w VT-2065D**

7416 - 2200K Warm White 3800157632003



EQ. Watts: 30w  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 300lm  
Commercial Type: ST64  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 64x140mm




**Amber Cover -Filament-ST64-E27**

**6w VT-1966**

4362 - 2200K Warm White 3800157602754



EQ. Watts: 45w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 500lm  
Commercial Type: ST64  
LED Type: Filament  
CRI: >80



PF: >0.5  
Beam Angle: 300°  
Base: E27  
Body Type: Glass  
Dimension: 64x138mm





## Amber Cover -Filament-ST64-E27

**8w VT-1968**

4421 - 2200K Warm White 3800157606356


 Box Qty.  
**50 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **700lm**  
 Commercial Type: **ST64**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **64x138mm**





## Amber Cover -Filament-Globe-E27

**8w VT-2018D**

7155 - 2200K Warm White 3800157612203


 Box Qty.  
**12 Pcs**


EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **700lm**  
 Commercial Type: **G125**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.7**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **125x177mm**





## Amber Cover -Filament-Globe-E27

**6w VT-2026D**

7156 - 2200K Warm White 3800157612210


 Box Qty.  
**12 Pcs**


EQ. Watts: **50w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **500lm**  
 Commercial Type: **G95**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.7**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **95x135mm**



### White Cover -Filament-Candle-E14

**4w VT-1924**

7102 - 4000K Day White  
7103 - 6400K White

3800157609777  
3800157609784



Box Qty.  
**100 Pcs**



EQ. Watts: **35w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



### Cross Filament-Candle-E14


**4w VT-1924C**

71011 - 2700K Warm White  
71031 - 6400K White

3800157628617  
3800157624244



Box Qty.  
**100 Pcs**



EQ. Watts: **35w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



### White Cover -Filament-A60-E27


**4w VT-1939**

4489 - 2700K Warm White  
4490 - 4000K Day White  
4491 - 6400K White

3800157609647  
3800157609654  
3800157609661



Box Qty.  
**50 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **60x107mm**



## White Cover -Filament-Candle-E14


4W VT-1927

7105 - 4000K Day White  
7106 - 6400K White

3800157609807  
3800157609814

Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x121mm**




## Cross Filament-Candle-E14

4W VT-1927C

71041 - 2700K Warm White 3800157624299

Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x121mm**



## Frost Cover -Filament-Candle-E14



4W VT-1936

4474 - 2700K Warm White  
4475 - 4000K Day White  
4476 - 6400K White

3800157609081  
3800157609098  
3800157609104

Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



### Frost Cover -Filament-Candle-E14

**4w VT-1937**

4477 - 2700K Warm White  
4478 - 4000K Day White  
4479 - 6400K White

3800157609111  
3800157609128  
3800157609135



Box Qty.  
**100 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x121mm**



### Frost Cover -Filament-Candle-E14


**4w VT-1928**

7108 - 4000K Day White  
7109 - 6400K White

3800157609838  
3800157609845



Box Qty.  
**100 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



### Cross Filament-Candle-E14


**4w VT-1928C**

71071 - 2700K Warm White  
71081 - 4000K Day White  
71091 - 6400K White

3800157624213  
3800157624220  
3800157624237



Box Qty.  
**100 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**


PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



## Frost Cover -Filament-Candle-E14

**4W VT-1923**

7110 - 2700K Warm White 3800157609852  
 7111 - 4000K Day White 3800157609869  
 7112 - 6400K White 3800157609876


 Box Qty.  
**100 Pcs**



|                    |                         |             |                 |
|--------------------|-------------------------|-------------|-----------------|
| EQ. Watts:         | <b>40w</b>              | PF:         | <b>&gt;0.4</b>  |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>     |
| Luminous Flux:     | <b>400lm</b>            | Base:       | <b>E14</b>      |
| Commercial Type:   | <b>Candle</b>           | Body Type:  | <b>Glass</b>    |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>35x121mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                 |



## Frost Cover -Filament-Candle-E14

**4W VT-2054D**

7176 - 2700K Warm White 3800157615525


 Box Qty.  
**100 Pcs**



|                    |                            |             |                 |
|--------------------|----------------------------|-------------|-----------------|
| EQ. Watts:         | <b>35w</b>                 | PF:         | <b>&gt;0.4</b>  |
| Voltage/Frequency: | <b>AC:220-240V,50/60Hz</b> | Beam Angle: | <b>300°</b>     |
| Luminous Flux:     | <b>350lm</b>               | Base:       | <b>E14</b>      |
| Commercial Type:   | <b>Candle</b>              | Body Type:  | <b>Glass</b>    |
| LED Type:          | <b>Filament</b>            | Dimension:  | <b>35x100mm</b> |
| CRI:               | <b>&gt;80</b>              |             |                 |



## Frost Cover -Filament-Candle-E14

**4W VT-2056D**

7177 - 2700K Warm White 3800157615532


 Box Qty.  
**100 Pcs**


|                    |                            |             |                 |
|--------------------|----------------------------|-------------|-----------------|
| EQ. Watts:         | <b>35w</b>                 | PF:         | <b>&gt;0.4</b>  |
| Voltage/Frequency: | <b>AC:220-240V,50/60Hz</b> | Beam Angle: | <b>300°</b>     |
| Luminous Flux:     | <b>350lm</b>               | Base:       | <b>E14</b>      |
| Commercial Type:   | <b>Candle</b>              | Body Type:  | <b>Glass</b>    |
| LED Type:          | <b>Filament</b>            | Dimension:  | <b>35x121mm</b> |
| CRI:               | <b>&gt;80</b>              |             |                 |



### Frost Cover -Filament-Globe-E27


**4w VT-1974**

4496 - 4000K Day White  
4497 - 6400K White

3800157609715  
3800157609722



Box Qty.  
**100 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **G45**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **45x75mm**



### Frost Cover -Filament-P45-E14



**4w VT-1835C**

44921 - 2700K Warm White  
44941 - 6400K White

3800157624268  
3800157624282



Box Qty.  
**100 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **P45**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **45x77mm**



### Frost Cover -Filament-A60-E27



**4w VT-1934**

4486 - 2700K Warm White  
4487 - 4000K Day White  
4488 - 6400K White

3800157609616  
3800157609623  
3800157609630



Box Qty.  
**50 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**


PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **60x107mm**



## Frost Cover -Filament-A60-E27

**5w VT-2045**

7178 - 2700K Warm White 3800157615549  
 7179 - 4000K Day White 3800157615556  
 7180 - 6400K White 3800157615563


 Box Qty.  
**50 Pcs**



|                    |                            |             |                 |
|--------------------|----------------------------|-------------|-----------------|
| EQ. Watts:         | <b>50w</b>                 | PF:         | <b>&gt;0.5</b>  |
| Voltage/Frequency: | <b>AC:220-240V,50/60Hz</b> | Beam Angle: | <b>300°</b>     |
| Luminous Flux:     | <b>600lm</b>               | Base:       | <b>E27</b>      |
| Commercial Type:   | <b>A60</b>                 | Body Type:  | <b>Glass</b>    |
| LED Type:          | <b>Filament</b>            | Dimension:  | <b>60x107mm</b> |
| CRI:               | <b>&gt;80</b>              |             |                 |



## Frost Cover -Filament-A60-E27

**6w VT-1935C**

44801 - 2700K Warm White 3800157624091


 Box Qty.  
**50 Pcs**



|                    |                         |             |                 |
|--------------------|-------------------------|-------------|-----------------|
| EQ. Watts:         | <b>55w</b>              | PF:         | <b>&gt;0.5</b>  |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>     |
| Luminous Flux:     | <b>660lm</b>            | Base:       | <b>E27</b>      |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Glass</b>    |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>60x107mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                 |



## Frost Cover -Filament-A60-E27

**6w VT-1935**

4481 - 4000K Day White 3800157609159  
 4482 - 6400K White 3800157609166


 Box Qty.  
**50 Pcs**


|                    |                         |             |                 |
|--------------------|-------------------------|-------------|-----------------|
| EQ. Watts:         | <b>55w</b>              | PF:         | <b>&gt;0.5</b>  |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>300°</b>     |
| Luminous Flux:     | <b>660lm</b>            | Base:       | <b>E27</b>      |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Glass</b>    |
| LED Type:          | <b>Filament</b>         | Dimension:  | <b>60x107mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                 |






### Frost Cover -Filament-A60-E27

**7W VT-2047**

7181 - 2700K Warm White 3800157615570  
7182 - 4000K Day White 3800157615587  
7183 - 6400K White 3800157615594

Box Qty.  
**50 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **840lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **60x107mm**




### Frost Cover -Filament-A60-E27

**7W VT-2047C**

71811 - 2700K Warm White 3800157624107

Box Qty.  
**50 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **840lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **60x107mm**




### Frost Cover -Filament-A67-E27

**8W VT-1938**

4483 - 2700K Warm White 3800157609586  
4484 - 4000K Day White 3800157609593  
4485 - 6400K White 3800157609609

Box Qty.  
**50 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **800lm**  
Commercial Type: **A67**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **67x123mm**



## Frost Cover -Filament-A67-E27



**10w VT-2023**

7153 - 4000K Day White  
7154 - 6400K White

3800157612180  
3800157612197



Box Qty.  
**50 Pcs**



EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A67**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **67x123mm**



## Frost Cover -Filament-A67-E27


**9w VT-2049**

7184 - 2700K Warm White  
7185 - 4000K Day White  
7186 - 6400K White

3800157615600  
3800157615617  
3800157615624



Box Qty.  
**50 Pcs**



EQ. Watts: **80w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1100lm**  
Commercial Type: **A67**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **67x123mm**



## Frost Cover -Filament-Globe-E27


**7w VT-2057**

7187 - 2700K Warm White  
7188 - 6400K White

3800157615631  
3800157615648



Box Qty.  
**12 Pcs**



EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **840lm**  
Commercial Type: **G95**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **95x135mm**



**Frost Cover -Filament-Globe-E27**


**7W VT-2067**

7189 - 2700K Warm White  
7190 - 6400K White

3800157615655  
3800157615662



EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **840lm**  
Commercial Type: **G125**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **125x177mm**



**Frost Cover -Filament-Globe-E27**


**7W VT-2067D**

7191 - 2700K Warm White

3800157615679



EQ. Watts: **55w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **750lm**  
Commercial Type: **G125**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **125x177mm**



**Clear Glass-Filament-A60-E27**


**4W VT-1885**

4259 - 2700K Warm White

3800230627179



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **60x107mm**





## Clear Glass-Filament-A60-E27

**4w VT-1885C**

42591 - 2700K Warm White 3800157624312


 Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **A60**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **60x107mm**





## Clear Glass-Filament-A60-E27

**4w VT-1885DC**

43641 - 2700K Warm White 3800157624305


 Box Qty.  
**50 Pcs**


EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **A60**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **60x107mm**




## Clear Glass-Filament-A67-E27

**8w VT-1978**

 4407 - 2700K Warm White 3800157606165  
 4409 - 6400K White 3800157606189

 Box Qty.  
**100 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **800lm**  
 Commercial Type: **A67**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **67x123mm**



### Clear Glass-Filament-A60-B22


**5w VT-2035**

7170 - 2700K Warm White 3800157615464



Box Qty.  
**50 Pcs**

EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **600lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **B22**  
Body Type: **Glass**  
Dimension: **60x107mm**



### Clear Glass-Filament-Candle-E14

**4w VT-1986D**


4365 - 2700K Warm White 3800157602914



Box Qty.  
**100 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **37x100mm**



### Clear Glass-Filament-ST26-E14



**2w VT-1952**

4444 - 2700K Warm White 3800157607858  
4445 - 4000K Day White 3800157607865  
4446 - 6400K White 3800157607872



Box Qty.  
**100 Pcs**

EQ. Watts: **20w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **180lm**  
Commercial Type: **ST26**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **26x58mm**

**new!**



## Clear Glass-Filament-ST64-E27

**4W VT-2105D**

7414 - 2700K Warm White 3800157630320

Box Qty.  
**100 Pcs****DIMMABLE**

EQ. Watts: **45w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **490lm**  
 Commercial Type: **ST64**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **64x145mm**





## Clear Glass-Filament-Candle-E14

**4W VT-1986**

4301 - 2700K Warm White 3800230629951

Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**





PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x100mm**



## Clear Glass-Filament-Candle-E14

**4W VT-1986C**43011 - 2700K Warm White 3800157624114  
44141 - 6400K White 3800157624121Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x100mm**



### Clear Glass-Filament-Candle-E14

**4w VT-1986DC**


43651 - 2700K Warm White 3800157624176



Box Qty.  
**100 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



### Clear Glass-Filament-Candle-E14



**4w VT-1985C**

43071 - 2700K Warm White 3800157624183



Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



### Clear Glass-Filament-Candle-E14


**4w VT-1995**

4308 - 2700K Warm White 3800157600354  
4431 - 4000K Day White 3800157606455  
4432 - 6400K White 3800157606462



Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x121mm**




## Clear Glass-Filament-Candle-E14

4w VT-1995D

4388 - 2700K Warm White 3800157603973

Box Qty.  
**100 Pcs**

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 320lm  
 Commercial Type: Candle  
 LED Type: Filament  
 CRI: >80



PF: >0.5  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x121mm




## Clear Glass-Filament-Candle-E14

4w VT-1995DC

43881 - 2700K Warm White 3800157624251

Box Qty.  
**100 Pcs**

EQ. Watts: 30w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: Candle  
 LED Type: Filament  
 CRI: >80



PF: >0.5  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x121mm




## Clear Glass-Filament-Candle-E14

4w VT-1997

4302 - 2700K Warm White 3800230629968

Box Qty.  
**50 Pcs**

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 Commercial Type: Candle  
 LED Type: Filament  
 CRI: >80



PF: >0.4  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x121mm







### Clear Glass-Filament-Candle-E14

**4w VT-1997D**


4366 - 2700K Warm White 3800157602921



Box Qty.  
**100 Pcs**



**DIMMABLE**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x121mm**




### Clear Glass-Filament-Candle-E14

**4w VT-1997C**

44291 - 4000K Day White 3800157624190  
44301 - 6400K White 3800157624206



Box Qty.  
**100 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x121mm**

**new!**





### Clear Glass-Filament-Candle-E14

**6w VT-2127**

7423 - 3000K Warm White 3800157632577  
7424 - 4000K Day White 3800157632584  
7425 - 6400K White 3800157632591



Box Qty.  
**200 Pcs**



EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **600lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



## Clear Glass-Filament-Globe-E27

**4W VT-1980**

 4427 - 4000K Day White  
 4428 - 6400K White

 3800157606417  
 3800157606424

 Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **G45**  
 LED Type: **Filament**  
 CRI: **>80**




## Clear Glass-Filament-Globe-E27

**4W VT-1980C**

43061 - 2700K Warm White 3800157624329


 Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **G45**  
 LED Type: **Filament**  
 CRI: **>80**




## Amber Glass Bulbs-G45-E27

**4W VT-1957**

71001 - 2200K Warm White 3800157628624


 Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **G45**  
 LED Type: **Filament**  
 CRI: **>80**






Color Bulbs-G45-E27

**2w VT-2132-P**

7410 - Pink



Box Qty.  
**100 Pcs**

EQ. Watts: **10w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **60lm**  
Commercial Type: **G45**  
LED Type: **Filament**  
CRI: **>80**


PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **45x75mm**



Color Bulbs-G45-E27

**2w VT-2132-G**

7411 - Green



Box Qty.  
**100 Pcs**

EQ. Watts: **10w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **60lm**  
Commercial Type: **G45**  
LED Type: **Filament**  
CRI: **>80**


PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **45x75mm**



Color Bulbs-G45-E27

**2w VT-2132-B**

7412 - Blue



Box Qty.  
**100 Pcs**

EQ. Watts: **10w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **60lm**  
Commercial Type: **G45**  
LED Type: **Filament**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **45x75mm**



## Color Bulbs-G45-E27

**2W**      **VT-2132-R**

7413 - Red

Box Qty.  
**100 Pcs**

EQ. Watts: **10w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **60lm**  
 Commercial Type: **G45**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **45x75mm**



## Clear Glass-Filament-P45-E14


**4W**      **VT-1996D**

4394 - 2700K Warm White      3800157604314

Box Qty.  
**100 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **320lm**  
 Commercial Type: **P45**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **45x77mm**





## Clear Glass-Filament-P45-E14

**4W**      **VT-1996**
4426 - 6400K White      3800157606394  
3800157606400Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **P45**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **45x77mm**






### Clear Glass-Filament-P45-E14

**4w VT-1996C**

43001 - 2700K Warm White 3800157624138  
44251 - 4000K Day White 3800157628600

Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
Commercial Type: **P45**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **45x77mm**



### Clear Glass-Filament-Globe-E27


**4w VT-1994D**

4399 - 2700K Warm White 3800157605021

Box Qty.  
**20 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **G125**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **125x177mm**

**new!**




### Clear Glass-Filament-Globe-E27

**6w VT-2147**

7427 - 6400K White 3800157633116

Box Qty.

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **G125**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **125x177mm**



## PAR38 Bulbs-E27



15w VT-1125

4417 - 6400K White

3800157606295

Box Qty.  
**30 Pcs**

EQ. Watts: 100w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1000lm  
 Commercial Type: PAR38  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 40°  
 Base: E27  
 Body Type: Plastic Coated Aluminium  
 Dimension: 120x133mm



## PAR38 Bulbs-E27

15w VT-1125-G

4418 - Green

4419 - Red

4420 - Blue



3800157606318

3800157606325

3800157606301

Box Qty.  
**40 Pcs**

EQ. Watts: 100w  
 Voltage/Frequency: AC:180-240V,50/60Hz  
 Luminous Flux: 1200lm  
 Commercial Type: PAR38  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 40°  
 Base: E27  
 Body Type: Plastic Coated Aluminium  
 Dimension: Ø120x133mm





### VT-798

#### B22-E27 Converter-Bulbs

3420

3800157608435



Box Qty.  
**250 Pcs**

Aluminium+PC



### VT-7135

#### String Light-WP Socket-E27

3698

3800157634182



Box Qty.  
**4 Pcs**

10 Meter Long String

10 Holders With 1 Meter Distance



### VT-713

#### String Light-WP Socket-E27

3673

3800157625173



Box Qty.  
**4 Pcs**

15 Meter Long String

15 Holders With 1 Meter Distance

# LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)



## Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver
- Broad Range of holders like GU10, MR16, G9 and G4
- Wide Voltage Range from AC: 180 - 240 V , 50/60 Hz & 12 v options
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands



### Spotlights-GU10-Lens-38°

**2W VT-2002**





7167 - 3000K Warm White  
7168 - 4000K Day White  
7169 - 6400K White

3800157612807  
3800157612814  
3800157612821



Box Qty.  
**200 Pcs**



EQ. Watts: **15w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **180lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **38°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **35x46.5mm**

### Spotlights-GU10-Lens-110°

**7W VT-2778**




1672 - 3000K Warm White  
1673 - 4500K Day White  
1674 - 6400K White

3800157602136  
3800157602143  
3800157602150



Box Qty.  
**200 Pcs**



EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **500lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **110°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**

### Spotlights-GU10-Lens-38°

**7W VT-2666**




1657 - 3000K Warm White  
1658 - 4500K Day White  
1659 - 6000K White

3800157601641  
3800157601658  
3800157601665



Box Qty.  
**200 Pcs**



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **550lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **38°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**



## Spotlights-GU10-Lens-38°

**7W VT-2886D**

1666 - 3000K Warm White  
1667 - 4500K Day White  
1668 - 6000K White


3800157602075  
3800157602082  
3800157602099



Box Qty.  
**200 Pcs**



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **550lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **38°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**



## Spotlights-MR16-Lens-38°

**7W VT-1967**


1663 - 3000K Warm White  
1664 - 4500K Day White  
1665 - 6000K White

3800157602044  
3800157602051  
3800157602068



Box Qty.  
**200 Pcs**

EQ. Watts: **50w**  
Voltage/Frequency: **AC/DC:12V,50Hz**  
Luminous Flux: **550lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **38°**  
Base: **MR16**  
Body Type: **Plastic**  
Dimension: **50x50mm**



## Spotlights-GU10-Lens-38°

**8W VT-2889**


1693 - 3000K Warm White  
1694 - 4000K Day White  
1695 - 6400K White

3800157608947  
3800157608954  
3800157608961



Box Qty.  
**200 Pcs**

EQ. Watts: **80w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **750lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **38°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x55mm**

### Spotlights-GU10-Milky Cover-110°

**3W VT-1933**




7126 - 3000K Warm White  
7127 - 4000K Day White  
7128 - 6400K White

3800157610148  
3800157610155  
3800157610162



Box Qty.  
**200 Pcs**



EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **210lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **110°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**

### Spotlights-GU10-3PC Pack

**5W VT-2095**




7269 - 3000K Warm White  
7270 - 4000K Day White  
7271 - 6400K White

3800157623018  
3800157623025  
3800157623032



Box Qty.  
**60 Pcs**



EQ. Watts: **35w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **400lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **110°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**

### Spotlights-GU10-Milky Cover-110°

**5W VT-1975**




1685 - 3000K Warm White  
1686 - 4000K Day White  
1687 - 6000K White

3800157606240  
3800157606257  
3800157606264



Box Qty.  
**200 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **110°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**



## Spotlights-GU10-Milky Cover-110°

6W VT-2096


7310 - 3000K Warm White

3800157624428

Box Qty.  
**200 Pcs**

EQ. Watts: **45w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **500lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **110°**  
 Base: **GU10**  
 Body Type: **Plastic**  
 Dimension: **50x57mm**



## Spotlights-GU10-Blister Pack

6W VT-2107

7303 - 3000K Warm White

3800157623933

7304 - 4000K Day White

3800157623940


7305 - 6400K White

3800157623957

Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **500lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **110°**  
 Base: **GU10**  
 Body Type: **Plastic**  
 Dimension: **50x57mm**



## Spotlights-GU10-Blister Pack

6.5w VT-2108D

7306 - 3000K Warm White

3800157623964

7307 - 4000K Day White

3800157623971


7308 - 6400K White

3800157623988

Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **450lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **38°**  
 Base: **GU10**  
 Body Type: **Plastic**  
 Dimension: **50x57mm**



### Spotlights-GU10-Lens-110°

**7W VT-2887D**



1669 - 3000K Warm White  
1670 - 4500K Day White  
1671 - 6000K White


3800157602105  
3800157602112  
3800157602129



Box Qty.  
**200 Pcs**



EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **500lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **110°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**

### Spotlights-GU10-Milky Cover-110°

**7W VT-2779**




1682 - 3000K Warm White  
1683 - 4500K Day White  
1684 - 6000K White

3800157605359  
3800157605366  
3800157605373



Box Qty.  
**200 Pcs**

EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **500lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **110°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**

### Spotlights-MR16-Milky Cover-110°

**7W VT-1977**





1688 - 3000K Warm White  
1689 - 4500K Day White  
1690 - 6000K White

3800157606950  
3800157606967  
3800157606974



Box Qty.  
**200 Pcs**

EQ. Watts: **45w**  
Voltage/Frequency: **AC/DC:12V,50Hz**  
Luminous Flux: **500lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **110°**  
Base: **MR16**  
Body Type: **Plastic**  
Dimension: **50x50mm**



### Reflector-Round



## 5w VT-1100RD

7329 - 3000K Warm White  
7330 - 4000K Day White  
7331 - 6400K White

3800157624824  
3800157624831  
3800157624848



Box Qty.  
**100 Pcs**



EQ. Watts: **35w**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **350lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **68°**  
Base: **N/A**  
Body Type: **ABS+PC**  
Dimension: **Ø90x 45mm**



### Reflector-Square



## 5w VT-1100SQ

7332 - 3000K Warm White  
7333 - 4000K Day White  
7334 - 6400K White

3800157624855  
3800157624862  
3800157624879



Box Qty.  
**50 Pcs**



EQ. Watts: **35w**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **350lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **68°**  
Base: **N/A**  
Body Type: **ABS+PC**  
Dimension: **90x90x45mm**



### PAR-GX53



## 7w VT-1969

4438 - 4500K Day White  
4439 - 6000K White

3800157607049  
3800157607056



Box Qty.  
**100 Pcs**



EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **550lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **110°**  
Base: **Gx53**  
Body Type: **Thermoplastic**  
Dimension: **75x29mm**





### Capsules-G4 1.5W VT-1942N

4465 - 6400K White

3800157608992



Box Qty.  
**400 Pcs**



EQ. Watts: **15w**  
Voltage/Frequency: **AC/DC:12V**  
Luminous Flux: **100lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **G4**  
Body Type: **Plastic**  
Dimension: **12x38.5mm**




### Capsules-G9-Blister Pack 2W VT-2102BP

7340 - 3000K Warm White

3800157625630



Box Qty.  
**400 Pcs**



EQ. Watts: **20w**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **230lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.7**  
Beam Angle: **230°**  
Base: **G9**  
Body Type: **Glass**  
Dimension: **14.5x43.5mm**



### Capsules-G9 2W VT-2102

7337 - 3000K Warm White

3800157625210

7338 - 4000K Day White

3800157625227

7339 - 6000K White

3800157625234



Box Qty.  
**400 Pcs**



EQ. Watts: **20w**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **230lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.7**  
Beam Angle: **230°**  
Base: **G9**  
Body Type: **Glass**  
Dimension: **14.5x43.5mm**



## Capsules-G9


## 2.5w VT-1946

7205 - 3000K Warm White  
7206 - 4000K Day White  
7207 - 6400K White

3800157616317  
3800157616324  
3800157616331



Box Qty.  
**400 Pcs**



EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **200lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **300°**  
Base: **G9**  
Body Type: **Plastic**  
Dimension: **16.5x48.7mm**



## Capsules-G9-Milky Cover



## 3w VT-2083D

7253 - 2700K Warm White  
7254 - 4000K Day White  
7255 - 6400K White

3800157621656  
3800157621663  
3800157621670



Box Qty.  
**360 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **225lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Base: **G9**  
Body Type: **Plastic**  
Dimension: **18.5x55.5mm**






A modern interior space featuring a dark wood dining table and chairs. The ceiling is white with three cylindrical surface-mounted GU10 fittings. The walls are covered in horizontal wood panels, and a dark wood pillar is visible in the background. The floor is made of light-colored wood planks.

**SURFACE MOUNTED  
GU10 FITTINGS**


Easy Installation  
*Elegant Design*

## Fitting-Square-GU10

Box Qty.  
**50 Pcs**


Model No: VT-797-WH  
 SKU Code: 3630  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 142x100x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157612074

## Fitting-Square-GU10

Box Qty.  
**50 Pcs**


Model No: VT-797-SN  
 SKU Code: 3632  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 100x100x142mm  
 Cutting Size: N/A  
 EAN Code: 3800157612098

## Fitting-Square-GU10

Box Qty.  
**50 Pcs**


Model No: VT-797-B  
 SKU Code: 3631  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Square  
 Color of Fixture: Black  
 Dimension: 100x100x142mm  
 Cutting Size: N/A  
 EAN Code: 3800157612081

## Fitting-Round-GU10

Box Qty.  
**50 Pcs**

Model No: VT-796-WH  
 SKU Code: 3627  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø142x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157612043


### Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: **VT-796-B**  
SKU Code: **3628**  
Base: **GU10**  
Material: **Die Cast Aluminium**  
Shape: **Round**  
Color of Fixture: **Black**  
Dimension: **Ø142x100mm**  
Cutting Size: **N/A**  
EAN Code: **3800157612050**


### GX53-Accessory



Box Qty.  
**50 Pcs**

Model No: **VT-715-W**  
SKU Code: **3675**  
Base: **GX53**  
Material: **Iron**  
Shape: **Round**  
Color of Fixture: **White**  
Dimension: **Ø105x40mm**  
Cutting Size: **90mm**  
EAN Code: **3800157625241**


### Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: **VT-796-SN**  
SKU Code: **3629**  
Base: **GU10**  
Material: **Die Cast Aluminium**  
Shape: **Round**  
Color of Fixture: **Satin Nickel**  
Dimension: **Ø142x100mm**  
Cutting Size: **N/A**  
EAN Code: **3800157612067**


### GX53-Accessory



Box Qty.  
**50 Pcs**

Model No: **VT-715-G**  
SKU Code: **3676**  
Base: **GX53**  
Material: **Iron**  
Shape: **Round**  
Color of Fixture: **Gold**  
Dimension: **Ø105x40mm**  
Cutting Size: **90mm**  
EAN Code: **3800157625258**

## GX53-Accessory



Box Qty.  
**50 Pcs**

Model No: VT-715-CH  
SKU Code: 3677  
Base: GX53  
Material: Iron  
Shape: Round  
Color of Fixture: Chrome  
Dimension: Ø105x40mm  
Cutting Size: 90mm  
EAN Code: 3800157625265

## Fitting-Round-GU10



Box Qty.  
**36 Pcs**

Model No: VT-727RD  
SKU Code: 3665  
Base: GU10  
Material: Gypsum  
Shape: Round  
Color of Fixture: White  
Dimension: Ø70x75mm  
Cutting Size: N/A  
EAN Code: 3800157624596

## Fitting-Square-GU10



Box Qty.  
**36 Pcs**

Model No: VT-727SQ  
SKU Code: 3664  
Base: GU10  
Material: Gypsum  
Shape: Square  
Color of Fixture: White  
Dimension: 70x70x75mm  
Cutting Size: N/A  
EAN Code: 3800157624589


## Fitting-Square-GU10



Box Qty.  
**36 Pcs**


Model No: VT-716SQ  
SKU Code: 3666  
Base: GU10  
Material: Gypsum  
Shape: Square  
Color of Fixture: White  
Dimension: 75x75x75mm  
Cutting Size: N/A  
EAN Code: 3800157624732

### Fitting-Round-GU10




|                   |               |
|-------------------|---------------|
| Model No          | VT-716RD      |
| SKU Code:         | 3667          |
| Base:             | GU10          |
| Material:         | Gypsum        |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | Ø75x75mm      |
| Cutting Size:     | N/A           |
| EAN Code:         | 3800157624749 |

### Fitting-Square-GU10




|                   |               |
|-------------------|---------------|
| Model No          | VT-763        |
| SKU Code:         | 3649          |
| Base:             | GU10          |
| Material:         | Gypsum        |
| Shape:            | Square        |
| Color of Fixture: | White         |
| Dimension:        | 120x120x50mm  |
| Cutting Size:     | 123x123mm     |
| EAN Code:         | 3800157618595 |

### Fitting-Square-GU10



|                   |               |
|-------------------|---------------|
| Model No          | VT-762        |
| SKU Code:         | 3648          |
| Base:             | GU10          |
| Material:         | Gypsum        |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | 215x120x60mm  |
| Cutting Size:     | 215x120mm     |
| EAN Code:         | 3800157618588 |

### Fitting-Round-GU10



|                   |               |
|-------------------|---------------|
| Model No          | VT-764        |
| SKU Code:         | 3650          |
| Base:             | GU10          |
| Material:         | Gypsum        |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | Ø140x40mm     |
| Cutting Size:     | Ø140mm        |
| EAN Code:         | 3800157618601 |

## Fitting-Square-GU10

Box Qty.  
**30 Pcs**

Model No: VT-765  
 SKU Code: 3651  
 Base: GU10  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 100x100x30mm  
 Cutting Size: 103x103mm  
 EAN Code: 3800157618618

## Fitting-Square-GU10

Box Qty.  
**20 Pcs**


Model No: VT-772  
 SKU Code: 3653  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 132x132x74mm  
 Cutting Size: 135x135mm  
 EAN Code: 3800157618632

## Fitting-Round-GU10

Box Qty.  
**20 Pcs**

Model No: VT-771  
 SKU Code: 3652  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø100x30mm  
 Cutting Size: Ø103mm  
 EAN Code: 3800157618625

## Fitting-Round-GU10

Box Qty.  
**24 Pcs**

Model No: VT-776RD  
 SKU Code: 3640  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø120x40mm  
 Cutting Size: Ø123mm  
 EAN Code: 3800157616348

### Fitting-Square-GU10



Box Qty.  
**24 Pcs**

Model No: **VT-776SQ**  
SKU Code: **3641**  
Base: **GU10**  
Material: **Gypsum**  
Shape: **Square**  
Color of Fixture: **White**  
Dimension: **120x120x40mm**  
Cutting Size: **123x123mm**  
EAN Code: **3800157616355**

### Fitting-Square-GU10



Box Qty.  
**24 Pcs**

Model No: **VT-714**  
SKU Code: **3674**  
Base: **GU10**  
Material: **Gypsum**  
Shape: **Square**  
Color of Fixture: **White**  
Dimension: **120x120x45mm**  
Cutting Size: **123x123mm**  
EAN Code: **3800157625180**

### Fitting-Round-GU10



Box Qty.  
**20 Pcs**

Model No: **VT-773**  
SKU Code: **3654**  
Base: **GU10**  
Material: **Gypsum**  
Shape: **Round**  
Color of Fixture: **White**  
Dimension: **Ø132x74mm**  
Cutting Size: **Ø132mm**  
EAN Code: **3800157618649**

### Fitting-Square-GU10-Frost Glass



Box Qty.  
**24 Pcs**

Model No: **VT-801SQ**  
SKU Code: **3691**  
Base: **GU10**  
Material: **Gypsum**  
Shape: **Square**  
Color of Fixture: **White**  
Dimension: **120x120x60mm**  
Cutting Size: **123x123mm**  
EAN Code: **3800157628938**

## Fitting-Round-GU10-Frost Glass

Box Qty.  
**24 Pcs**

Model No: VT-801RD  
 SKU Code: 3692  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø120x60mm  
 Cutting Size: Ø123mm  
 EAN Code: 3800157628945

## Fitting-Round-GU10-2Pc Pack

Box Qty.  
**200 Pcs**

Model No: VT-778-SN  
 SKU Code: 3585  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø80x30mm  
 Cutting Size: Ø65mm  
 EAN Code: 3800157607148

## Fitting-Round-GU10-2Pc Pack

Box Qty.  
**200 Pcs**

Model No: VT-778-WH  
 SKU Code: 3584  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø80x30mm  
 Cutting Size: Ø65mm  
 EAN Code: 3800157607131

## Fitting-Round-GU10-2Pc Pack

Box Qty.  
**200 Pcs**

Model No: VT-778-CH  
 SKU Code: 3586  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: Chrome  
 Dimension: Ø80x30mm  
 Cutting Size: Ø65mm  
 EAN Code: 3800157607155



### Fitting-Round-GU10-Changing Angle



Model No: VT-780-WH  
SKU Code: 3593  
Base: GU10  
Material: Ferrum  
Shape: Round  
Color of Fixture: White  
Dimension: Ø100x45mm  
Cutting Size: Ø90mm  
EAN Code: 3800157607223

### Fitting-Round-GU10



Model No: VT-774-WH  
SKU Code: 3642  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: White  
Dimension: Ø81x34mm  
Cutting Size: Ø73mm  
EAN Code: 3800157617086



### Fitting-Round-GU10-Changing Angle



Model No: VT-780-SN  
SKU Code: 3594  
Base: GU10  
Material: Ferrum  
Shape: Round  
Color of Fixture: Satin Nickel  
Dimension: Ø100x45mm  
Cutting Size: Ø90mm  
EAN Code: 3800157607230


### Fitting-Round-GU10



Model No: VT-774-SN  
SKU Code: 3643  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: Satin Nickel  
Dimension: Ø81x34mm  
Cutting Size: Ø73mm  
EAN Code: 3800157617093




## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-774-MG  
SKU Code: 3644  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: Metallic Grey  
Dimension: Ø81x34mm  
Cutting Size: Ø73mm  
EAN Code: 3800157617109


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-775-SN  
SKU Code: 3646  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: Satin Nickel  
Dimension: Ø95x32mm  
Cutting Size: Ø85mm  
EAN Code: 3800157617123


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-775-WH  
SKU Code: 3645  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: White  
Dimension: Ø95x32mm  
Cutting Size: Ø85mm  
EAN Code: 3800157617116

## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-775-MG  
SKU Code: 3647  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: Metallic Grey  
Dimension: Ø95x32mm  
Cutting Size: Ø85mm  
EAN Code: 3800157617130

### Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-782RD-WH  
SKU Code: 3599  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: White  
Dimension: Ø91x25mm  
Cutting Size: Ø75mm  
EAN Code: 3800157607285

### Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: VT-783RD-WH  
SKU Code: 3601  
Base: 2XGU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: White  
Dimension: 173x91x25mm  
Cutting Size: 155x75mm  
EAN Code: 3800157607308

### Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-782RD-AB  
SKU Code: 3600  
Base: GU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: Aluminium Brush  
Dimension: Ø91x25mm  
Cutting Size: Ø75mm  
EAN Code: 3800157607292

### Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: VT-783RD-AB  
SKU Code: 3602  
Base: 2XGU10  
Material: Aluminium  
Shape: Round  
Color of Fixture: Aluminium Brush  
Dimension: 173x91x25mm  
Cutting Size: 155x75mm  
EAN Code: 3800157607315

## Fitting-Round-GU10

Box Qty.  
**50 Pcs**

Model No: VT-784RD-WH  
 SKU Code: 3603  
 Base: 3XGU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 255x91x25  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607322

## Fitting-Square-GU10

Box Qty.  
**100 Pcs**

Model No: VT-782SQ-WH  
 SKU Code: 3605  
 Base: 1XGU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 91x91x25mm  
 Cutting Size: 75x75mm  
 EAN Code: 3800157607346

## Fitting-Round-GU10

Box Qty.  
**50 Pcs**

Model No: VT-784RD-AB  
 SKU Code: 3604  
 Base: 3XGU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Aluminium Brush  
 Dimension: 255x91x25mm  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607339

## Fitting-Square-GU10

Box Qty.  
**100 Pcs**

Model No: VT-782SQ-AB  
 SKU Code: 3606  
 Base: 1XGU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: Aluminium Brush  
 Dimension: 91x91x25mm  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607353

### Fitting-Square-GU10



Model No: VT-783SQ-WH  
SKU Code: 3607  
Base: 2XGU10  
Material: Aluminium  
Shape: Square  
Color of Fixture: White  
Dimension: 173x91x25mm  
Cutting Size: 155x75mm  
EAN Code: 3800157607360

### Fitting-Square-GU10



Model No: VT-784SQ-WH  
SKU Code: 3609  
Base: 3XGU10  
Material: Aluminium  
Shape: Square  
Color of Fixture: White  
Dimension: 255x91x25mm  
Cutting Size: 235x75mm  
EAN Code: 3800157607384

### Fitting-Square-GU10




Model No: VT-783SQ-AB  
SKU Code: 3608  
Base: GU10  
Material: Aluminium  
Shape: Square  
Color of Fixture: Aluminium Brush  
Dimension: 173x91x25mm  
Cutting Size: 155x75mm  
EAN Code: 3800157607377

### Fitting-Square-GU10




Model No: VT-784SQ-AB  
SKU Code: 3610  
Base: 3XGU10  
Material: Aluminium  
Shape: Square  
Color of Fixture: Aluminium Brush  
Dimension: 255x91x25mm  
Cutting Size: 235x75mm  
EAN Code: 3800157607391

## Fitting-Round-GU10

Box Qty.  
**100 Pcs**


Model No: VT-7227RD-WH  
 SKU Code: 3469  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø82x25mm  
 Cutting Size: Ø74mm  
 EAN Code: 3800157605885

## Fitting-Round-GU10

Box Qty.  
**100 Pcs**


Model No: VT-7227RD-SS  
 SKU Code: 3471  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: Stainless Steel  
 Dimension: Ø82x25mm  
 Cutting Size: Ø74mm  
 EAN Code: 3800157605908

## Fitting-Round-GU10

Box Qty.  
**100 Pcs**


Model No: VT-7227RD-SN  
 SKU Code: 3470  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø82x25mm  
 Cutting Size: Ø74mm  
 EAN Code: 3800157605892

## Fitting-Round-GU10

Box Qty.  
**100 Pcs**


Model No: VT-785  
 SKU Code: 3611  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 88x38mm  
 Cutting Size: Ø75mm  
 EAN Code: 3800157607407

### Fitting-Round-GU10




|                   |               |
|-------------------|---------------|
| Model No          | VT-786        |
| SKU Code:         | 3612          |
| Base:             | GU10          |
| Material:         | Aluminium     |
| Shape:            | Round         |
| Color of Fixture: | White         |
| Dimension:        | 88x38mm       |
| Cutting Size:     | Ø75mm         |
| EAN Code:         | 3800157607414 |

### Fitting-Square-GU10




|                   |               |
|-------------------|---------------|
| Model No          | VT-7227SQ-SN  |
| SKU Code:         | 3473          |
| Base:             | GU10          |
| Material:         | Ferrum        |
| Shape:            | Square        |
| Color of Fixture: | Satin Nickel  |
| Dimension:        | 82x82x22mm    |
| Cutting Size:     | 74x74mm       |
| EAN Code:         | 3800157605922 |

### Fitting-Square-GU10



|                   |               |
|-------------------|---------------|
| Model No          | VT-7227SQ-WH  |
| SKU Code:         | 3472          |
| Base:             | GU10          |
| Material:         | Ferrum        |
| Shape:            | Square        |
| Color of Fixture: | White         |
| Dimension:        | 82x82x22mm    |
| Cutting Size:     | 74x74mm       |
| EAN Code:         | 3800157605915 |

### Fitting-Square-GU10



|                   |                 |
|-------------------|-----------------|
| Model No          | VT-7227SQ-SS    |
| SKU Code:         | 3474            |
| Base:             | GU10            |
| Material:         | Ferrum          |
| Shape:            | Square          |
| Color of Fixture: | Stainless Steel |
| Dimension:        | 82x82x22mm      |
| Cutting Size:     | 74x74mm         |
| EAN Code:         | 3800157605939   |

## Fitting-Round-GU10

Box Qty.  
**50 Pcs**

Model No: VT-711-W-RD  
 SKU Code: 3669  
 Base: GU10  
 Material: Zinc Alloy+Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 82x101mm  
 Cutting Size: N/A  
 EAN Code: 3800157625135

## Zoom Fitting

Box Qty.  
**50 Pcs**

Model No: VT-700S  
 SKU Code: 3690  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø102x46mm  
 Cutting Size: 93mm  
 EAN Code: 3800157628518

## Zoom Fitting

Box Qty.  
**50 Pcs**

Model No: VT-700W  
 SKU Code: 3689  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø102x46mm  
 Cutting Size: 93mm  
 EAN Code: 3800157628501


## Fitting-Square-GU10

Box Qty.  
**100 Pcs**

Model No: VT-787RD-WH  
 SKU Code: 3613  
 Base: GU10  
 Material: Zinc Alloy+Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 84x38mm  
 Cutting Size: 75mm  
 EAN Code: 3800157607421




### Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-787RD-SN  
SKU Code: 3614  
Base: GU10  
Material: Zinc Alloy+Ferrum  
Shape: Round  
Color of Fixture: White  
Dimension: 84x38mm  
Cutting Size: 75mm  
EAN Code: 3800157607438


### Fitting-Square-GU10



Box Qty.  
**100 Pcs**

Model No: VT-787SQ-SN  
SKU Code: 3616  
Base: GU10  
Material: Zinc Alloy+Ferrum  
Shape: Square  
Color of Fixture: Satin Nickel  
Dimension: 84x84x38mm  
Cutting Size: 75mm  
EAN Code: 3800157607452


### Fitting-Square-GU10



Box Qty.  
**100 Pcs**

Model No: VT-787SQ-WH  
SKU Code: 3615  
Base: GU10  
Material: Zinc Alloy+Ferrum  
Shape: Square  
Color of Fixture: White  
Dimension: 84x84x38mm  
Cutting Size: 75mm  
EAN Code: 3800157607445

### Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-781RD-WH  
SKU Code: 3595  
Base: GU10  
Material: Aluminium+Ferrum  
Shape: Round  
Color of Fixture: White  
Dimension: 100x45mm  
Cutting Size: 90mm  
EAN Code: 3800157607247

## Fitting-Round-GU10

Box Qty.  
**100 Pcs**

Model No: VT-781RD-SN  
 SKU Code: 3596  
 Base: GU10  
 Material: Aluminium+Ferrum  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: 100x45mm  
 Cutting Size: 90mm  
 EAN Code: 3800157607254

## Fitting-Square-GU10

Box Qty.  
**100 Pcs**

Model No: VT-781SQ-SN  
 SKU Code: 3598  
 Base: GU10  
 Material: Aluminium+Ferrum  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 100x100x38mm  
 Cutting Size: 90x90mm  
 EAN Code: 3800157607278

## Fitting-Square-GU10

Box Qty.  
**100 Pcs**

Model No: VT-781SQ-WH  
 SKU Code: 3597  
 Base: GU10  
 Material: Aluminium+Ferrum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 100x100x38mm  
 Cutting Size: 90x90mm  
 EAN Code: 3800157607261

## Fitting-Round-GU10

Box Qty.  
**100 Pcs**

Model No: VT-779-WH-RD  
 SKU Code: 3587  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607162

### Fitting-Round-GU10



Model No: VT-779-SN-RD  
 SKU Code: 3588  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: 82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607179

### Fitting-Square-GU10



Model No: VT-779-WH-SQ  
 SKU Code: 3590  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 82x82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607193

### Fitting-Round-GU10



Model No: VT-779-CH-RD  
 SKU Code: 3589  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Round  
 Color of Fixture: Chrome  
 Dimension: 82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607186

### Fitting-Square-GU10



Model No: VT-779-SN-SQ  
 SKU Code: 3591  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 82x82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607209


## Fitting-Square-GU10

Box Qty.  
**100 Pcs**

Model No: VT-779-CH-SQ  
 SKU Code: 3592  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Square  
 Color of Fixture: Chrome  
 Dimension: 82x82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607216

**new!**

## Fitting-Square-G9

Box Qty.  
**24 Pcs**

Model No: VT-858SQ  
 SKU Code: 3695  
 Base: G9  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 70x100x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157633543

**new!**

## Fitting-Round-G9

Box Qty.  
**24 Pcs**

Model No: VT-858RD  
 SKU Code: 3694  
 Base: G9  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 70x90x95mm  
 Cutting Size: N/A  
 EAN Code: 3800157633536

**new!**

## Fitting-Square-GU10

Box Qty.  
**40 Pcs**

Model No: VT-859SQ  
 SKU Code: 3696  
 Base: GU10  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 100x100x40mm  
 Cutting Size: 103x103mm  
 EAN Code: 3800157633550

**new!**

### Fitting-Round-GU10




Box Qty.  
**40 Pcs**

Model No: **VT-859RD**  
SKU Code: **3697**  
Base: **GU10**  
Material: **Gypsum**  
Shape: **Round**  
Color of Fixture: **White**  
Dimension: **ø100x40mm**  
Cutting Size: **ø103**  
EAN Code: **3800157633567**

**new!**

### Fitting-Pendant Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: **VT-864-GBC**  
SKU Code: **3134**  
Base: **GU10**  
Material: **Gypsum with metal**  
Shape: **Round**  
Color of Fixture: **Grey+Gun Black**  
Dimension: **ø250x80mm**  
Cutting Size: **N/A**  
EAN Code: **3800157635332**

**new!**

### Fitting-Suspended-GU10




Box Qty.  
**9 Pcs**

Model No: **VT-864-G**  
SKU Code: **3111**  
Base: **GU10**  
Material: **Gypsum with metal**  
Shape: **Round**  
Color of Fixture: **White+Matt Rose Gold**  
Dimension: **ø250x80mm**  
Cutting Size: **N/A**  
EAN Code: **3800157634366**

**new!**

### Fitting-Pendant Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: **VT-864CHC**  
SKU Code: **3135**  
Base: **GU10**  
Material: **Gypsum with metal**  
Shape: **Round**  
Color of Fixture: **Grey+Chrome**  
Dimension: **ø250x80mm**  
Cutting Size: **N/A**  
EAN Code: **3800157635349**

**new!**


## Fitting-Pendant Metal-1XGU10

Box Qty.  
**9 pcs**

Model No: VT-864-GB  
 SKU Code: 3112  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Gun Black  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634373

**new!**


## Fitting-Pendant Metal-1XGU10

Box Qty.  
**9 pcs**

Model No: VT-864-MR  
 SKU Code: 3130  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635325

**new!**

## Fitting-Pendant Metal-1XGU10

Box Qty.  
**9 pcs**

Model No: VT-864-CH  
 SKU Code: 3129  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Chrome  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634540

**new!**


## Fitting-Surface Metal-1XGU10

Box Qty.  
**9 pcs**

Model No: VT-865-GBM  
 SKU Code: 3136  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Gun Black  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635356

**new!**

### Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865-MRC  
SKU Code: 3137  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: Grey+Matt Rose Gold  
Dimension: ø200x80mm  
Cutting Size: N/A  
EAN Code: 3800157635363

**new!**

### Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865-GBC  
SKU Code: 3139  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: Grey+Gun Black  
Dimension: ø200x80mm  
Cutting Size: N/A  
EAN Code: 3800157635387

**new!**

### Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865CHC  
SKU Code: 3138  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: Grey+Chrome  
Dimension: ø200x80mm  
Cutting Size: N/A  
EAN Code: 3800157635370

**new!**

### Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865-MRM  
SKU Code: 3113  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: White+Matt Rose Gold  
Dimension: ø200x80mm  
Cutting Size: N/A  
EAN Code: 3800157634380

**new!**


## Fitting-Surface Metal-1XGU10

Box Qty.  
**9 pcs**

Model No: VT-865CHM  
 SKU Code: 3114  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Chrome  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634397

**new!**


## Fitting-Square Metal-1XGU10

Box Qty.  
**12 pcs**

Model No: VT-860-MRM  
 SKU Code: 3141  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157635400

**new!**


## Fitting-Square Metal-1XGU10

Box Qty.  
**12 pcs**

Model No: VT-860-GB  
 SKU Code: 3140  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Gun Black  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157635394

**new!**

## Fitting-Square Metal-1XGU10


Box Qty.  
**12 pcs**

Model No: VT-860-CHM  
 SKU Code: 3142  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Chrome  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157635417



**new!**

### Fitting-Square Metal-1XGU10




Box Qty.  
**12pcs**

Model No: VT-860-GBM  
SKU Code: 3143  
Base: GU10  
Material: Gypsum with metal  
Shape: Square  
Color of Fixture: Grey+Gun Black  
Dimension: 100x100x130mm  
Cutting Size: N/A  
EAN Code: 3800157635424

**new!**

### Fitting-Square Metal-1XGU10




Box Qty.  
**12pcs**

Model No: VT-860-CH  
SKU Code: 3116  
Base: GU10  
Material: Gypsum with metal  
Shape: Square  
Color of Fixture: White+Chrome  
Dimension: 100x100x130mm  
Cutting Size: N/A  
EAN Code: 3800157634410

**new!**

### Fitting-Square Metal-1XGU10



Box Qty.  
**12pcs**

Model No: VT-860-MR  
SKU Code: 3115  
Base: GU10  
Material: Gypsum with metal  
Shape: Square  
Color of Fixture: White+Matt Rose Gold  
Dimension: 100x100x130mm  
Cutting Size: N/A  
EAN Code: 3800157634403

**new!**

### Fitting-Recessed-1XGU10



Box Qty.  
**24 pcs**

Model No: VT-862-MRW  
SKU Code: 3117  
Base: GU10  
Material: Gypsum with metal  
Shape: Square  
Color of Fixture: White+Matt Rose Gold  
Dimension: 100x100x40mm  
Cutting Size: ø80mm  
EAN Code: 3800157634427

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MRG  
 SKU Code: 3118  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634434

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-CHG  
 SKU Code: 3120  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Chrome  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634458

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-CHW  
 SKU Code: 3119  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Chrome  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634441

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MRR  
 SKU Code: 3121  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Off White+Matt Rose Gold  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634465

**new!**

Fitting-Recessed-1XGU10




Box Qty.  
**24 pcs**

Model No: VT-862-CHR  
SKU Code: 3122  
Base: GU10  
Material: Gypsum with metal  
Shape: Square  
Color of Fixture: Off White+Chrome  
Dimension: 100x100x40mm  
Cutting Size: ø80mm  
EAN Code: 3800157634472

**new!**

Fitting-Recessed-1XGU10



Box Qty.  
**24 pcs**

Model No: VT-862-MGRD  
SKU Code: 3124  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: Grey+Matt Rose Gold  
Dimension: ø100x40mm  
Cutting Size: ø80mm  
EAN Code: 3800157634496

**new!**

Fitting-Recessed-1XGU10



Box Qty.  
**24 pcs**

Model No: VT-862-MRP  
SKU Code: 3123  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: White+Matt Rose Gold  
Dimension: ø100x40mm  
Cutting Size: ø80mm  
EAN Code: 3800157634489

**new!**

Fitting-Recessed-1XGU10



Box Qty.  
**24 pcs**

Model No: VT-862-MRC  
SKU Code: 3125  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: Off White+Matt Rose Gold  
Dimension: ø100x40mm  
Cutting Size: ø80mm  
EAN Code: 3800157634502

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MRD  
 SKU Code: 3126  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Off White+Chrome  
 Dimension: ø100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634519

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MG  
 SKU Code: 3128  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Chrome  
 Dimension: ø100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634533

**new!**


## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-CRD  
 SKU Code: 3127  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Chrome  
 Dimension: ø100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634526

**new!**

## Fitting-Ceiling Metal-1XGU10

Box Qty.  
**12 pcs**

Model No: VT-863  
 SKU Code: 3144  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 200x200mm  
 Cutting Size: 206x206mm  
 EAN Code: 3800157634557

**new!**

Fitting-Recessed-Black Metal-Round



Box Qty.  
**30 pcs**

Model No: VT-866-BRD  
SKU Code: 3145  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: White+Black  
Dimension: ø100mm  
Cutting Size: ø103mm  
EAN Code: 3800157635592

**new!**

Fitting-Recessed-Matt Rose Gold Met-



Box Qty.  
**30 pcs**

Model No: VT-866-MRD  
SKU Code: 3147  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: White+Matt Rose Gold  
Dimension: ø100mm  
Cutting Size: ø103mm  
EAN Code: 3800157635615

**new!**

Fitting-Recessed-Chrome Metal-Round



Box Qty.  
**30 pcs**

Model No: VT-866-CRD  
SKU Code: 3146  
Base: GU10  
Material: Gypsum with metal  
Shape: Round  
Color of Fixture: White+Chrome  
Dimension: ø100mm  
Cutting Size: ø103mm  
EAN Code: 3800157635608

**new!**

Fitting-Recessed-Black Metal-Square



Box Qty.  
**30 pcs**

Model No: VT-866-BSQ  
SKU Code: 3148  
Base: GU10  
Material: Gypsum with metal  
Shape: Square  
Color of Fixture: White+Black  
Dimension: ø100x100mm  
Cutting Size: 103x103mm  
EAN Code: 3800157635622

**new!**

## Fitting-Recessed-Chrome Metal-Square

Box Qty.  
**30 pcs**

Model No: VT-866-CSQ  
 SKU Code: 3149  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Chrome  
 Dimension: ø100x100mm  
 Cutting Size: 103x103mm  
 EAN Code: 3800157635639

**new!**

## Fitting-Recessed-Square

Box Qty.  
**24 Pcs**

Model No: VT-867-SQ  
 SKU Code: 3151  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White  
 Dimension: ø120x120mm  
 Cutting Size: 127x127mm  
 EAN Code: 3800157635653

**new!**

## Fitting-Recessed-Matt Rose Gold-

Box Qty.  
**30 pcs**

Model No: VT-866-GSQ  
 SKU Code: 3150  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Matt Rose Gold  
 Dimension: ø100x100mm  
 Cutting Size: 103x103mm  
 EAN Code: 3800157635646

**new!**

## Fitting-Recessed-Round

Box Qty.  
**24 Pcs**

Model No: VT-867-RD  
 SKU Code: 3152  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White  
 Dimension: ø120mm  
 Cutting Size: ø127mm  
 EAN Code: 3800157635660

### GU10-Holder-PVC Cable



Box Qty.  
**500 Pcs**

Model No: **PVC Cable**  
SKU Code: **3423**  
Base: **GU10**  
Material: **Ceramic**  
Wire length: **150mm**  
EAN Code: **3800157607827**

### GU10 Silicon Wire



Box Qty.  
**500 Pcs**

Model No: **VT-791-W**  
SKU Code: **3620**  
Base: **GU10**  
Material: **Aluminium Ceramic**  
Color of Fixture: **White**  
Wire length: **158mm**  
EAN Code: **3800157607704**

### GU10-Holder-PVC Cable



Box Qty.  
**100 Pcs**

Model No: **PVC Cable-5pc**  
SKU Code: **34235**  
Base: **GU10**  
Material: **Ceramic**  
Wire length: **150mm**  
EAN Code: **3800157609982**

### Mr16-Lampholder-5Pc Pack




Box Qty.  
**100 Pcs**

Model No: **VT-7889**  
SKU Code: **36265**  
Base: **MR16**  
Material: **Ceramic**  
Color of Fixture: **White**  
Wire length: **150mm**  
EAN Code: **3800157609999**

# LED PAR Lamps & AR111

: V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.



## Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Each lamp is a direct retrofit for a comparable Halogen Par Lamp e.g. AR111, PAR 30 & PAR 38
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

## Applications

Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting







## AR111 Downlight 20w VT-1120-20

1243 - 3000K Warm White 3800157606004  
1244 - 4500K Day White 3800157606011  
1245 - 6000K White 3800157606028



Box Qty.  
**50 Pcs**



EQ. Watts: **100w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1800lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.7**  
Beam Angle: **20°**  
Base: **N/A**  
Body Type: **Die Cast Aluminium**  
Dimension: **Ø111x53mm**




## AR111 Downlight 20w VT-1120-40

1246 - 3000K Warm White 3800157606035  
1247 - 4500K Day White 3800157606042  
1248 - 6000K White 3800157606059



Box Qty.  
**50 Pcs**



EQ. Watts: **100w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1800lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.7**  
Beam Angle: **40°**  
Base: **N/A**  
Body Type: **Die Cast Aluminium**  
Dimension: **Ø111x53mm**



AR111-G53

15w VT-1110-20

4084 - 3000K Warm White  
 4062 - 4000K Day White  
 4061 - 6400K White



3800230620064  
 3800230620057  
 3800230620040



Box Qty.  
**60 Pcs**

EQ. Watts: **75w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **950lm**  
 LED Type: **COB**  
 CRI: **>80**

PF: **>0.9**  
 Beam Angle: **20°**  
 Base: **G53**  
 Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86x63mm**



AR111-G53

15w VT-1110-40

4257 - 3000K Warm White  
 4256 - 4000K Day White  
 4255 - 6400K White



3800230628664  
 3800230628657  
 3800230628640



Box Qty.  
**60 Pcs**

EQ. Watts: **25w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **950lm**  
 LED Type: **COB**  
 CRI: **>80**

PF: **>0.9**  
 Beam Angle: **40°**  
 Base: **G53**  
 Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86x63mm**








**AR111-GU10**  
**12w VT-1112**

4224 - 2700K Warm White  
4223 - 4000K Day White  
4225 - 6400K White

3800230626257  
3800230626219  
3800230626264



EQ. Watts: **60w**  
Voltage/Frequency: **AC:200-240V,50Hz**  
Luminous Flux: **900lm**  
LED Type: **COB**  
CRI: **>80**




PF: **>0.9**  
Beam Angle: **40°**  
Base: **GU10**  
Body Type: **Plastic Clad Aluminium**  
Dimension: **Ø111x86mm**





**AR111-GU10**  
**12w VT-1112D**

7234 - 3000K Warm White  
7235 - 4500K Day White  
7236 - 6000K White

3800157620055  
3800157620062  
3800157620079



EQ. Watts: **60w**  
Voltage/Frequency: **AC:200-240V,50Hz**  
Luminous Flux: **900lm**  
LED Type: **COB**  
CRI: **>80**




PF: **>0.9**  
Beam Angle: **40°**  
Base: **GU10**  
Body Type: **Plastic Clad Aluminium**  
Dimension: **Ø111x86mm**

## AR111-Accessories

Box Qty.  
**24 Pcs**



Model No: VT-7221-W  
 SKU Code: 3575  
 Base: 1XAR111  
 Material: Aluminium  
 Color of Fixture: White  
 Dimension: 174x174 mm  
 Cutting Size: 168x155mm  
 EAN Code: 3800157604765



## AR111-Accessories

Box Qty.  
**12 Pcs**



Model No: VT-7222-W  
 SKU Code: 3576  
 Base: 2XAR111  
 Material: Aluminium  
 Color of Fixture: White  
 Dimension: 325x174mm  
 Cutting Size: 306x162mm  
 EAN Code: 3800157604772



## AR111-Accessories

Box Qty.  
**12 Pcs**


Model No: VT-7223-W  
 SKU Code: 3577  
 Base: 3XAR111  
 Material: Aluminium  
 Color of Fixture: White  
 Dimension: 475x174mm  
 Cutting Size: 455x168 mm  
 EAN Code: 3800157604789



## AR111-Accessories

Box Qty.  
**24 Pcs**


Model No: **VT-7221-B**  
SKU Code: **3581**  
Base: **1XAR111**  
Material: **Aluminium**  
Color of Fixture: **Black**  
Dimension: **174x174 mm**  
Cutting Size: **168x155mm**  
EAN Code: **3800157607063**



## AR111-Accessories

Box Qty.  
**12 Pcs**



Model No: **VT-7222-B**  
SKU Code: **3582**  
Base: **2XAR111**  
Material: **Aluminium**  
Color of Fixture: **Black**  
Dimension: **325x174 mm**  
Cutting Size: **306x162mm**  
EAN Code: **3800157607070**



## AR111-Accessories

Box Qty.  
**12 Pcs**

Model No: **VT-7223-B**  
SKU Code: **3583**  
Base: **3XAR111**  
Material: **Aluminium**  
Color of Fixture: **Black**  
Dimension: **475x174mm**  
Cutting Size: **455x168 mm**  
EAN Code: **3800157607087**



# LED Floodlights

V-TAC's LED Floodlights are ideal for lighting Driveways, Gardens and Buildings. These energy efficient lights emit Bright, Vibrant Light and make an eco-friendly alternative for traditional Halogen Floodlights and Metal Halide fixtures.



## Product Features

- Available in White , Warm White, Day White and RGB light output option
- Available from 10W up to 1000W
- Premium Quality Aluminium Alloy body
- Fascia glass sealed with SILICONE RUBBER ensuring superior waterproof / airtight performance
- High Power LED chip
- Built in constant current driver
- Built in Power supply, No external ballast required

## Applications

Widely used for Lighting Driveways, Gardens & Buildings, Commercial Bill Boards & Hoardings, Sports Grounds & Parking Lots

## Slimline-White Body-White Wire

**50w VT-4955W**

5826 - 4000K Day White  
5827 - 6400K White

3800157615006  
3800157615013





Box Qty.  
**10 Pcs**




**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 4250lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: White  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 237x194x38mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The diagram indicates the beam angle and the light distribution pattern. The actual beam angle may vary slightly due to manufacturing tolerances.



## Slimline-White Body-White Wire

**100w VT-49100W**

5844 - 4000K Day White  
5845 - 6400K White

3800157615181  
3800157615198




Box Qty.  
**4 Pcs**




**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 8500lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: White  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The diagram indicates the beam angle and the light distribution pattern. The actual beam angle may vary slightly due to manufacturing tolerances.





## Slimline-White Body-White Wire

100w VT-49101W

|                         |               |
|-------------------------|---------------|
| 5970 - 3000K Warm White | 3800157626231 |
| 5971 - 4000K Day White  | 3800157626248 |
| 5972 - 6400K White      | 3800157626255 |

Box Qty.  
**4 Pcs**

|                    |                    |
|--------------------|--------------------|
| Sensor Compatible: | Yes                |
| Voltage/Frequency: | AC:220-240V,50Hz   |
| Luminous Flux:     | 8500lm             |
| CRI:               | >70                |
| PF:                | >0.9               |
| Beam Angle:        | 100°               |
| Color of Fixture:  | White              |
| Body Type:         | Die Cast Aluminium |
| IP Rating:         | IP65               |
| Dimension:         | 291x240x30mm       |





## Slimline-Black/Grey Body

150w VT-49150GB

|                         |               |
|-------------------------|---------------|
| 5858 - 3000K Warm White | 3800157615327 |
| 5860 - 6400K White      | 3800157615341 |

Box Qty.  
**2 Pcs**

|                    |                     |
|--------------------|---------------------|
| Sensor Compatible: | Yes                 |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux:     | 12750lm             |
| CRI:               | >70                 |
| PF:                | >0.9                |
| Beam Angle:        | 100°                |
| Color of Fixture:  | Black+Grey          |
| Body Type:         | Die Cast Aluminium  |
| IP Rating:         | IP65                |
| Dimension:         | 411x313x51mm        |





### Slimline-Grey Body-Sand Finish

**10w VT-4911G**

5782 - 6400K White

3800157614566





Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 800lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Grey  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 136x113x28mm



### Slimline-Grey Body-Sand Finish

**20w VT-4922G**

5800 - 6400K White

3800157614740





Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 1600lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Grey  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 181x148x34mm



## Slimline-Grey Body-Sand Finish

## 30w VT-4933G



5818 - 6400K White

3800157614924


Box Qty.  
**20 Pcs****IP65**  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 2550lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: Grey  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 217x174x35mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaire is at different distances.



## Slimline-Grey Body-Sand Finish

## 100w VT-49100G

5853 - 4000K Day White

3800157615273



5854 - 6400K White

3800157615280


Box Qty.  
**4 Pcs****IP65**  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 8500lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: Grey  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaire is at different distances.



Slimline-Grey Body-Sand Finish

**150w VT-49150G**

5864 - 3000K Warm White

3800157615389





Box Qty.  
**2 Pcs**



**IP65**  
RATING

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **12750lm**  
CRI: **>70**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **Grey**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **411x313x51mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## I Series-Black Body

### 10w VT-4611B

5876 - 4500K Day White

3800157615983

5877 - 6000K White

3800157615990





Box Qty.  
**50 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50Hz  
Luminous Flux: 850lm  
CRI: >70  
PF: >0.9  
Beam Angle: 110°  
Color of Fixture: Black  
Body Type: Aluminium  
IP Rating: IP65  
Dimension: 122x105x30mm



## I Series-Black Body

### 30w VT-4631

5883 - 6000K White

3800157616058





Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50Hz  
Luminous Flux: 2550lm  
CRI: >70  
PF: >0.9  
Beam Angle: 110°  
Color of Fixture: Black  
Body Type: Aluminium  
IP Rating: IP65  
Dimension: 213x168x32mm





## I Series-Black Body

**50w VT-4651B**

|                         |               |
|-------------------------|---------------|
| 5884 - 3000K Warm White | 3800157616065 |
| 5885 - 4500K Day White  | 3800157616072 |
| 5886 - 6000K White      | 3800157616089 |



|                    |                  |
|--------------------|------------------|
| Sensor Compatible: | Yes              |
| Voltage/Frequency: | AC:200-240V,50Hz |
| Luminous Flux:     | 4250lm           |
| CRI:               | >70              |
| PF:                | >0.9             |
| Beam Angle:        | 110°             |
| Color of Fixture:  | Black            |
| Body Type:         | Aluminium        |
| IP Rating:         | IP65             |
| Dimension:         | 255x196x36mm     |





## I Series-Black Body

**100w VT-46100**

|                    |               |
|--------------------|---------------|
| 5889 - 6000K White | 3800157616119 |
|--------------------|---------------|



|                    |                  |
|--------------------|------------------|
| Sensor Compatible: | Yes              |
| Voltage/Frequency: | AC:200-240V,50Hz |
| Luminous Flux:     | 8500lm           |
| CRI:               | >70              |
| PF:                | >0.9             |
| Beam Angle:        | 110°             |
| Color of Fixture:  | Black            |
| Body Type:         | Aluminium        |
| IP Rating:         | IP65             |
| Dimension:         | 345x265x45mm     |



## I Series-Black Body



150w VT-46150

5891 - 6000K White

3800157616133

Box Qty.  
**5 Pcs**

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 12750lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: Black  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 375x292x45mm



## I Series-Black Body



200w VT-46200B

5893 - 6000K White

3800157616157

Box Qty.  
**5 Pcs**

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 17000lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: Black  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 415x332x45mm



## I Series-White Body

**10w VT-4611W**

5899 - 4500K Day White  
5900 - 6000K White

3800157619226  
3800157619233





Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50Hz  
Luminous Flux: 850lm  
CRI: >70  
PF: >0.9  
Beam Angle: 110°  
Color of Fixture: White  
Body Type: Aluminium  
IP Rating: IP65  
Dimension: 122x105x30mm



## I Series-White Body

**50w VT-4651W**

5904 - 3000K Warm White  
5905 - 4500K Day White  
5906 - 6000K White

3800157619370  
3800157619387  
3800157619394





Box Qty.  
**10 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50Hz  
Luminous Flux: 4250lm  
CRI: >70  
PF: >0.9  
Beam Angle: 110°  
Color of Fixture: White  
Body Type: Aluminium  
IP Rating: IP65  
Dimension: 255x196x36mm



## I Series-White Body



## 200w VT-46200W

5908 - 6000K White

3800157619417

Box Qty.  
**5 Pcs****IP65**  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 17000lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: White  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 415x332x45mm





## E Series-White Body

**10w VT-4011W**

|                         |               |
|-------------------------|---------------|
| 5943 - 3000K Warm White | 3800157625364 |
| 5944 - 4000K Day White  | 3800157625371 |
| 5945 - 6500K White      | 3800157625388 |





Box Qty.  
**40 Pcs**



**IP65**  
RATING

|                    |                  |
|--------------------|------------------|
| Sensor Compatible: | Yes              |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux:     | 850lm            |
| CRI:               | >70              |
| PF:                | >0.9             |
| Beam Angle:        | 110°             |
| Color of Fixture:  | White            |
| Body Type:         | Aluminium        |
| IP Rating:         | IP65             |
| Dimension:         | 110x112x22mm     |



## E Series-White Body

**20w VT-4021W**

|                         |               |
|-------------------------|---------------|
| 5949 - 3000K Warm White | 3800157625425 |
| 5950 - 4000K Day White  | 3800157625432 |
| 5951 - 6500K White      | 3800157625449 |





Box Qty.  
**20 Pcs**



**IP65**  
RATING

|                    |                     |
|--------------------|---------------------|
| Sensor Compatible: | Yes                 |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux:     | 1700lm              |
| CRI:               | >70                 |
| PF:                | >0.9                |
| Beam Angle:        | 110°                |
| Color of Fixture:  | White               |
| Body Type:         | Aluminium           |
| IP Rating:         | IP65                |
| Dimension:         | 150x143x26mm        |





## E Series-White Body

**30w**    **VT-4031W**

|                         |               |
|-------------------------|---------------|
| 5955 - 3000K Warm White | 3800157625487 |
| 5956 - 4000K Day White  | 3800157625494 |
| 5957 - 6500K White      | 3800157625500 |


 Box Qty.  
**20 Pcs**


|                    |                  |
|--------------------|------------------|
| Sensor Compatible: | Yes              |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux:     | 2550lm           |
| CRI:               | >70              |
| PF:                | >0.9             |
| Beam Angle:        | 110°             |
| Color of Fixture:  | White            |
| Body Type:         | Aluminium        |
| IP Rating:         | IP65             |
| Dimension:         | 185x163x26mm     |





## E Series-White Body

**50w**    **VT-4051W**

|                         |               |
|-------------------------|---------------|
| 5961 - 3000K Warm White | 3800157625548 |
| 5962 - 4000K Day White  | 3800157625555 |
| 5963 - 6500K White      | 3800157625562 |


 Box Qty.  
**10 Pcs**


|                    |                     |
|--------------------|---------------------|
| Sensor Compatible: | Yes                 |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux:     | 4250lm              |
| CRI:               | >70                 |
| PF:                | >0.9                |
| Beam Angle:        | 110°                |
| Color of Fixture:  | White               |
| Body Type:         | Aluminium           |
| IP Rating:         | IP65                |
| Dimension:         | 245x192x28mm        |





## E Series-White Body

### 100w VT-40101W

|                         |               |
|-------------------------|---------------|
| 5967 - 3000K Warm White | 3800157625609 |
| 5968 - 4000K Day White  | 3800157625616 |
| 5969 - 6500K White      | 3800157625623 |



|                    |                     |
|--------------------|---------------------|
| Sensor Compatible: | Yes                 |
| Voltage/Frequency: | AC:220-240V,50/60Hz |
| Luminous Flux:     | 8500lm              |
| CRI:               | >70                 |
| PF:                | >0.9                |
| Beam Angle:        | 110°                |
| Color of Fixture:  | White               |
| Body Type:         | Aluminium           |
| IP Rating:         | IP65                |
| Dimension:         | 330x271x33mm        |





## E Series-White Body

### 10w VT-4011B

|                         |               |
|-------------------------|---------------|
| 5940 - 3000K Warm White | 3800157625333 |
| 5941 - 4000K Day White  | 3800157625340 |
| 5942 - 6500K White      | 3800157625357 |



|                    |                  |
|--------------------|------------------|
| Sensor Compatible: | Yes              |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux:     | 850lm            |
| CRI:               | >70              |
| PF:                | >0.9             |
| Beam Angle:        | 110°             |
| Color of Fixture:  | Black            |
| Body Type:         | Aluminium        |
| IP Rating:         | IP65             |
| Dimension:         | 110x112x22mm     |





## E Series-White Body

**20w**    **VT-4021B**

5946 - 3000K Warm White    3800157625395  
 5947 - 4000K Day White    3800157625401  
 5948 - 6500K White    3800157625418


 Box Qty.  
**20 Pcs**


Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1700lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: Black  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 150x143x26mm





## E Series-White Body

**30w**    **VT-4031B**

5952 - 3000K Warm White    3800157625456  
 5953 - 4000K Day White    3800157625463  
 5954 - 6500K White    3800157625470


 Box Qty.  
**20 Pcs**


Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 2550lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: Black  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 185x163x26mm





## E Series-White Body

**50w VT-4051B**

5958 - 3000K Warm White 3800157625517  
5959 - 4000K Day White 3800157625524  
5960 - 6500K White 3800157625531



Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 4250lm  
CRI: >70  
PF: >0.9  
Beam Angle: 110°  
Color of Fixture: Black  
Body Type: Aluminium  
IP Rating: IP65  
Dimension: 245x192x28mm





## E Series-White Body

**100w VT-40101B**

5964 - 3000K Warm White 3800157625579  
5965 - 4000K Day White 3800157625586  
5966 - 6500K White 3800157625593



Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 8500lm  
CRI: >70  
PF: >0.9  
Beam Angle: 110°  
Color of Fixture: Black  
Body Type: Aluminium  
IP Rating: IP65  
Dimension: 330x271x33mm



## Floodlight With Stand- EU Plug

### 30w VT-4230

5927 - 4000K Day White  
5928 - 6400K White

3800157622837  
3800157622844



Box Qty.  
**10 Pcs**



**IP65**  
RATING



Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 2550lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 243x275x184mm

### 3 METER WIRE

### EU PLUG



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## Floodlight With Stand- EU Plug

### 50w VT-4250

5929 - 4000K Day White  
5930 - 6400K White

3800157622851  
3800157622868



Box Qty.  
**10 Pcs**



**IP65**  
RATING



Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 4250lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 278x313x183mm

### 3 METER WIRE

### EU PLUG



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## Floodlight With Stand- EU Plug

**100w VT-42100**

5931 - 4000K Day White  
5932 - 6400K White

3800157622875  
3800157622882



Box Qty.  
**4 Pcs**



**IP65**  
RATING



Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 8500lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 354x378x184mm

**3 METER WIRE**

**EU PLUG**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



**new!**

## Solar-Floodlight

**10w VT-787-10**

9869 - 4000K Day White



Box Qty.  
**8Pcs**

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 1100lm  
CRI: >70  
PF: >0.5  
Beam Angle: 90°  
Color of Fixture: Black  
Body Type: Aluminium  
IP Rating: IP65  
Dimension: 175x43x266mm



## High Lumen-Meanwell Driver

## 500w VT-49500

5934 - 4500K Day White

3800157623605

5935 - 6000K White

3800157623612

Box Qty.  
1 PcIP65  
RATING

### 5 YEAR WARRANTY

\*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty

## 120 LUMENS + PER WATT

**SUPER EFFICIENT**



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 60000lm

CRI: &gt;70

PF: &gt;0.9


Beam Angle: 100°

Color of Fixture: Grey


Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: 658x154x537mm



Luminous Intensity Distribution Curve(cd/klm)



## High Lumen-Meanwell Driver

## 500w VT-49501

5936 - 4000K Day White

3800157624985

5937 - 6000K White

3800157624992

Box Qty.  
1 PcIP65  
RATING

### 5 YEAR WARRANTY

\*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty

## 120 LUMENS + PER WATT

**SUPER EFFICIENT**



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 60000lm

CRI: &gt;70

PF: &gt;0.9



Beam Angle: 120°

Color of Fixture: Black

Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: 658x154x537mm





## High Lumen-Meanwell Driver 1000wVT-491001

5938 - 4000K Day White  
5939 - 6000K White

3800157625005  
3800157625012



Box Qty.  
**1 Pc**



**IP65**  
RATING



*Good Reliable Power Source*



**5** **V-TAC® PRO**  
**YEAR WARRANTY**

\*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty

**120** **LUMENS**  
**+ PER WATT**  
**SUPER EFFICIENT**



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 120000lm  
CRI: >70  
PF: >0.9  
Beam Angle: 60°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 748x762x154mm




## LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



The advanced motion sensor PIR detects movement within a range of 2 - 8 meter and can also be adjusted to 3 different functions.

### Colour Temperatures



### Salient Features

- Available in two refined body colour options (black and white)
- ⚡ Available from 10W up to 50W
- 📦 Premium Quality Aluminium Alloy body
- 🛡️ Corrosion Resistant
- ⚙️ High Power LED chip
- 🔧 Built in driver - no external power supply required
- 👤 High quality Fresnel lens for excellent coverage area
- ⚙️ Integrated circuit designed for instant start-up on Detection

Elevated level of Energy saving with LED + PIR



100°  
DETECTION ANGLE



## PIR-Slimline-White Body

**10w VT-4911PIRW**



5786 - 3000K Warm White 3800157614603  
5787 - 4500K Day White 3800157614610  
5788 - 6000K White 3800157614627

Box Qty.  
**20 Pcs**


Detection Angle: **120°**  
Detection Distance: **2-8m**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **800lm**  
CRI: **>70**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **White**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **113x178x47mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



## PIR-Slimline-White Body

**20w VT-4922PIRW**



5804 - 3000K Warm White 3800157614788  
5805 - 4500K Day White 3800157614795  
5806 - 6000K White 3800157614801

Box Qty.  
**20 Pcs**


Detection Angle: **120°**  
Detection Distance: **2-8m**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1600lm**  
CRI: **>70**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **White**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **181x205x57mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



## PIR-Slimline-White Body

### 30w VT-4933PIRW



|                         |               |
|-------------------------|---------------|
| 5822 - 3000K Warm White | 3800157614962 |
| 5823 - 4000K Day White  | 3800157614979 |
| 5824 - 6400K White      | 3800157614986 |




|                     |                     |
|---------------------|---------------------|
| Detection Angle:    | 120°                |
| Detection Distance: | 2-8m                |
| Voltage/Frequency:  | AC:220-240V,50/60Hz |
| Luminous Flux:      | 2550lm              |
| CRI:                | >70                 |
| PF:                 | >0.9                |
| Beam Angle:         | 100°                |
| Color of Fixture:   | White               |
| Body Type:          | Die Cast Aluminium  |
| IP Rating:          | IP44                |
| Dimension:          | 217x231x59mm        |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-White Body

### 50w VT-4955PIRW



|                         |               |
|-------------------------|---------------|
| 5840 - 3000K Warm White | 3800157615143 |
| 5841 - 4000K Day White  | 3800157615150 |
| 5842 - 6400K White      | 3800157615167 |




|                     |                     |
|---------------------|---------------------|
| Detection Angle:    | 120°                |
| Detection Distance: | 2-8m                |
| Voltage/Frequency:  | AC:220-240V,50/60Hz |
| Luminous Flux:      | 4250lm              |
| CRI:                | >70                 |
| PF:                 | >0.9                |
| Beam Angle:         | 100°                |
| Color of Fixture:   | White               |
| Body Type:          | Die Cast Aluminium  |
| IP Rating:          | IP44                |
| Dimension:          | 237x251x62mm        |



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-Black Body

**10w VT-4911PIRB**



5783 - 3000K Warm White 3800157614573

Box Qty.  
**20 Pcs**


Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **800lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **Black**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **113x178x47mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## PIR-Slimline-Black Body

**20w VT-4922PIRB**



5801 - 3000K Warm White 3800157614757

Box Qty.  
**20 Pcs**


Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1600lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **Black**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **181x205x57mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## PIR-Slimline-Black Body

### 30w VT-4933PIRB



5819 - 3000K Warm White 3800157614931  
5821 - 6400K White 3800157614955

Box Qty.  
**20 Pcs**


Detection Angle: 120°  
Detection Distance: 2-8m  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 2550lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP44  
Dimension: 217x231x59mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-Black Body

### 50w VT-4955PIRB



5837 - 3000K Warm White 3800157615112  
5838 - 4000K Day White 3800157615129  
5839 - 6400K White 3800157615136

Box Qty.  
**10 Pcs**


Detection Angle: 120°  
Detection Distance: 2-8m  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 4250lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP44  
Dimension: 237x251x62mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-White Body

10w VT-4810PIRW

|                         |               |
|-------------------------|---------------|
| 5746 - 3000K Warm White | 3800157608213 |
| 5747 - 4500K Day White  | 3800157608206 |



Box Qty.  
**20 Pcs**

|                     |                     |
|---------------------|---------------------|
| Detection Angle:    | 120°                |
| Detection Distance: | 2-8m                |
| Voltage/Frequency:  | AC:220-240V,50/60Hz |
| Luminous Flux:      | 800lm               |
| CRI:                | >70                 |
| PF:                 | >0.9                |
| Beam Angle:         | 100°                |
| Color of Fixture:   | White               |
| Body Type:          | Die Cast Aluminium  |
| IP Rating:          | IP44                |
| Dimension:          | 133x178x47mm        |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average duration of effective signs



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



### PIR-Slimline-White Body

20w VT-4820PIRW

|                         |               |
|-------------------------|---------------|
| 5756 - 3000K Warm White | 3800157611688 |
| 5750 - 6000K White      | 3800157608879 |



Box Qty.  
**15 Pcs**

|                     |                     |
|---------------------|---------------------|
| Detection Angle:    | 120°                |
| Detection Distance: | 2-8m                |
| Voltage/Frequency:  | AC:220-240V,50/60Hz |
| Luminous Flux:      | 1600lm              |
| CRI:                | >70                 |
| PF:                 | >0.9                |
| Beam Angle:         | 100°                |
| Color of Fixture:   | White               |
| Body Type:          | Die Cast Aluminium  |
| IP Rating:          | IP44                |
| Dimension:          | 185x211x50mm        |




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



For example, *Staphylococcus aureus* affecting the eye



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distances.



## PIR-Slimline-White Body

**30w**    **VT-4830PIRW**

5752 - 6000K White

3800157608893



 Box Qty.  
**10 Pcs**

Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **2400lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **White**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **217x231x51mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-White Body

**50w**    **VT-4850PIRW**

5758 - 3000K Warm White

3800157611701

5753 - 4500K Day White

3800157608909

5754 - 6000K White

3800157608916



 Box Qty.  
**10 Pcs**

Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **4000lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **White**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **237x255x51mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.





## PIR-Slimline-Black Body

**20w VT-4820PIRB**


5697 - 3000K Warm White 3800157604338

Box Qty.  
**15 Pcs**

Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1600lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **Black**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **185x211x50mm**




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy figure

| Power (W) | Beam Angle (°) | Beam Diameter (mm) | Beam Length (mm) | Beam Area (mm²) | Beam Volume (mm³) | Beam Weight (g) | Beam Price (€) |
|-----------|----------------|--------------------|------------------|-----------------|-------------------|-----------------|----------------|
| 20        | 100            | 185                | 211              | 39000           | 1600000           | 1600            | 1.50           |
| 30        | 100            | 270                | 315              | 85000           | 2700000           | 2700            | 2.25           |
| 40        | 100            | 360                | 420              | 144000          | 3600000           | 3600            | 3.00           |
| 50        | 100            | 450                | 525              | 225000          | 4500000           | 4500            | 3.75           |
| 60        | 100            | 540                | 630              | 324000          | 5400000           | 5400            | 4.50           |
| 70        | 100            | 630                | 735              | 441000          | 6300000           | 6300            | 5.25           |
| 80        | 100            | 720                | 840              | 576000          | 7200000           | 7200            | 6.00           |
| 90        | 100            | 810                | 945              | 729000          | 8100000           | 8100            | 6.75           |
| 100       | 100            | 900                | 1050             | 900000          | 9000000           | 9000            | 7.50           |

Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



## PIR-Slimline-Black Body

**30w VT-4830PIRB**

5699 - 3000K Warm White 3800157604352  
 5700 - 4500K Day White 3800157604369  
 5716 - 6000K White 3800157604956

Box Qty.  
**10 Pcs**

Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **2400lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **Black**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **217x231x51mm**




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy figure

| Power (W) | Beam Angle (°) | Beam Diameter (mm) | Beam Length (mm) | Beam Area (mm²) | Beam Volume (mm³) | Beam Weight (g) | Beam Price (€) |
|-----------|----------------|--------------------|------------------|-----------------|-------------------|-----------------|----------------|
| 30        | 100            | 217                | 231              | 50000           | 2400000           | 2400            | 2.25           |
| 40        | 100            | 290                | 310              | 88000           | 3200000           | 3200            | 3.00           |
| 50        | 100            | 360                | 400              | 130000          | 4000000           | 4000            | 3.75           |
| 60        | 100            | 430                | 480              | 185000          | 5100000           | 5100            | 4.50           |
| 70        | 100            | 500                | 560              | 250000          | 6000000           | 6000            | 5.25           |
| 80        | 100            | 570                | 640              | 325000          | 6800000           | 6800            | 6.00           |
| 90        | 100            | 640                | 720              | 410000          | 7500000           | 7500            | 6.75           |
| 100       | 100            | 710                | 800              | 500000          | 8200000           | 8200            | 7.50           |

Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



## PIR-Slimline-Black Body

### 50w VT-4850PIRB

5701 - 3000K Warm White  
5717 - 6000K White

3800157604376  
3800157604963

Box Qty.  
**10 Pcs**

Detection Angle: 120°  
Detection Distance: 2-8m  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 4000lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP44  
Dimension: 237x255x51mm




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average illuminance effective light

| Distance (m) | 1m   | 2m   | 3m  | 4m  | 5m  | 6m  | 7m | 8m |
|--------------|------|------|-----|-----|-----|-----|----|----|
| 1m           | 4000 | 1000 | 444 | 250 | 160 | 111 | 80 | 63 |
| 2m           | 1000 | 250  | 111 | 63  | 40  | 28  | 21 | 16 |
| 3m           | 444  | 111  | 44  | 25  | 16  | 11  | 8  | 6  |
| 4m           | 250  | 63   | 25  | 16  | 10  | 7   | 5  | 4  |
| 5m           | 160  | 40   | 16  | 10  | 6   | 4   | 3  | 2  |
| 6m           | 111  | 28   | 11  | 7   | 4   | 3   | 2  | 1  |
| 7m           | 80   | 21   | 8   | 5   | 3   | 2   | 1  | 1  |
| 8m           | 63   | 16   | 6   | 4   | 2   | 1   | 1  | 0  |

Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## Floodlight-Infrared-RGB

### 10w VT-4711RF


5894 - RGB

3800157617512

Box Qty.  
**20 Pcs**

**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 800lm  
CRI: >80  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: White  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 87X115X85mm



## Floodlight-Infrared-RGB

**10w VT-4711IF**

5895 - RGB

3800157617529




Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **800lm**  
CRI: **>80**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **Grey**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **87X115X85mm**



## Floodlight-Remote Control-RGB

**30w VT-4732**

5755 - RGB

3800157609517




Box Qty.  
**6 Pcs**



**IP65**  
RATING

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V**  
Luminous Flux: **2400lm**  
CRI: **>80**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **Grey**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **136x227x206mm**



## Floodlight-Remote Control-RGB


**50w VT-4752**

5691 - RGB

3800157603508


 Box Qty.  
**6 Pcs**


Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 4000lm  
 CRI: >80  
 PF: >0.9  
 Beam Angle: 120°  
 Color of Fixture: Grey  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 136x227x206mm



## Rechargeable-IP44

**20w VT-4822**

5692 - 4000K Day White

3800157603515

5735 - 6000K White

3800157606929


 Box Qty.  
**10 Pcs**

Sensor Compatible: No  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 1600lm  
 PF: >70  
 Beam Angle: 100°  
 Color of Fixture: Green  
 Body Type: Plastic+Aluminium  
 IP Rating: IP44  
 Dimension: 208x204x355mm


**RECHARGEABLE**

Battery Capacity: 3.7V,8800mAh  
 Charging Time: 5-6 Hours  
 Working Time: High Light 2-3 Hours/ Low Light 6Hours

## PIR Sensor-WIFI-Camera

18w

**VT-4818W**


5745 - 6000K White

3800157608268



Box Qty.  
**4 Pcs**

|                    |                                 |
|--------------------|---------------------------------|
| Video Compression: | H.264 / MJPEG dual video stream |
| Image Resolution:  | 1280*720                        |
| Image sensor:      | 1/4 " 1Megapixel CMOS           |
| Pixels:            | 1 million pixels                |
| Delay Time:        | 0-30S                           |
| Voltage/Frequency: | AC:100-240V,50/60Hz             |
| Luminous Flux:     | 600lm                           |
| CRI:               | >70                             |
| PF:                | >0.5                            |
| Beam Angle:        | 180°                            |
| Color of Fixture:  | White                           |
| Body Type:         | ABS+Aluminium                   |
| IP Rating:         | IP20                            |
| Dimension:         | 248x 162x 181mm                 |



### 3-in-1 Floodlight



## PIR Sensor-WIFI-Camera

18w

**VT-4818B**


5917 - 6000K White

3800157620925



Box Qty.  
**4 Pcs**

|                    |                                 |
|--------------------|---------------------------------|
| Video Compression: | H.264 / MJPEG dual video stream |
| Image Resolution:  | 1280*720                        |
| Image sensor:      | 1/4 " 1Megapixel CMOS           |
| Pixels:            | 1 million pixels                |
| Delay Time:        | 0-30S                           |
| Voltage/Frequency: | AC:100-240V,50/60Hz             |
| Luminous Flux:     | 600lm                           |
| CRI:               | >70                             |
| PF:                | >0.5                            |
| Beam Angle:        | 180°                            |
| Color of Fixture:  | Black                           |
| Body Type:         | ABS+Aluminium                   |
| IP Rating:         | IP20                            |
| Dimension:         | 248x162x181mm                   |



### 3-in-1 Floodlight



## Waterproof Box Terminal Block

**VT-7224-B**

3578

Box Qty.  
**160 Pcs**

Voltage: 250V Max  
Material: Polypropylene (PP)  
Size: 123x46x33mm  
Wire range: 0.5-2.5mm<sup>2</sup>



## Waterproof Box Terminal Block

**VT-792-B**

3621

Box Qty.  
**500 Pcs**

Voltage: AC:220V  
Size: Ø27x76mm  
Wire range: 4-6.5mm



## Waterproof Box Terminal Block

**VT-7224-W**

5897

Box Qty.  
**240 Pcs**

Voltage: 250V Max  
Material: Polypropylene (PP)  
Size: 123x46x33mm  
Wire range: 0.5-2.5mm<sup>2</sup>



## Waterproof Box Terminal Block

**VT-792-W**

5896

Box Qty.  
**500 Pcs**

Voltage: AC:220V  
Size: Ø27x76mm  
Wire range: 4-6.5mm




### Tripod Stand-Yellow

**VT-41150Y**

9104

Size: 900x940~1800mm

 Box Qty.  
**8 Pcs**



### Tripod Stand-Black

**VT-41150B**

9546

Size: 900x940~1800mm

 Box Qty.  
**8 Pcs**



### Billboard Stand

**VT-793**

3622

Size: 870x200mm

 Box Qty.  
**4 Pcs**



**87cm**

Suitable For:

70w - 100w - 120w - 150w - 200w

### Billboard Stand

**VT-794**

3623

Size: 850x150mm

 Box Qty.  
**4 Pcs**



**85cm**

Suitable For:

10w - 20w - 30w - 50w

## Floodlight spike

## VT-854-G

7533

3800157630467

Box Qty.  
**200 Pcs**

Size:

Ø35xH150

**new!**

## Grey

Body Type: Aluminium



## Floodlight spike

## VT-854-W

7534

3800157630474

Box Qty.  
**200 Pcs**

Size:

Ø35xH150

**new!**

## White

Body Type: Aluminium



## Floodlight spike

## VT-854-B

7535

3800157630481

Box Qty.  
**200 Pcs**

Size:

Ø35xH150

**new!**

## Black

Body Type: Aluminium





### Floodlight spike

#### VT-855-G

7536

3800157630498



Box Qty.  
**100 Pcs**

Size:

Ø60xH265



**new!**

#### Grey

Body Type: Aluminium



### Floodlight spike

#### VT-855-W

7537

3800157630504



Box Qty.  
**100 Pcs**

Size:

Ø60xH265



**new!**

#### White

Body Type: Aluminium



### Floodlight spike

#### VT-855-B

7538

3800157630511



Box Qty.  
**100 Pcs**

Size:

Ø60xH265



**new!**

#### Black

Body Type: Aluminium



# LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.



## Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or Mercury content hence environment friendly
- Dimmable options available in selected models

## Applications

Offices, Conference Room, Hospitals, Hotels, Shopping Malls, Showroom, Kitchen and Domestic Lighting etc.



Box Qty.  
**6 Pcs**

**5** **V-TAC®** **PRO**  
**YEAR**  
**WARRANTY**


\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Big Panels-60x60

**45w VT-6165**

6419 - 3000K Warm White  
6420 - 4000K Day White

3800157626828  
3800157626835



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA**  
Shape: **Square**  
Dimension: **595x595x14mm**




Box Qty.

**6 Pcs**

## Big Panels-60x60

**45W**    **VT-6060-6**

|                          |               |
|--------------------------|---------------|
| 60286 - 3000K Warm White | 3800230624482 |
| 60246 - 4000K Day White  | 3800230623652 |
| 60256 - 6400K White      | 3800230623584 |



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **3600lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium+PMMA+PP**  
 Shape: **Square**  
 Dimension: **595x595x14mm**



### Big Panels-UGR<19-60x60


**45W VT-6068-6**

62206 - 3000K Warm White  
62186 - 4000K Day White  
62196 - 6400K White

3800157619516  
3800157609265  
3800157609272

Box Qty.  
**6 Pcs**

**LG7 Compliant**  
**UGR < 19**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PP**  
Shape: **Square**  
Dimension: **595x595x14mm**



### Big Panels-UGR<19-62x62


**45W VT-6069**

6222 - 3000K Warm White  
6217 - 4000K Day White  
6221 - 6400K White

3800157604918  
3800157604857  
3800157604901

Box Qty.  
**6 Pcs**

**LG7 Compliant**  
**UGR < 19**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PP**  
Shape: **Square**  
Dimension: **620x620x14mm**



## Big Panels-High Lumen-60x60


29w VT-6129-6

62406 - 3000K Warm White  
 62416 - 4000K Day White  
 62426 - 6400K White

3800157619608  
 3800157609289  
 3800157609296



**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 3600lm

LED Type: SMD  
 CRI: >80  
 PF: >0.9

Beam Angle: 120°  
 Body Type: Aluminium+PMMA+PC  
 Shape: Square  
 Dimension: 595x595x13mm



## Big Panels-High Lumen-60x60


45w VT-6145-6

63776 - 3000K Warm White  
 62366 - 4000K Day White  
 62376 - 6400K White

3800157622158  
 3800157615723  
 3800157615730



**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 5400lm

LED Type: SMD  
 CRI: >80  
 PF: >0.9

Beam Angle: 120°  
 Body Type: Aluminium+PMMA+PP  
 Shape: Square  
 Dimension: 595x595x13mm



### Big Panels-High Lumen-60x60


**36w VT-6136**

6376 - 3000K Warm White  
6238 - 4000K Day White  
6239 - 6400K White

3800157622141  
3800157607636  
3800157607643

Box Qty.  
**6 Pcs**

**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **4320lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PC**  
Shape: **Square**  
Dimension: **595x595x13mm**



### Big Panels-High Lumen-62x62


**36w VT-6137**

63786 - 3000K Warm White  
62436 - 4000K Day White  
63796 - 6400K White

3800157622165  
3800157619622  
3800157622172

Box Qty.  
**6 Pcs**

**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **4320lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PC**  
Shape: **Square**  
Dimension: **620x620x13mm**




Box Qty.  
**4 Pcs**

Big Panels-Surfaced/Recessed-60x60

**36w VT-6139**

6380 - 4000K Day White  
6381 - 6400K White

3800157624008  
3800157624015



**2IN1**  
RECESSED OR SURFACE

Emergency Pack: **Available**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **2880lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Iron+PS**  
Shape: **Square**  
Dimension: **595x595x19mm**



## Big Panels-High Lumen-120x30

29w VT-12031


6256 - 3000K Warm White  
6257 - 4000K Day White  
6258 - 6400K White

3800157610414  
3800157610421  
3800157610438



Box Qty.  
**6 PCS**

**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **3400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**

## Big Panel-High Lumen-120x30

45w VT-12046


6384 - 4000K Day White  
6385 - 6000K White

3800157624770  
3800157624787



Box Qty.  
**6 PCS**

**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **5400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**



## Big Panels-120x30


45w VT-12030

60696 - 3000K Warm White  
60266 - 4000K Day White  
60276 - 6400K White

3800157609326  
3800230623638  
3800157609319



Box Qty.  
**6 Pcs**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**



## Big Panels-UGR&lt;19-120x30

45w VT-12032


6329 - 4000K Day White

3800157619615



Box Qty.  
**6 Pcs**

**LG7 Compliant**   
**UGR < 19**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**



### Big Panels-High Lumen-120x60

**45W VT-12047**

6426 - 6400K White


3800157626989

Box Qty.  
**1 Pcs**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **5400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA**  
Shape: **Rectangle**  
Dimension: **1195x595x14mm**



### Big Panels-High Lumen-120x60

**45W VT-12045**

6332 - 4000K Day White


6333 - 6400K White

3800157620321

3800157620338

Box Qty.  
**2 Pcs**

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **5400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x595x14mm**



## Round-Suspended Panel

40w

VT-6141B

6433 - 4000K Day White

3800157628129

 Box Qty.  
1 Pcs

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 3200lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium  
Shape: Round  
Dimension: Ø400mm



## Round-Suspended Panel

40w

VT-6141

6432 - 4000K Day White

3800157628112

 Box Qty.  
1 Pcs

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 3200lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium  
Shape: Round  
Dimension: Ø400mm



30w



Box Qty.  
**50 Pcs**

SKU Code: **3110**  
Dimmable: **No**  
Voltage: **AC:200-240V,50/60Hz**  
EAN Code: **3800157622103**



29w



Box Qty.  
**20 Pcs**

SKU Code: **6268**  
Dimmable: **Yes**  
Voltage: **AC:200-240V,50/60Hz**  
EAN Code: **3800157614412**



29w



Box Qty.  
**50 Pcs**

SKU Code: **6271**  
Dimmable: **No**  
Voltage: **AC:200-240V,50/60Hz**  
EAN Code: **3800157614443**



36w



Box Qty.  
**20 Pcs**

SKU Code: **6436**  
Dimmable: **No**  
Voltage: **AC:200-240V,50/60Hz**  
EAN Code: **3800157629386**

42w



Box Qty.  
**50 Pcs**

SKU Code: **6029**  
Dimmable: **No**  
Voltage: **AC:220-240V,50/60Hz**  
EAN Code: **3800157608626**



45w



Box Qty.  
**50 Pcs**

SKU Code: **6019**  
Dimmable: **Yes**  
Voltage: **AC:200-240V,50/60Hz**  
EAN Code: **3800157604017**



45w

 Box Qty.  
20 Pcs

SKU Code: 6437  
Dimmable: Yes  
Voltage: AC:100-277V,50/60Hz  
EAN Code: 3800157630337



45w

 Box Qty.  
50 Pcs

SKU Code: 6386  
Dimmable: No  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157624886



45w

SKU Code: 6269  
Dimmable: Yes  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157614429


 Box Qty.  
50 Pcs


45w

 Box Qty.  
50 Pcs

SKU Code: 6427  
Dimmable: No  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157626996



45w

 Box Qty.  
50 Pcs

SKU Code: 6270  
Dimmable: No  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157614436



70w

SKU Code: 6328  
Dimmable: Yes  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157619592

 Box Qty.  
50 Pcs




### Suspended Mounting



Box Qty.  
**100 Pcs**

SKU Code: **6018**

EAN Code: **3800230623669**

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is

• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



### Surface Mounting-120x30



Box Qty.  
**6 Pcs**

SKU Code: **9969**

EAN Code: **3800230623683**



### Surface Mounting-120x60



Box Qty.  
**5 Pcs**

SKU Code: **9989**

EAN Code: **3800230623614**



### Extension Frame-60x60



Box Qty.  
**13 Pcs**

SKU Code: **9968**

EAN Code: **3800230623706**



### Surface Mounting-30x30



Box Qty.  
**5 Pcs**

SKU Code: **9970**

EAN Code: **3800230623690**

Convert the recessed panel to surface panel  
and install it easily on solid surfaces.



### Surface Mounting-62x62



Box Qty.  
**5 Pcs**

SKU Code: **9997**

EAN Code: **3800157633130**

Convert the recessed panel to surface panel  
and install it easily on solid surfaces.



### Surface Mounting-60x60



Box Qty.  
**5 Pcs**

SKU Code: **9999**

EAN Code: **3800230623676**

Convert the recessed panel to surface panel  
and install it easily on solid surfaces.



### Surface Frame-60x60



Box Qty.  
**25 Pcs**

SKU Code: **3678**

EAN Code: **3800157625272**

Easily fixable frame available in compact packing and  
easy to install with user manual.

**Foldable kit**  
**DIY** ✂  
DO IT YOURSELF





### Surface Frame-120x30



Box Qty.  
**12 Pcs**

SKU Code: **3679**

EAN Code: **3800157625289**

**Foldable kit**  
**DIY**  
DO IT YOURSELF

Easily fixable frame available in compact packing and easy to install with user manual.



### Waterproof Surface Kit



Box Qty.

SKU Code: **8119**

EAN Code: **3800157624763**



### Surface Mounting-60x60



Box Qty.  
**20 Pcs**

SKU Code: **6327**

EAN Code: **3800157619424**



### Emergency Pack-6W to 24W


#### VT-525

8275

3800157627474

Box Qty.  
**20 Pcs**

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



Voltage: DC:20-80V  
Led output power: AC:220-240V,50/60Hz  
Charging time: 24 Hours  
Working time: 3 hours

Battery: Ni-Cd7.2V/2000mAh  
Color of Fixture: Silver  
Body Type: Aluminium  
Size: 455x52x33mm  
Emergency switch on time: < 1s



### Emergency Pack-29W to 45W


#### VT-518

60303

3800157617451

Box Qty.  
**12 Pcs**

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



Voltage: DC:30-42V  
Led output power: AC:220-240V,50/60Hz  
Charging time: 24 Hours  
Working time: 3 Hours

Battery: NI-CD, 7.2V, 4400 mAh  
Color of Fixture: Silver  
Body Type: Aluminium  
Size: 465x52x33mm  
Emergency switch on time: < 1s

The innovation of SMD lighting brought about the creation of the slim panels – a game changing answer to traditional downlight fixtures! Classy as it is, a mini panel fixture with built in LEDs also amounts to less than the old fittings.

Mini panels transform every setting into an ambiance with a modern touch to it with its systematic radiance and uniform lighting.



V-TAC offers the widest range in this product category. We also stock all three colour outputs from white to warm white and day light .They all come in retrofit cut out sizes from 4 inches, 6 inches and 8 inches.



## Salient Features



Ultra Slim Design



Contemporary & Elegant Design



Higher Light Transmission Rate



Exterior robust shell



Easy to install - Plug and play version



## Linear Lights

10w VT-10001

6401 - 3000K Warm White  
6402 - 4000K Day White  
6403 - 6400K White

3800157626620  
3800157626637  
3800157626644

Box Qty.  
**20 Pcs**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **750lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Rectangle**  
Dimension: **160x45x65mm**

Cutting Size: **138x32mm**

## Linear Lights

20w VT-20001

6404 - 3000K Warm White  
6405 - 4000K Day White  
6406 - 6400K White

3800157626651  
3800157626668  
3800157626675

Box Qty.  
**20 Pcs**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1600lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Rectangle**  
Dimension: **290x45x65mm**

Cutting Size: **170x32mm**

## Linear Lights

30w VT-30001

6407 - 3000K Warm White  
6408 - 4000K Day White  
6409 - 6400K White

3800157626682  
3800157626699  
3800157626705

Box Qty.  
**10 Pcs**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2400lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Rectangle**  
Dimension: **430x45x65mm**

Cutting Size: **405x32mm**



## Linear Lights

10w VT-10002

6410 - 3000K Warm White  
6411 - 4000K Day White  
6412 - 6400K White

3800157626712  
3800157626729  
3800157626736

Box Qty.  
**20 Pcs**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**700lm**  
**SMD**  
**>80**

PF: >0.5  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Rectangle  
Dimension: 160x45x72mm

Cutting Size: 138x32mm



## Linear Lights

20w VT-20002

6413 - 3000K Warm White  
6414 - 4000K Day White  
6415 - 6400K White

3800157626743  
3800157626750  
3800157626767

Box Qty.  
**20 Pcs**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**1400lm**  
**SMD**  
**>80**

PF: >0.5  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Rectangle  
Dimension: 290x45x72mm

Cutting Size: 170x32mm



## Linear Lights

30w VT-30002

6416 - 3000K Warm White  
6417 - 4000K Day White  
6418 - 6400K White

3800157626774  
3800157626781  
3800157626798

Box Qty.  
**10 Pcs**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**2100lm**  
**SMD**  
**>80**

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Rectangle  
Dimension: 430x45x72mm

Cutting Size: 405x32mm



## Premium Series-Round


**3W VT-307RD**

6292 - 3000K Warm White  
6293 - 4000K Day White  
6294 - 6400K White

3800157616751  
3800157616768  
3800157616775



Box Qty.  
**40 Pcs**



Cutting Size: **Ø73mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**210lm**  
**SMD**  
**>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø84x12mm**



## Premium Series-Round


**6W VT-607RD**

4854 - 3000K Warm White  
4855 - 4000K Day White  
4856 - 6400K White

3800230629753  
3800230629760  
3800230629777



Box Qty.  
**40 Pcs**



Cutting Size: **Ø110mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**420lm**  
**SMD**  
**>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø120x12mm**



## Premium Series-Round


**12W VT-1207RD**

4857 - 3000K Warm White  
4858 - 4000K Day White  
4859 - 6400K White

3800230629784  
3800230629791  
3800230629807



Box Qty.  
**20 Pcs**



Cutting Size: **Ø155mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**1000lm**  
**SMD**  
**>80**

PF: **>0.6**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø170x12mm**




Premium Series-Round  
**18W VT-1807RD**

|                         |               |
|-------------------------|---------------|
| 4860 - 3000K Warm White | 3800230629814 |
| 4861 - 4000K Day White  | 3800230629821 |
| 4862 - 6400K White      | 3800230629838 |



Box Qty.  
**20 Pcs**



Cutting Size: **Ø210mm**

|                    |                           |             |                  |
|--------------------|---------------------------|-------------|------------------|
| Emergency Pack:    | <b>Available</b>          | PF:         | <b>&gt;0.6</b>   |
| Voltage/Frequency: | <b>AC:85-265V,50/60Hz</b> | Beam Angle: | <b>120°</b>      |
| Luminous Flux:     | <b>1500lm</b>             | Body Type:  | <b>Aluminium</b> |
| LED Type:          | <b>SMD</b>                | Shape:      | <b>Round</b>     |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>Ø225x12mm</b> |




Premium Series-Round  
**22W VT-2207RD**

|                         |               |
|-------------------------|---------------|
| 6422 - 3000K Warm White | 3800157626941 |
| 6423 - 4000K Day White  | 3800157626958 |
| 6424 - 6400K White      | 3800157626965 |



Box Qty.  
**20 Pcs**



Cutting Size: **Ø220 mm**

|                    |                           |             |                  |
|--------------------|---------------------------|-------------|------------------|
| Emergency Pack:    | <b>Available</b>          | PF:         | <b>&gt;0.9</b>   |
| Voltage/Frequency: | <b>AC:85-265V,50/60Hz</b> | Beam Angle: | <b>120°</b>      |
| Luminous Flux:     | <b>1800lm</b>             | Body Type:  | <b>Aluminium</b> |
| LED Type:          | <b>SMD</b>                | Shape:      | <b>Round</b>     |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>Ø240x12mm</b> |




Premium Series-Round  
**24W VT-2407RD**

|                         |               |
|-------------------------|---------------|
| 4872 - 3000K Warm White | 3800157601559 |
| 4873 - 4000K Day White  | 3800157601566 |
| 4874 - 6400K White      | 3800157601573 |



Box Qty.  
**10 Pcs**



Cutting Size: **Ø285mm**

|                    |                           |             |                  |
|--------------------|---------------------------|-------------|------------------|
| Emergency Pack:    | <b>Available</b>          | PF:         | <b>&gt;0.9</b>   |
| Voltage/Frequency: | <b>AC:85-265V,50/60Hz</b> | Beam Angle: | <b>120°</b>      |
| Luminous Flux:     | <b>2000lm</b>             | Body Type:  | <b>Aluminium</b> |
| LED Type:          | <b>SMD</b>                | Shape:      | <b>Round</b>     |
| CRI:               | <b>&gt;80</b>             | Dimension:  | <b>Ø300x12mm</b> |



## Premium Series-Square


**3w VT-3075Q**

6295 - 3000K Warm White  
6296 - 4000K Day White  
6297 - 6400K White

3800157616782  
3800157616799  
3800157616805



Box Qty.  
**40 Pcs**



Cutting Size: **74x73mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**210lm**  
**SMD**  
**>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **84x84x12mm**



## Premium Series-Square


**6w VT-6075Q**

4863 - 3000K Warm White  
4864 - 4000K Day White  
4865 - 6400K White

3800230629845  
3800230629852  
3800230629869



Box Qty.  
**40 Pcs**



Cutting Size: **110mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**420lm**  
**SMD**  
**>80**

PF: **>0.7**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **120x120x12mm**



## Premium Series-Square


**12w VT-12075Q**

4866 - 3000K Warm White  
4867 - 4000K Day White  
4868 - 6400K White

3800230629876  
3800230629883  
3800230629890



Box Qty.  
**20 Pcs**



Cutting Size: **155x155mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**1000lm**  
**SMD**  
**>80**

PF: **>0.6**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **170x170x12mm**






Premium Series-Square

**18w VT-1807SQ**

4869 - 3000K Warm White  
4870 - 4000K Day White  
4871 - 6400K White

3800230629906  
3800230629913  
3800230629920

Box Qty.  
**20 Pcs**



Cutting Size: **205x205mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1500lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.6**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **225x225x12mm**




Premium Series-Square

**24w VT-2407SQ**

4887 - 3000K Warm White  
4888 - 4000K Day White  
4889 - 6400K White

3800157602198  
3800157602204  
3800157602211

Box Qty.  
**10 Pcs**



Cutting Size: **285x285mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **300x300x12mm**




## Premium Series-Round

**30W VT-3107RD**

 6428 - 4000K Day White  
 6429 - 6400K White

 3800157628075  
 3800157628082

 Box Qty.  
**10 Pcs**
Cutting Size: **Ø280mm**
 Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2400lm**

 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**


 Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension: **Ø300x12mm**


## Premium Series-Square

**36W VT-3107SQ**

 6430 - 4000K Day White  
 6431 - 6400K White

 3800157628099  
 3800157628105

 Box Qty.  
**10 Pcs**
Cutting Size: **280x280mm**
 Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2400lm**

 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

 Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Square**  
 Dimension: **300x300x12mm**




### SG Series-Square

**8W VT-800 SQ**

4818 - 6400K White

3800230622563

Box Qty.  
**20 Pcs**



Cutting Size: 125x125mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **800lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Square**  
Dimension: **145x145x20mm**




### SG Series-Round

**8W VT-800 RD**

4821 - 6400K White

3800230622587

Box Qty.  
**20 Pcs**



Cutting Size: Ø105mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **800lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Round**  
Dimension: **Ø120x20mm**



## SG Series-Square


15w VT-1500 SQ

4826 - 3000K Warm White  
 4825 - 4000K Day White  
 4824 - 6400K White

3800230622617  
 3800230624994  
 3800230622600



Box Qty.  
**20 Pcs**



Cutting Size: 140x140mm

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium(PKW)**  
 Shape: **Square**  
 Dimension: **160x160x20mm**



## SG Series-Round


15w VT-1500 RD

4827 - 6400K White

3800230622624



Box Qty.  
**20 Pcs**



Cutting Size: Ø160mm

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium(PKW)**  
 Shape: **Round**  
 Dimension: **Ø180x20mm**




### SG Series-Square

**22W VT-2200 SQ**

4830 - 6400K White

3800230622648

Box Qty.  
**20 Pcs**



Cutting Size: **195x195mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2200lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Square**  
Dimension: **220x220x20mm**




### SG Series-Round

**22W VT-2200 RD**

4833 - 6400K White

3800230622662

Box Qty.  
**20 Pcs**



Cutting Size: **Ø220mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2200lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Round**  
Dimension: **Ø240x20mm**



## Trimless Panel-Round


**8W VT-888RD**

4931 - 3000K Warm White  
 4932 - 4000K Day White  
 4933 - 6400K White

3800157606479  
 3800157606486  
 3800157606493



Box Qty.  
**100 Pcs**



Cutting Size: **Ø75mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **800lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension: **Ø90x8mm**



## Trimless Panel-Round


**15W VT-1515RD**

4934 - 3000K Warm White  
 4935 - 4000K Day White  
 4936 - 6400K White

3800157606509  
 3800157606516  
 3800157606523



Box Qty.  
**40 Pcs**



Cutting Size: **Ø130mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension: **Ø146x8mm**




### Trimless Panel-Round

**22W VT-2222RD**

4937 - 3000K Warm White  
4938 - 4000K Day White  
4939 - 6400K White

3800157606530  
3800157606547  
3800157606554

Box Qty.  
**40 Pcs**



Cutting Size: **Ø155mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2200lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø170x8mm**




### Trimless Panel-Round

**29W VT-2929RD**

4940 - 3000K Warm White  
4941 - 4000K Day White  
4942 - 6400K White

3800157606561  
3800157606578  
3800157606585

Box Qty.  
**40 Pcs**



Cutting Size: **Ø195mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2900lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø220x8mm**



## Trimless Panel-Square


**8W VT-888SQ**

4943 - 3000K Warm White  
4944 - 4000K Day White  
4945 - 6400K White

3800157606592  
3800157606608  
3800157606615



Box Qty.  
**100 Pcs**



Cutting Size: **75x75mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **800lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **90x90x8mm**



## Trimless Panel-Square


**15W VT-1515SQ**

4946 - 3000K Warm White  
4947 - 4000K Day White  
4948 - 6400K White

3800157606622  
3800157606639  
3800157606646



Box Qty.  
**40 Pcs**



Cutting Size: **130x130mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1500lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **146x146x8mm**






### Trimless Panel-Square

**22W VT-2222SQ**

4949 - 3000K Warm White  
4797 - 4000K Day White  
4798 - 6400K White

3800157606653  
3800157606660  
3800157606677

Box Qty.  
**40 Pcs**



Cutting Size: **155x155mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2200lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **170x170x8mm**




### Trimless Panel-Square

**29W VT-2929SQ**

5031 - 3000K Warm White  
5032 - 4000K Day White  
5033 - 6400K White

3800157606660  
3800157606677  
3800157606684

Box Qty.  
**40 Pcs**



Cutting Size: **195x195mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2900lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **220x220x8mm**



## Slim Surface-Round


**6W VT-605RD**

4904 - 3000K Warm White  
4905 - 4000K Day White  
4906 - 6400K White

3800157605380  
3800157605397  
3800157605403



Box Qty.  
**40 Pcs**



Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**420lm**  
**SMD**  
**>80**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø90x24mm**



## Slim Surface-Round


**12W VT-1205 RD**

4910 - 3000K Warm White  
4911 - 4000K Day White  
4912 - 6400K White

3800157605441  
3800157605458  
3800157605465



Box Qty.  
**40 Pcs**



Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**900lm**  
**SMD**  
**>80**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø140x24mm**



## Slim Surface-Round


**18W VT-1805RD**

4916 - 3000K Warm White  
4917 - 4000K Day White  
4918 - 6400K White

3800157605502  
3800157605519  
3800157605526



Box Qty.  
**20 Pcs**



Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:


**Available**  
**AC:85-265V,50/60Hz**  
**1440lm**  
**SMD**  
**>80**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension: **Ø190x24mm**



### Slim Surface-Square 6W VT-605SQ

4907 - 3000K Warm White 3800157605410  
4908 - 4000K Day White 3800157605427  
4909 - 6400K White 3800157605434




Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 420lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 90x90x24mm



### Slim Surface-Square 12W VT-1205 SQ

4913 - 3000K Warm White 3800157605472  
4914 - 4000K Day White 3800157605489  
4915 - 6400K White 3800157605496




Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 900lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 140x140x24mm



### Slim Surface-Square 18W VT-1805SQ

4919 - 3000K Warm White 3800157605533  
4920 - 4000K Day White 3800157605540  
4921 - 6400K White 3800157605557



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1440lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 190x190x24mm



## Surface Series-Round


**8W VT-1408 RD**

4805 - 3000K Warm White  
4804 - 4000K Day White  
4803 - 6400K White

3800230622730  
3800230622723  
3800230622716



Box Qty.  
**20 Pcs**



|                    |                    |             |           |
|--------------------|--------------------|-------------|-----------|
| Emergency Pack:    | Available          | PF:         | >0.9      |
| Voltage/Frequency: | AC:85-265V,50/60Hz | Beam Angle: | 120°      |
| Luminous Flux:     | 800lm              | Body Type:  | Aluminium |
| LED Type:          | SMD                | Shape:      | Round     |
| CRI:               | >80                | Dimension:  | Ø110x35mm |



## Surface Series-Round


**15W VT-1415 RD**

4811 - 3000K Warm White  
4810 - 4000K Day White  
4809 - 6400K White

3800230622792  
3800230622785  
3800230622778



Box Qty.  
**20 Pcs**



|                    |                    |             |           |
|--------------------|--------------------|-------------|-----------|
| Emergency Pack:    | Available          | PF:         | >0.9      |
| Voltage/Frequency: | AC:85-265V,50/60Hz | Beam Angle: | 120°      |
| Luminous Flux:     | 1500lm             | Body Type:  | Aluminium |
| LED Type:          | SMD                | Shape:      | Round     |
| CRI:               | >80                | Dimension:  | Ø160x35mm |



## Surface Series-Round


**22W VT-1422 RD**

4817 - 3000K Warm White  
4816 - 4000K Day White  
4815 - 6400K White

3800230622853  
3800230622846  
3800230622839



Box Qty.  
**20 Pcs**



|                    |                    |             |           |
|--------------------|--------------------|-------------|-----------|
| Emergency Pack:    | Available          | PF:         | >0.9      |
| Voltage/Frequency: | AC:85-265V,50/60Hz | Beam Angle: | 120°      |
| Luminous Flux:     | 2200lm             | Body Type:  | Aluminium |
| LED Type:          | SMD                | Shape:      | Round     |
| CRI:               | >80                | Dimension:  | Ø205x35mm |




## Surface Series-Square

8W VT-1408 SQ

4802 - 3000K Warm White  
4801 - 4000K Day White  
4800 - 6400K White

3800230622709  
3800230622693  
3800230622686

Box Qty.  
**40 Pcs**

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 800lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 107x107x35mm




## Surface Series-Square

15W VT-1415 SQ

4808 - 3000K Warm White  
4807 - 4000K Day White  
4806 - 6400K White

3800230622761  
3800230622754  
3800230622747

Box Qty.  
**20 Pcs**

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 155x155x35mm




## Surface Series-Square

22W VT-1422 SQ

4814 - 3000K Warm White  
4813 - 4000K Day White  
4812 - 6400K White

3800230622822  
3800230622815  
3800230622808

Box Qty.  
**20 Pcs**

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 2200lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 205x205x35mm



## Slim Series-Chrome-Round


**6W VT-607CH**

6334 - 3000K Warm White  
6335 - 4000K Day White  
6336 - 6400K White

3800157621182  
3800157621199  
3800157621205



Box Qty.  
**40 Pcs**



Cutting Size: **Ø105mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **420lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension: **Ø120x25mm**



## Slim Series-Chrome-Round


**12W VT-1207CH**

6340 - 3000K Warm White  
6341 - 4000K Day White  
6342 - 6400K White

3800157621243  
3800157621250  
3800157621267



Box Qty.  
**20 Pcs**



Cutting Size: **Ø155mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension: **Ø170x25mm**




### Slim Series-Chrome-Round

**18w VT-1807CH**

6346 - 3000K Warm White  
6347 - 4000K Day White  
6348 - 6400K White

3800157621304  
3800157621311  
3800157621328

Box Qty.  
**20 Pcs**



Cutting Size: **Ø205mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1500lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension: **Ø225x25mm**




### Slim Series-Chrome-Round

**24w VT-2407CH**

6352 - 3000K Warm White  
6353 - 4000K Day White  
6354 - 6400K White

3800157621366  
3800157621373  
3800157621380

Box Qty.  
**10 Pcs**



Cutting Size: **Ø285mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension: **Ø300x25mm**




## Slim Series-Satin Nickel-Round

**6W VT-607SN**

6337 - 3000K Warm White  
6338 - 4000K Day White  
6339 - 6400K White

3800157621212  
3800157621229  
3800157621236

Box Qty.  
**40 Pcs**

Cutting Size: **Ø105mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **420lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension: **Ø120x25mm**




## Slim Series-Satin Nickel-Round

**12W VT-1207SN**

6343 - 3000K Warm White  
6344 - 4000K Day White  
6345 - 6400K White

3800157621274  
3800157621281  
3800157621298

Box Qty.  
**20 Pcs**

Cutting Size: **Ø155mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension: **Ø170x25mm**






### Slim Series-Satin Nickel-Round

**18w VT-1807SN**

6349 - 3000K Warm White  
6350 - 4000K Day White  
6351 - 6400K White

3800157621335  
3800157621342  
3800157621359

Box Qty.  
**20 Pcs**



Cutting Size: **Ø205mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1500lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension: **Ø225x25mm**




### Slim Series-Satin Nickel-Round

**24w VT-2407SN**

6355 - 3000K Warm White  
6356 - 4000K Day White  
6357 - 6400K White

3800157621397  
3800157621403  
3800157621410

Box Qty.  
**10 Pcs**



Cutting Size: **Ø285mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension: **Ø300x25mm**




## Slim Surface-Chrome-Round

6W VT-605CH

6358 - 3000K Warm White  
6359 - 4000K Day White  
6360 - 6400K White

3800157621427  
3800157621434  
3800157621441

Box Qty.  
**40 Pcs**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**420lm**  
**SMD**  
**>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension: **Ø90x24mm**




## Slim Surface-Chrome-Round

12W VT-1205CH

6364 - 3000K Warm White  
6365 - 4000K Day White  
6366 - 6400K White

3800157621489  
3800157621496  
3800157621502

Box Qty.  
**40 Pcs**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**1000lm**  
**SMD**  
**>80**

PF: **>0.6**  
Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension: **Ø140x24mm**




## Slim Surface-Chrome-Round

18W VT-1805CH

6370 - 3000K Warm White  
6371 - 4000K Day White  
6372 - 6400K White

3800157621540  
3800157621557  
3800157621564

Box Qty.  
**20 Pcs**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:85-265V,50/60Hz**  
**1500lm**  
**SMD**  
**>80**

PF: **>0.6**  
Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension: **Ø190x24mm**




### Slim Surface-Satin Nickel-Round

**6W VT-605SN**

|                         |               |
|-------------------------|---------------|
| 6361 - 3000K Warm White | 3800157621458 |
| 6362 - 4000K Day White  | 3800157621465 |
| 6363 - 6400K White      | 3800157621472 |



Box Qty.  
**40 Pcs**



|                    |                    |             |                        |
|--------------------|--------------------|-------------|------------------------|
| Emergency Pack:    | Available          | PF:         | >0.5                   |
| Voltage/Frequency: | AC:85-265V,50/60Hz | Beam Angle: | 120°                   |
| Luminous Flux:     | 420lm              | Body Type:  | Aluminium+Satin Nickel |
| LED Type:          | SMD                | Shape:      | Round                  |
| CRI:               | >80                | Dimension:  | Ø90x24mm               |




### Slim Surface-Satin Nickel-Round

**12w VT-1205SN**

|                         |               |
|-------------------------|---------------|
| 6367 - 3000K Warm White | 3800157621519 |
| 6368 - 4000K Day White  | 3800157621526 |
| 6369 - 6400K White      | 3800157621533 |



Box Qty.  
**40 Pcs**



|                    |                    |             |                        |
|--------------------|--------------------|-------------|------------------------|
| Emergency Pack:    | Available          | PF:         | >0.6                   |
| Voltage/Frequency: | AC:85-265V,50/60Hz | Beam Angle: | 120°                   |
| Luminous Flux:     | 1000lm             | Body Type:  | Aluminium+Satin Nickel |
| LED Type:          | SMD                | Shape:      | Round                  |
| CRI:               | >80                | Dimension:  | Ø140x24mm              |




### Slim Surface-Satin Nickel-Round

**18w VT-1805SN**


|                         |               |
|-------------------------|---------------|
| 6373 - 3000K Warm White | 3800157621571 |
| 6374 - 4000K Day White  | 3800157621588 |
| 6375 - 6400K White      | 3800157621595 |



Box Qty.  
**20 Pcs**



|                    |                    |             |                        |
|--------------------|--------------------|-------------|------------------------|
| Emergency Pack:    | Available          | PF:         | >0.6                   |
| Voltage/Frequency: | AC:85-265V,50/60Hz | Beam Angle: | 120°                   |
| Luminous Flux:     | 1500lm             | Body Type:  | Aluminium+Satin Nickel |
| LED Type:          | SMD                | Shape:      | Round                  |
| CRI:               | >80                | Dimension:  | Ø190x24mm              |



Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

## Twin LED-Square

8W VT-809SQ

4922 - 3000K Warm White  
4923 - 4000K Day White  
4924 - 6400K White


3800157605564  
3800157605571  
3800157605588



Box Qty.  
**20 Pcs**

Available  
AC:85-265V,50/60Hz  
800lm  
SMD  
>80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 142x142x40mm



Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

## Twin LED-Square

15W VT-1509SQ

4925 - 3000K Warm White  
4926 - 4000K Day White  
4927 - 6400K White


3800157605595  
3800157605601  
3800157605618



Box Qty.  
**20 Pcs**

Available  
AC:85-265V,50/60Hz  
1500lm  
SMD  
>80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 192x192x40mm



Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

## Twin LED-Square

22W VT-2209SQ

4928 - 3000K Warm White  
4929 - 4000K Day White  
4930 - 6400K White

3800157605625  
3800157605632  
3800157605649



Box Qty.  
**20 Pcs**

Available  
AC:85-265V,50/60Hz  
2200lm  
SMD  
>80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Square  
Dimension: 240x240x40mm



### Twin LED-Round


**8W VT-809RD**

4890 - 3000K Warm White  
4891 - 4000K Day White  
4892 - 6400K White

3800157602594  
3800157602600  
3800157602617



Box Qty.  
**20 Pcs**



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 800lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Round  
Dimension: 142x40mm



### Twin LED-Round


**15W VT-1509RD**

4893 - 3000K Warm White  
4894 - 4000K Day White  
4895 - 6400K White

3800157602624  
3800157602631  
3800157602648



Box Qty.  
**20 Pcs**



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Round  
Dimension: 192x40mm



### Twin LED-Round


**22W VT-2209RD**

4896 - 3000K Warm White  
4897 - 4000K Day White  
4898 - 6400K White

3800157602655  
3800157602662  
3800157602679



Box Qty.  
**20 Pcs**



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 2200lm  
LED Type: SMD  
CRI: >80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium  
Shape: Round  
Dimension: 240x40mm



## Glass Panel-Round


**6W VT-602G RD**

4740 - 3000K Warm White  
6277 - 4000K Day White  
4739 - 6400K White

3800230622891  
3800157615754  
3800230622884



Box Qty.  
**40 Pcs**



Cutting Size: **Ø75mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:100-240V,50/60Hz**  
**420lm**  
**SMD**  
**>80**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Aluminium+Glass**  
Shape: **Round**  
Dimension: **Ø100x40mm**



## Glass Panel-Round


**12W VT-1202G RD**

4744 - 3000K Warm White  
6279 - 4000K Day White  
4743 - 6400K White

3800230622938  
3800157615778  
3800230622921



Box Qty.  
**20 Pcs**



Cutting Size: **Ø120mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:100-240V,50/60Hz**  
**840lm**  
**SMD**  
**>80**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Aluminium+Glass**  
Shape: **Round**  
Dimension: **Ø160x40mm**



## Glass Panel-Round


**18W VT-1881G RD**

4760 - 3000K Warm White  
6281 - 4000K Day White  
4759 - 6400K White

3800230622976  
3800157615792  
3800230622969



Box Qty.  
**20 Pcs**



Cutting Size: **Ø145mm**

Emergency Pack:  
Voltage/Frequency:  
Luminous Flux:  
LED Type:  
CRI:

**Available**  
**AC:100-240V,50/60Hz**  
**1260lm**  
**SMD**  
**>80**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Aluminium+Glass**  
Shape: **Round**  
Dimension: **Ø198x40mm**




## Glass Panel-Square

6W VT-602G SQ

4738 - 3000K Warm White  
6276 - 4000K Day White  
4737 - 6400K White

3800230622877  
3800157615747  
3800230622860

Box Qty.  
**40 Pcs**

Cutting Size: 75x75mm

Emergency Pack: Available  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 420lm  
LED Type: SMD  
CRI: >80

Available  
AC:100-240V,50/60Hz  
420lm  
SMD  
>80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium+Glass  
Shape: Square  
Dimension: 100x100x40mm




## Glass Panel-Square

12w VT-1202G SQ

4742 - 3000K Warm White  
6278 - 4000K Day White  
4741 - 6400K White

3800230622914  
3800157615761  
3800230622907


Box Qty.  
**20 Pcs**

Cutting Size: 120x120mm

Emergency Pack: Available  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 840lm  
LED Type: SMD  
CRI: >80

Available  
AC:100-240V,50/60Hz  
840lm  
SMD  
>80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium+Glass  
Shape: Square  
Dimension: 160x160x40mm




## Glass Panel-Square

18w VT-1881G SQ

4746 - 3000K Warm White  
6280 - 4000K Day White  
4745 - 6400K White

3800230622952  
3800157615785  
3800230622945

Box Qty.  
**20 Pcs**

Cutting Size: 145x145mm

Emergency Pack: Available  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 1260lm  
LED Type: SMD  
CRI: >80

Available  
AC:100-240V,50/60Hz  
1260lm  
SMD  
>80

PF: >0.9  
Beam Angle: 120°  
Body Type: Aluminium+Glass  
Shape: Square  
Dimension: 198x198x40mm



6w

 Box Qty.  
**200 Pcs**

SKU Code: **8073**  
 Dimmable: **Yes**  
 Voltage: **AC:180-240V,50/60Hz**  
 EAN Code: **3800157605823**



12w

 Box Qty.  
**200 Pcs**

SKU Code: **8074**  
 Dimmable: **Yes**  
 Voltage: **AC:180-240V,50/60Hz**  
 EAN Code: **3800157605830**



18w

 Box Qty.  
**200 Pcs**

SKU Code: **8075**  
 Dimmable: **Yes**  
 Voltage: **AC:180-240V,50/60Hz**  
 EAN Code: **3800157605847**



18/24w

 Box Qty.  
**50 Pcs**

SKU Code: **8070**  
 Dimmable: **Yes**  
 Voltage: **AC:180-240V,50/60Hz**  
 EAN Code: **3800157616836**



24w

 Box Qty.  
**200 Pcs**

SKU Code: **8076**  
 Dimmable: **Yes**  
 Voltage: **AC:180-240V,50/60Hz**  
 EAN Code: **3800157605946**





# LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.



## Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

## Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

## T8-Nano Plastic-Rotatable-60cm

**10w VT-6072-R**

Box Qty.  
**25Pcs**



6229 - 3000K Warm White  
6230 - 4000K Day White  
6231 - 6400K White

3800157605212  
3800157605229  
3800157605236



**3YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter  
**Included**

EQ. Watts: **18w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **850lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **160°**  
Body Type: **Nano Plastic**  
Holder: **G13**  
Instant start : **0-100% in < 1s**

On/Off: **>15,000**  
Life span: **20,000 Hours**  
Gross weight: **125g**  
Dimension: **27.9x600mm**

## T8-Nano Plastic-60cm

**10w VT-6072-NR**

Box Qty.  
**25Pcs**



6392 - 3000K Warm White  
6393 - 4000K Day White  
6394 - 6400K White

3800157625296  
3800157625302  
3800157625319



**3YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter  
**Included**

EQ. Watts: **18w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **850lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **160°**  
Body Type: **Nano Plastic**  
Holder: **G13**  
Instant start : **0-100% in < 1s**

On/Off: **>15,000**  
Life span: **20,000 Hours**  
Gross weight: **126.4g**  
Dimension: **27.9x600mm**

## T8-Nano Plastic-90cm



14w VT-9077

 Box Qty.  
25Pcs

 6272 - 4000K Day White  
 6262 - 6400K White

 3800157615419  
 3800157612128


\*Suitable for 10-13 hours daily, usage of the product for 24 hours a day would void warranty

 Dummy Starter  
 Included

 EQ. Watts: 25w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1200lm  
 LED Type: SMD  
 CRI: >80

 PF: >0.5  
 Beam Angle: 160°  
 Body Type: Nano Plastic  
 Holder: G13  
 Instant start: 0-100% in < 1s

 On/Off: >15,000  
 Life span: 20,000 Hours  
 Gross weight: 145.6g  
 Dimension: 27.9x900mm

## T8-Nano Plastic-120cm



18w VT-1277

 Box Qty.  
25 Pcs

 6263 - 3000K Warm White  
 6273 - 4000K Day White  
 6264 - 6400K White

 3800157612135  
 3800157615426  
 3800157612142


\*Suitable for 10-13 hours daily, usage of the product for 24 hours a day would void warranty

 Dummy Starter  
 Included

 EQ. Watts: 36w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1700lm  
 LED Type: SMD  
 CRI: >80

 PF: >0.5  
 Beam Angle: 160°  
 Body Type: Nano Plastic  
 Holder: G13  
 Instant start: 0-100% in < 1s

 On/Off: >15,000  
 Life span: 20,000 Hours  
 Gross weight: 200g  
 Dimension: 27.9x1200mm

## T8-Nano Plastic-150cm

**22w VT-1577**

Box Qty.  
**25 Pcs**



6265 - 3000K Warm White  
6309 - 4000K Day White  
6310 - 6400K White

3800157612159  
3800157617437  
3800157617444



**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter  
**Included**

EQ. Watts: **58w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **2000lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **160°**  
Body Type: **Nano Plastic**  
Holder: **G13**  
Instant start : **0-100% in < 1s**

On/Off: **>15,000**  
Life span: **30,000 Hours**  
Gross weight: **283.4g**  
Dimension: **27.9x1500mm**

## T8-Nano Plastic-Rotatable-High Lu-

**9w VT-6085**

Box Qty.  
**25 Pcs**

6299 - 3000K Warm White  
6301 - 4000K Day White  
6302 - 6400K White


3800157617345  
3800157617352  
3800157617369



**5 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Dummy Starter  
**Included**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1100lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **160°**  
Body Type: **Nano Plastic**  
Holder: **G13**  
Instant start : **0-100% in < 1s**

On/Off: **>15,000**  
Life span: **30,000 Hours**  
Gross weight: **125g**  
Dimension: **27.9x600mm**

## T8-Nano Plastic-High Lumen-120cm


18w VT-1285

 Box Qty.  
25 Pcs

6305 - 6400K White

3800157617390



\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.
**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**
Dummy Starter  
Included

|                    |                     |                 |                |
|--------------------|---------------------|-----------------|----------------|
| EQ. Watts:         | 45w                 | PF:             | >0.5           |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle:     | 160°           |
| Luminous Flux:     | 2250lm              | Body Type:      | Nano Plastic   |
| LED Type:          | SMD                 | Holder:         | G13            |
| CRI:               | >80                 | Instant start : | 0-100% in < 1s |

|               |              |
|---------------|--------------|
| On/Off:       | >15,000      |
| Life span:    | 30,000 Hours |
| Gross weight: | 200g         |
| Dimension:    | 27.9x1200mm  |

## T8-Nano Plastic-High Lumen-150cm

22w VT-1585

 Box Qty.  
25 Pcs

6306 - 3000K Warm White

3800157617406


6307 - 4000K Day White

3800157617413

6308 - 6400K White

3800157617420



\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.
**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**
Dummy Starter  
Included

|                    |                     |                 |                |
|--------------------|---------------------|-----------------|----------------|
| EQ. Watts:         | 75w                 | PF:             | >0.5           |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle:     | 160°           |
| Luminous Flux:     | 3000lm              | Body Type:      | Nano Plastic   |
| LED Type:          | SMD                 | Holder:         | G13            |
| CRI:               | >80                 | Instant start : | 0-100% in < 1s |

|               |              |
|---------------|--------------|
| On/Off:       | >15,000      |
| Life span:    | 30,000 Hours |
| Gross weight: | 1000g        |
| Dimension:    | 27.9x1500mm  |

### T8-Nano Plastic-60cm


**18w VT-6077**

6313 - 4000K Day White  
6314 - 6400K White

Box Qty.  
**10 Pcs**

3800157618656  
3800157618663

**120** LUMENS  
+ PER WATT  
**SUPER EFFICIENT**



|                    |                         |                 |                          |               |                     |
|--------------------|-------------------------|-----------------|--------------------------|---------------|---------------------|
| EQ. Watts:         | <b>36w</b>              | PF:             | <b>&gt;0.9</b>           | On/Off:       | <b>&gt;15,000</b>   |
| Voltage/Frequency: | <b>AC:200-240V,50Hz</b> | Beam Angle:     | <b>160°</b>              | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>2500lm</b>           | Body Type:      | <b>Nano Plastic</b>      | Gross weight: | <b>290g</b>         |
| LED Type:          | <b>SMD</b>              | Holder:         | <b>G13</b>               | Dimension:    | <b>18.5x549mm</b>   |
| CRI:               | <b>&gt;80</b>           | Instant start : | <b>0-100% in &lt; 1s</b> |               |                     |

### T8-Nano Plastic-120cm


**36w VT-12077**

6315 - 4000K Day White  
6316 - 6400K White

Box Qty.  
**10 Pcs**

3800157618670  
3800157618687

**120** LUMENS  
+ PER WATT  
**SUPER EFFICIENT**




|                    |                         |                 |                          |               |                     |
|--------------------|-------------------------|-----------------|--------------------------|---------------|---------------------|
| EQ. Watts:         | <b>72w</b>              | PF:             | <b>&gt;0.9</b>           | On/Off:       | <b>&gt;15,000</b>   |
| Voltage/Frequency: | <b>AC:200-240V,50Hz</b> | Beam Angle:     | <b>160°</b>              | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>4500lm</b>           | Body Type:      | <b>Nano Plastic</b>      | Gross weight: | <b>400g</b>         |
| LED Type:          | <b>SMD</b>              | Holder:         | <b>G13</b>               | Dimension:    | <b>18.5x1149mm</b>  |
| CRI:               | <b>&gt;80</b>           | Instant start : | <b>0-100% in &lt; 1s</b> |               |                     |

## T5-Glass Plastic-60cm

**8w VT-6005**
 Box Qty.  
**25 Pcs**

 6318 - 4000K Day White  
 6319 - 6500K White



 3800157619271  
 3800157619288


|                    |                         |                 |                          |               |                     |
|--------------------|-------------------------|-----------------|--------------------------|---------------|---------------------|
| EQ. Watts:         | <b>14w</b>              | PF:             | <b>&gt;0.5</b>           | On/Off:       | <b>&gt;15,000</b>   |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle:     | <b>160°</b>              | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>800lm</b>            | Body Type:      | <b>Glass with PET</b>    | Gross weight: | <b>120g</b>         |
| LED Type:          | <b>SMD</b>              | Holder:         | <b>G5</b>                | Dimension:    | <b>18.4x549mm</b>   |
| CRI:               | <b>&gt;80</b>           | Instant start : | <b>0-100% in &lt; 1s</b> |               |                     |

## T5-Glass Plastic-120cm

**16w VT-1225**
 Box Qty.  
**25 Pcs**

 6320 - 4000K Day White  
 6321 - 6500K White


 3800157619295  
 3800157619301


|                    |                         |                 |                          |               |                     |
|--------------------|-------------------------|-----------------|--------------------------|---------------|---------------------|
| EQ. Watts:         | <b>28w</b>              | PF:             | <b>&gt;0.5</b>           | On/Off:       | <b>&gt;15,000</b>   |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle:     | <b>160°</b>              | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>1600lm</b>           | Body Type:      | <b>Glass with PET</b>    | Gross weight: | <b>208g</b>         |
| LED Type:          | <b>SMD</b>              | Holder:         | <b>G5</b>                | Dimension:    | <b>18.4x1149mm</b>  |
| CRI:               | <b>&gt;80</b>           | Instant start : | <b>0-100% in &lt; 1s</b> |               |                     |

## T8-Aluminium Plastic-180cm

**40w VT-1840**
 Box Qty.  
**25 Pcs**

 6251 - 4500K Day White  
 6250 - 6000K White

 3800157607841  
 3800157607834


|                    |                           |                 |                          |               |                     |
|--------------------|---------------------------|-----------------|--------------------------|---------------|---------------------|
| EQ. Watts:         | <b>80w</b>                | PF:             | <b>&gt;0.9</b>           | On/Off:       | <b>&gt;15,000</b>   |
| Voltage/Frequency: | <b>AC:85-265V,50/60Hz</b> | Beam Angle:     | <b>120°</b>              | Life span:    | <b>20,000 Hours</b> |
| Luminous Flux:     | <b>3800lm</b>             | Body Type:      | <b>Aluminium+PC</b>      | Gross weight: | <b>800g</b>         |
| LED Type:          | <b>SMD</b>                | Holder:         | <b>G13</b>               | Dimension:    | <b>28x1800mm</b>    |
| CRI:               | <b>&gt;80</b>             | Instant start : | <b>0-100% in &lt; 1s</b> |               |                     |





### T8 Bread Tube-120cm

**18w VT-1228-B**

Box Qty.  
**25 Pcs**

SKU-6322

3800157619318



|                    |                  |                 |                |               |              |
|--------------------|------------------|-----------------|----------------|---------------|--------------|
| EQ. Watts:         | 36w              | PF:             | >0.9           | On/Off:       | >15,000      |
| Voltage/Frequency: | AC:180-240V,50Hz | Beam Angle:     | 160°           | Life span:    | 20,000 Hours |
| Luminous Flux:     | 1530lm           | Body Type:      | Glass with PET | Gross weight: | 320g         |
| LED Type:          | SMD              | Holder:         | G13            | Dimension:    | 26x1200mm    |
| CRI:               | >95              | Instant start : | 0-100% in < 1s |               |              |



### T8 Meat Tube-120cm

**18w VT-1228-M**

Box Qty.  
**25 Pcs**

SKU-6323

3800157619325



|                    |                     |                 |                |               |              |
|--------------------|---------------------|-----------------|----------------|---------------|--------------|
| EQ. Watts:         | 36w                 | PF:             | >0.9           | On/Off:       | >15,000      |
| Voltage/Frequency: | AC:180-240V,50/60Hz | Beam Angle:     | 160°           | Life span:    | 20,000 Hours |
| Luminous Flux:     | 1530lm              | Body Type:      | Glass with PET | Gross weight: | 320g         |
| LED Type:          | SMD                 | Holder:         | G13            | Dimension:    | 26x1200mm    |
| CRI:               | >95                 | Instant start : | 0-100% in < 1s |               |              |

## T8 Vegetable Tube-120cm


18w

VT-1228-V

Box Qty.  
25 Pcs

SKU-6324

3800157619332



EQ. Watts: 36w  
Voltage/Frequency: AC:180-240V,50Hz  
Luminous Flux: 1530lm  
LED Type: SMD  
CRI: >95

PF: >0.9  
Beam Angle: 160°  
Body Type: Glass with PET  
Holder: G13  
Instant start: 0-100% in < 1s

On/Off: >15,000  
Life span: 20,000 Hours  
Gross weight: 320g  
Dimension: 26x1200mm

## T8 Seafood Tube-120cm



18w

VT-1228-S

Box Qty.  
25 Pcs

SKU-6325

3800157619349



EQ. Watts: 36w  
Voltage/Frequency: AC:180-240V,50/60Hz  
Luminous Flux: 1530lm  
LED Type: SMD  
CRI: >95

PF: >0.9  
Beam Angle: 160°  
Body Type: Glass with PET  
Holder: G13  
Instant start: 0-100% in < 1s

On/Off: >15,000  
Life span: 20,000 Hours  
Gross weight: 320g  
Dimension: 26x1200mm

## T8 Plant Tube-120cm



18w

VT-1228-P

Box Qty.  
25 Pcs

SKU-6326

3800157619356



EQ. Watts: 36w  
Voltage/Frequency: AC:180-240V,50Hz  
Luminous Flux: 860lm  
LED Type: SMD  
CRI: >95

PF: >0.9  
Beam Angle: 160°  
Body Type: Glass with PET  
Holder: G13  
Instant start: 0-100% in < 1s

On/Off: >15,000  
Life span: 20,000 Hours  
Gross weight: 320g  
Dimension: 26x1200mm



### Tube-Batten Fitting

#### VT-16011



SKU Code: 6053  
Body Type: Aluminium  
Size: 60x2mm  
EAN Code: 3800230624659



### Tube-Batten Fitting

#### VT-12020



SKU Code: 6054  
Body Type: Aluminium  
Size: 1200mm  
EAN Code: 3800230624666



### Tube-Batten Fitting

#### VT-12021



SKU Code: 6055  
Body Type: Aluminium  
Size: 1200x2mm  
EAN Code: 3800230624673



### Tube-Batten Fitting

#### VT-15020



SKU Code: 6056  
Body Type: Aluminium  
Size: 1500mm  
EAN Code: 3800230624680



### Tube-Batten Fitting

#### VT-15021



SKU Code: 6057  
Body Type: Aluminium  
Size: 1500x2mm  
EAN Code: 3800230624697

## Batten Fitting-Linkable

40w VT-80404

Box Qty.  
**10 Pcs**

6389 - 3000K Warm White

3800157625104

6390 - 4000K Day White

3800157625111

6391 - 6400K White

3800157625128

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **3200lm**LED Type: **SMD**CRI: **>80**PF: **>0.9**Beam Angle: **110°**Body Type: **AL+PC**On/Off: **>15,000**Life span: **30,000 Hours**Gross weight: **780g**Dimension: **1200x75x26mm**


## Prismatic Fitting-30cm

10w VT-8013

Box Qty.  
**10 Pcs**

4987 - 3000K Warm White

3800157601955

Sensor Compatible: **Yes**Voltage/Frequency: **AC:200-240V,50Hz**Luminous Flux: **900lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **110°**Body Type: **Aluminium+Plastic**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **260g**Dimension: **300x75x25mm**


### T5-With Fitting-30cm

**4W VT-3033**



6166 - 3000K Warm White  
6167 - 4500K Day White  
6168 - 6000K White

3800230629159  
3800230629166  
3800230629173



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **360lm**

LED Type: **SMD**

CRI: **>80**  
PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Plastic**

On/Off: **>10,000**  
Life span: **20,000 Hours**  
Gross weight: **140g**  
Dimension: **300x22x33mm**


### T5-With Fitting-60cm

**7W VT-6073**



6169 - 3000K Warm White  
6170 - 4500K Day White  
6171 - 6000K White

3800230629180  
3800230629197  
3800230629203



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **630lm**

LED Type: **SMD**

CRI: **>80**  
PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Plastic**

On/Off: **>10,000**  
Life span: **20,000 Hours**  
Gross weight: **210g**  
Dimension: **600x22x33mm**


### T5-With Fitting-120cm

**14W VT-1273**



6172 - 3000K Warm White  
6173 - 4500K Day White  
6174 - 6000K White

3800230629210  
3800230629227  
3800230629234



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **1260lm**

LED Type: **SMD**

CRI: **>80**  
PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Plastic**

On/Off: **>10,000**  
Life span: **20,000 Hours**  
Gross weight: **300g**  
Dimension: **1200x22x33mm**


## Cabinet Fitting

## 10w VT-8112

 Box Qty.  
**12 Pcs**

5068 - 3000K Warm White  
5069 - 4500K Day White  
5070 - 6000K White

3800157606714  
3800157606721  
3800157606738

Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50/60Hz**Luminous Flux: **800lm**LED Type: **SMD**CRI: **>80**PF: **>0.9**Beam Angle: **110°**Body Type: **Aluminium Body,**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **600g**Dimension: **579x78x35mm**


## Wall Fitting-60cm

## 10w VT-8111

 Box Qty.  
**25 Pcs**

5071 - 3000K Warm White  
5072 - 4500K Day White  
5073 - 6000K White

3800157606745  
3800157606752  
3800157606769

Sensor Compatible: **Yes**Voltage/Frequency: **AC:85-265V,50/60Hz**Luminous Flux: **900lm**LED Type: **SMD**CRI: **>80**PF: **>0.6**Beam Angle: **120°**Body Type: **Aluminium+PC**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **240g**Dimension: **600x32x25mm**


## Wall Fitting-120cm

## 20w VT-8121

 Box Qty.  
**25 Pcs**

5074 - 3000K Warm White  
5075 - 4500K Day White  
5076 - 6000K White

3800157606776  
3800157606783  
3800157606790

Sensor Compatible: **Yes**Voltage/Frequency: **AC:85-265V,50/60Hz**Luminous Flux: **1800lm**LED Type: **SMD**CRI: **>80**PF: **>0.6**Beam Angle: **120°**Body Type: **Aluminium+PC**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **370g**Dimension: **1200x32x25mm**

# LED Waterproof Fittings

Introducing our IP65 Ingress Protection Waterproof tubes, built dust-tight allowing it to resist rain and jets of water.



## Product Features

- Luminous efficacy up to 120lm/W and 80lm/W
- Easy to install
- IP65, free from water and dirt
- Without opening the lampshade for direct wiring
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

## Applications


Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

## Waterproof Fitting-Tubes

**36w VT-12023**

 Box Qty.  
**10 Pcs**

 6387 - 4000K Day White  
 6399 - 6400K White


 3800157625036  
 3800157626385

**2 LED TUBES  
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **3400lm**CRI: **>80**PF: **>0.9**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **30,000 Hours**Gross weight: **1.33 kg**Dimension: **1260x112x63mm**

## Waterproof Fitting-Tubes

**44w VT-15022**

 Box Qty.  
**10 Pcs**

 6388 - 4000K Day White  
 6400 - 6400K White

 3800157625043  
 3800157626392

**2 LED TUBES  
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **4000lm**CRI: **>80**PF: **>0.9**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **30,000 Hours**Gross weight: **1.65 kg**Dimension: **1560x112x63mm**




## Waterproof Fitting-G Series

**18w VT-6076**

Box Qty.  
**12 Pcs**

6283 - 4000K Day White  
6282 - 6400K White

3800157616478  
3800157616461



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1440lm**

CRI: **>70**

PF: **>0.5**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **0.60 kg**

Dimension: **600x65x58mm**


## Waterproof Fitting-G Series

**36w VT-1249**

Box Qty.  
**12 Pcs**

6285 - 4000K Day White  
6284 - 6400K White

3800157616492  
3800157616485



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2880lm**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**


Life span: **20,000 Hours**

Gross weight: **0.60 kg**

Dimension: **1200x65x58mm**

## Waterproof Fitting-G Series

48w VT-1574

Box Qty.  
**12 Pcs**6287 - 4000K Day White  
6286 - 6000K White3800157616515  
3800157616508Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **3840lm**CRI: **>70**PF: **>0.9**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **1.1 kg**Dimension: **1500x65x58mm**

## Waterproof Fitting

18w VT-6048


Box Qty.  
**12 Pcs**6198 - 4500K Day White  
6199 - 6000K White3800157603256  
3800157603263Voltage/Frequency: **AC:200-240V,50Hz**Luminous Flux: **1440lm**CRI: **>70**PF: **>0.9**Beam Angle: **120°**Body Type: **Plastic**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **0.80 kg**Dimension: **600x76x66mm**

## Waterproof Fitting 36w VT-1248

6200 - 4500K Day White  
6201 - 6000K White

Box Qty.  
**12 Pcs**

3800157603270  
3800157603287



Voltage/Frequency: **AC:200-240V,50Hz**

Luminous Flux: **2880lm**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **Plastic**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **1.42 kg**


Dimension: **1200x76x66mm**

## Waterproof Fitting 48w VT-1548

6184 - 4500K Day White  
6185 - 6000K White

Box Qty.  
**12 Pcs**

3800157602389  
3800157602396



Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **3920lm**

CRI: **>70**

PF: **>0.7**

Beam Angle: **120°**

Body Type: **Plastic**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **1.86 kg**

Dimension: **1480x76x66mm**


## Waterproof Fitting

60w VT-1260 SMD

Box Qty.  
**9 Pcs**

6062 - 6000K White

3800230625212

**120+** LUMENS  
PER WATT**SUPER EFFICIENT**

Voltage/Frequency: AC:200-240V,50Hz

Luminous Flux: 7200lm

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Aluminium

IP Rating: IP65

LED Type: SMD

On/Off: &gt;10,000

Life span: 20,000 Hours

Gross weight: 2.15 kg

Dimension: 1200x86x70mm

## Waterproof Fitting

70w VT-1573


Box Qty.  
**6 Pcs**

6266 - 4000K Day White

6267 - 6000K White

3800157612586

3800157612593

**120+** LUMENS  
PER WATT**SUPER EFFICIENT**

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 8400lm

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Aluminium

IP Rating: IP65

LED Type: SMD

On/Off: &gt;10,000

Life span: 20,000 Hours

Gross weight: 2.75 kg

Dimension: 1500x86x70mm


## Waterproof-Emergency Kit

**36w VT-1250**

Box Qty.  
**12 Pcs**

6448 - 4000K Day White  
6449 - 6500K White

3800157632126  
3800157632133



**Waterproof  
Emergency Kit**

**Charging Time:** 24 Hours  
**Emergency Operation Time:** 3 Hours  
**Emergency Switch on time:** <1 Second

|                    |                     |             |              |                 |              |
|--------------------|---------------------|-------------|--------------|-----------------|--------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz | PF:         | >0.9         | O/P Emmergency: | 7W Max       |
| Battery Type:      | 9.6V 2200mAh Ni-Cd  | Beam Angle: | 120°         | Ambient Temp:   | 50 max       |
| Luminous Flux:     | 2880lm              | Body Type:  | ABS+PC       | Gross weight:   | 1.9 kg       |
| LED Type:          | SMD                 | IP Rating:  | IP65         | Dimension:      | 1200x76x66mm |
| CRI:               | >70                 | Life span:  | 20,000 Hours |                 |              |


## Waterproof-Emergency Kit

**48w VT-1550**

Box Qty.  
**12 Pcs**

6446 - 4000K Day White  
6447 - 6500K White

3800157632102  
3800157632119



**Waterproof  
Emergency Kit**

**Charging Time:** 24 Hours  
**Emergency Operation Time:** 3 Hours  
**Emergency Switch on time:** <1 Second

|                    |                     |             |              |                 |              |
|--------------------|---------------------|-------------|--------------|-----------------|--------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz | PF:         | >0.9         | O/P Emmergency: | 7W Max       |
| Battery Type:      | 9.6V 2200mAh Ni-Cd  | Beam Angle: | 120°         | Ambient Temp:   | 50 max       |
| Luminous Flux:     | 3920lm              | Body Type:  | ABS+PC       | Gross weight:   | 2.35 kg      |
| LED Type:          | SMD                 | IP Rating:  | IP65         | Dimension:      | 1500x76x66mm |
| CRI:               | >70                 | Life span:  | 20,000 Hours |                 |              |

# LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.



## Product Features

- Powerful LED light source with a unique design
- Extensive Options can replace all types of Standard MH Highbays
- Aluminium Diffuser with multiple Beam Angle's to choose from 45°D / 90°D / 120°D
- Shatter Proof Perspex Lens
- High Thermal Conductivity, Low Luminous Decay, Pure Colours & No Heavy Shade
- The unique design of Radiator fuses with the Lamp Box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

## Applications

Perfect fit for Industrial Usage, Warehouse & Super Markets, Workshops, Factories, Warehouses, Highway, toll Stations, Gas Stations, Malls, Exhibition Halls, Stadiums & other vast areas.



## UFO-High Lumen-Meanwell Driver

# 100w VT-9120


5550 - 4500K Day White

3800157619714


Box Qty.  
**1 Pcs**

**5** **V-TAC®** **PRO**  
**YEAR WARRANTY**

\*Suitable for 15-12 hours daily, usage of the product for 24 hours a day would void warranty



Luminous Intensity Distribution Curve



|                    |                  |             |                    |
|--------------------|------------------|-------------|--------------------|
| Sensor Compatible: | Yes              | PF:         | >0.9               |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 12000lm          | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD              | IP Rating:  | IP65               |
| CRI:               | >70              | Dimension:  | Ø280x162mm         |



## UFO-High Lumen-Meanwell Driver

# 100w VT-9107

5587 - 4000K Day White

5588 - 6400K White


3800157622295

3800157622301


Box Qty.  
**4 Pcs**

**5** **V-TAC®** **PRO**  
**YEAR WARRANTY**

\*Suitable for 15-12 hours daily, usage of the product for 24 hours a day would void warranty



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9               |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 90°                |
| Luminous Flux:     | 13000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP65               |
| CRI:               | >70                 | Dimension:  | 280x165mm          |




## UFO-High Lumen-Meanwell Driver


100w VT-9117

 5585 - 4000K Day White  
 5586 - 6400K White

 3800157622271  
 3800157622288

 Box Qty.  
**4 Pcs**
\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9               |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 13000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP65               |
| CRI:               | >70                 | Dimension:  | 280x165mm          |




## UFO-High Lumen-Meanwell Driver


150w VT-9167

5592 - 6400K White

3800157622349

 Box Qty.  
**2 Pcs**
\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9               |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 90°                |
| Luminous Flux:     | 19500lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP65               |
| CRI:               | >70                 | Dimension:  | 340x171mm          |





## UFO-High Lumen-Meanwell Driver

# 200w VT-9217


5594 - 6400K White

3800157622363


Box Qty.  
**2 Pcs**

**5** **V-TAC®** **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | > 0.9              |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 26000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP65               |
| CRI:               | >70                 | Dimension:  | 400x187mm          |



## UFO-High Lumen-Meanwell Driver

# 200w VT-9207


5595 - 4000K White

3800157622370


Box Qty.  
**2 Pcs**

**5** **V-TAC®** **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | > 0.9              |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 90°                |
| Luminous Flux:     | 26000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP65               |
| CRI:               | >70                 | Dimension:  | 400x187mm          |



UFO-High Lumen-Meanwell Driver

500w VT-9500

5607 - 4000K Day White  
5608 - 6400K White

3800157625050  
3800157625067

 Box Qty.  
1 Pcs



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: Yes

Voltage/Frequency: AC:90-295V,50Hz

Luminous Flux: 65000lm

LED Type: SMD

CRI: &gt;80




PF: &gt;0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: Ø360






UFO-Highbay-120°

50w VT-9053

5554 - 4500K Day White  
5555 - 6400K White

3800157620895  
3800157620901

Box Qty.  
**4 Pcs**



**120°**  
BEAM ANGLE

|                    |                  |             |                    |
|--------------------|------------------|-------------|--------------------|
| Sensor Compatible: | Yes              | PF:         | > 0.9              |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 4000lm           | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD              | IP Rating:  | IP44               |
| CRI:               | >70              | Dimension:  | Ø221x85mm          |





## UFO-Highbay-120°

50w VT-9065-W

5609 - 3000K Warm White

5610 - 4000K Day White


5611 - 6400K White

3800157626507


3800157626514

3800157626521





LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4000lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 220x114mm



## UFO-Highbay-120°

100w VT-9115-W

5612 - 3000K Warm White


5613 - 4000K Day White


5614 - 6400K White

3800157626538


3800157626545

3800157626552





LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 8000lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 280x131mm



### UFO-Highbay-120°


**50w VT-9065**

5557 - 4000K Day White  
5558 - 6400K White


3800157621946  
3800157621953

Box Qty.  
**8 Pcs**

**120°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **4000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **220x114mm**



### UFO-Highbay-90°


**50w VT-9055**

5559 - 4000K Day White  
5560 - 6400K White


3800157621960  
3800157621977

Box Qty.  
**8 Pcs**

**90°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **4000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **90°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **220x114mm**




## UFO-Highbay-120° 100w VT-9115-B


5574 - 6400K White

3800157621991

 Box Qty.  
4 Pcs

 120°  
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **8000lm**  
 LED Type: **SMD**  
 CRI: **>70**

PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **280x131mm**




## UFO-Highbay-90° 100w VT-9105

5575 - 4000K Day White  
5576 - 6400K White3800157622004  
3800157622011
 Box Qty.  
4 Pcs

 90°  
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **8000lm**  
 LED Type: **SMD**  
 CRI: **>70**

PF: **>0.9**  
 Beam Angle: **90°**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **280x131mm**




## UFO-Highbay-120° 150W VT-9175

5577 - 4000K Day White  
5578 - 6400K White


3800157622028  
3800157622035

Box Qty.  
**2 Pcs**

**120°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **12000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **340x138mm**




## UFO-Highbay-90° 150W VT-9165

5580 - 6400K White


3800157622059

Box Qty.  
**2 Pcs**

**90°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **12000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **90°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **340x138mm**







## UFO-Highbay-120° 200w VT-9215

5581 - 4000K Day White  
5582 - 6400K White

3800157622066  
3800157622073

Box Qty.  
**2 Pcs**

**120°**  
BEAM ANGLE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **16000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **400x115mm**





## UFO-Highbay-90° 200w VT-9205

5583 - 4000K Day White  
5584 - 6400K White

3800157622080  
3800157622097

Box Qty.  
**2 Pcs**

**90°**  
BEAM ANGLE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **16000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **90°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **400x115mm**






▲ 120°  
BEAM ANGLE

100<sup>++</sup>  
LM/W  
HIGH LUMENS

## NEW LINEAR LOWBAY

Narrow distribution fixtures are ideal for aisles or higher ceilings. Placing fixtures parallel to aisles is approximately 50% more efficient than a perpendicular alignment and decreases eye strain. This layout is also easier to control with motion sensors. Wide distribution fixtures are better suited for open areas.



Box Qty.  
**1 Pcs**


Linear Highbay-120°

**100w VT-9108**


5599 - 4000K Day White  
5600 - 6000K White

3800157624909  
3800157624916

**120°**  
BEAM ANGLE



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9               |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 10000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44               |
| CRI:               | >70                 | Dimension:  | 625x110x115mm      |



Box Qty.  
**1 Pcs**


Linear Highbay-120°

**150w VT-9158**


5601 - 4000K Day White  
5602 - 6000K White

3800157624923  
3800157624930

**120°**  
BEAM ANGLE



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9               |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 15000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44               |
| CRI:               | >70                 | Dimension:  | 898x110x115mm      |



Box Qty.  
**1 Pcs**


Linear Highbay-120°

**200w VT-9208**


5603 - 4000K Day White  
5604 - 6000K White

3800157624947  
3800157624954

**120°**  
BEAM ANGLE



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9               |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 20000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44               |
| CRI:               | >70                 | Dimension:  | 1170x110x115mm     |



Box Qty.  
**1 Pcs**


Linear Highbay-120°

**300w VT-9308**

5605 - 4000K Day White  
5606 - 6000K White

3800157624961  
3800157624978

**120°**  
BEAM ANGLE



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.9               |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 120°               |
| Luminous Flux:     | 30000lm             | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP44               |
| CRI:               | >70                 | Dimension:  | 1171x110x115mm     |

# LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.



## Product Features

- Perfect replacement for traditional lights
- Saves 80% Electricity cost, Better Efficiency and Longer Life Span
- Dedicated IP65 Sealed Optical Cavities
- Optically Optimized Glass Lenses
- Uniformity in Light Distribution – Maximizes Efficiency
- Fully Operational in Extreme Weather up to -25° Celsius
- Low maintenance & Low Power consumption
- Reduced CO<sup>2</sup> emissions

## Applications



Out Door Applications like Streets, Projects, Cross Roads, Tunnels, Car Parks, Industrial Facilities etc.

## Streetlight

**30w VT-15030ST**

5487 - 4000K Day White  
5488 - 6400K White

3800157623469  
3800157623476



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:190-240V,50/60Hz**  
Luminous Flux: **2400lm**  
LED Type: **SMD**  
CRI: **>70**



PF: **>0.9**  
Beam Angle: **100°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **175x373x52mm**

## Streetlight-Photo Cell Sensor

**30w VT-15031ST**

5489 - 4000K Day White  
5490 - 6400K White

3800157623483  
3800157623490



**PHOTOCELL SENSOR**  
**Auto Turns On At Night**  
**Auto Turns Off At Day Time**

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:190-240V,50/60Hz**  
Luminous Flux: **2400lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **100°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **175x373x52mm**



## Streetlight

50w VT-15051ST



5491 - 4000K Day White

3800157623506

5492 - 6400K White

3800157623513

 Box Qty.  
1 Pcs

 **IP65**  
RATING




## Streetlight



### 100w VT-15101ST

5495 - 4000K Day White  
5496 - 6400K White

3800157623544  
3800157623551

Box Qty.  
**1 Pcs**

**IP65**  
RATING



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:190-240V,50/60Hz**  
Luminous Flux: **8000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **100°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **264x538x68mm**



## Streetlight



### 120w VT-15123ST

5497 - 4000K Day White  
5498 - 6400K White

3800157623568  
3800157623575

Box Qty.  
**1 Pcs**

**IP65**  
RATING



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:190-240V,50/60Hz**  
Luminous Flux: **9600lm**  
LED Type: **SMD**  
CRI: **>70**



PF: **>0.9**  
Beam Angle: **100°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **264x538x68mm**




Streetlight  
150w VT-15156ST

5499 - 4000K Day White  
5500 - 6400K White

3800157623582  
3800157623599







### Streetlight-High Lumen


**30w VT-15131ST**

5473 - 6000K White


Box Qty.  
**1 Pcs**

**IP65**  
RATING

**120+ LUMENS**  
PER WATT  
**SUPER EFFICIENT**



|                    |                     |             |                    |
|--------------------|---------------------|-------------|--------------------|
| Sensor Compatible: | Yes                 | PF:         | >0.95              |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 100°               |
| Luminous Flux:     | 3720lm              | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD                 | IP Rating:  | IP65               |
| CRI:               | >75                 | Dimension:  | 400x180x55mm       |



### Streetlight-High Lumen

**50w VT-15151ST**


5475 - 4500K Day White  
5476 - 6000K White

3800157608770  
3800157608787

Box Qty.  
**1 Pcs**

**IP65**  
RATING

**120+ LUMENS**  
PER WATT  
**SUPER EFFICIENT**




|                    |                  |             |                    |
|--------------------|------------------|-------------|--------------------|
| Sensor Compatible: | Yes              | PF:         | >0.95              |
| Voltage/Frequency: | AC:100-240V,50Hz | Beam Angle: | 100°               |
| Luminous Flux:     | 6200lm           | Body Type:  | Die Cast Aluminium |
| LED Type:          | SMD              | IP Rating:  | IP65               |
| CRI:               | >75              | Dimension:  | 477x216x55mm       |

**new!**


Streetlight

**50w VT-15050ST**

9757 - 6000K White

 Box Qty.  
**1 Pcs**
**IP65**  
 RATING


Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **4250lm**  
 LED Type: **SMD**  
 CRI: **>70**

PF: **>0.9**  
 Beam Angle: **100°**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP65**  
 Dimension: **495x210x55mm**


**new!**


Streetlight-High Lumen

**100w VT-15105ST**

 5501 - 3000K Warm White  
 5477 - 4500K Day White

 3800157634595  
 3800157608794

 Box Qty.  
**1 Pcs**
**IP65**  
 RATING

**120+ LUMENS**  
**PER WATT**  
**SUPER EFFICIENT**

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **12400lm**  
 LED Type: **SMD**  
 CRI: **>70**

PF: **>0.90**  
 Beam Angle: **100°**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP65**  
 Dimension: **566x268x62mm**




Adapter  
**VT-795**

3624



Box Qty.  
**10 Pcs**

3800157608152



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



Adapter  
**VT-795-1**

3668



Box Qty.  
**12 Pcs**

3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

# LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.



## Product Features

- LED strip is a low Voltage flexible Ribbon available in DC:12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades
- Available in DC:12V and 220V with different color range from Warm White to RGB
- Available in IP20 and IP65 rating
- Available in 8mm or 10mm width
- Available in 1 or 1.5 meter rigid bar options with different options of Aluminium Profiles

## Applications

Ideal for illuminating Borders, Edges, Cabinets, Bars and any area with limited space for installation.



### Blister Pack



#### Bed Lights-PIR Sensor

**3W**

**VT-8067**



Box Qty.  
**25 Pcs**

2548 - 3000K Warm White

2549 - 4500K Day White

3800157628433

3800157628440

Watts:

3w

Voltage:

DC:12V

LED/M:

30

Strips length:

1.2 m x1

Sensor Distance:

2-5m

Delay time:

30sec, 130sec, 380sec



### Blister Pack



#### Bed Lights-PIR Sensor

**6W**

**VT-8068**



Box Qty.  
**18 Pcs**

2550 - 3000K Warm White

2551 - 4500K Day White

3800157628457

3800157628464

Watts:

6w

Voltage:

DC:12V

LED/M:

30

Strips length:

1.2 m x2

Sensor Distance:

2-5 m

Delay time:

30sec, 130sec, 380sec

## Strip Sets-5050 60 LEDs

## 10w VT-5050 60 IP20-Set

|                         |               |
|-------------------------|---------------|
| 2545 - 3000K Warm White | 3800157626804 |
| 2546 - 6000K White      | 3800157626811 |
| 2544 - RGB              | 3800157625975 |



|            |                     |             |        |
|------------|---------------------|-------------|--------|
| LED Type:  | SMD                 | lm/M:       | 1000lm |
| Watt/M:    | 10w                 | lm/LED:     | 9-11lm |
| Current/M: | 1.5A                | Beam Angle: | 120°   |
| Voltage:   | AC:100-265V,50/60Hz | IP Rating:  | IP20   |
| LED Qty    | 60                  | Width:      | 8mm    |



BS PLUG



## Strip Sets-5050 60 LEDs

## 10w VT-5050 60 IP20-RGB Set

|          |               |
|----------|---------------|
| 2558-RGB | 3800157634144 |
|----------|---------------|



|            |                     |             |        |
|------------|---------------------|-------------|--------|
| LED Type:  | SMD                 | lm/M:       | 1000lm |
| Watt/M:    | 10w                 | lm/LED:     | 9-11lm |
| Current/M: | 1.5A                | Beam Angle: | 120°   |
| Voltage:   | AC:100-265V,50/60Hz | IP Rating:  | IP20   |
| LED Qty    | 60                  | Width:      | 8mm    |



EU PLUG



## Tape-2835 240 LEDs-High Lumen

### 18w VT-2835 240-H

|                         |               |
|-------------------------|---------------|
| 2164 - 3000K Warm White | 3800157610117 |
| 2165 - 4500K Day White  | 3800157610124 |
| 2166 - 6000K White      | 3800157610131 |



|            |        |             |         |
|------------|--------|-------------|---------|
| LED Type:  | SMD    | lm/M:       | 3000lm  |
| Watt/M:    | 18w    | lm/LED:     | 20-22lm |
| Current/M: | 1.5A   | Beam Angle: | 120°    |
| Voltage:   | DC:12V | IP Rating:  | IP20    |
| LED Qty    | 240    | Width:      | 10mm    |

**3000 LUMENS**  
PER METER  
**SUPER EFFICIENT**

## Tape-2835 204 LEDs

### 18w VT-2835 204

|                         |               |
|-------------------------|---------------|
| 2461 - 3000K Warm White | 3800157612234 |
| 2462 - 4500K Day White  | 3800157612241 |
| 2463 - 6000K White      | 3800157612258 |



|            |        |             |        |
|------------|--------|-------------|--------|
| LED Type:  | SMD    | lm/M:       | 1700lm |
| Watt/M:    | 18w    | lm/LED:     | 9-11lm |
| Current/M: | 1.5A   | Beam Angle: | 120°   |
| Voltage:   | DC:12V | IP Rating:  | IP20   |
| LED Qty    | 204    | Width:      | 10mm   |

## Tape-5730 120 LEDs-High Lumen

**18w VT-5730 120**

|                         |               |
|-------------------------|---------------|
| 2162 - 3000K Warm White | 3800157610094 |
| 2163 - 4500K Day White  | 3800157610100 |
| 2161 - 6000K White      | 3800157610087 |


 Box Qty.  
**400 Meters**

|            |        |             |         |
|------------|--------|-------------|---------|
| LED Type:  | SMD    | lm/M:       | 3000lm  |
| Watt/M:    | 18w    | lm/LED:     | 20-22lm |
| Current/M: | 1.5A   | Beam Angle: | 120°    |
| Voltage:   | DC:12V | IP Rating:  | IP20    |
| LED Qty    | 120    | Width:      | 8mm     |

**CRI >95**
**3000 LUMENS**  
 PER METER  
**SUPER EFFICIENT**

## Tape-5050 30 LEDs

**4.8w VT-5050 30-IP20**

|                         |               |
|-------------------------|---------------|
| 2135 - 3000K Warm White | 3800230621405 |
| 2133 - 6000K White      | 3800230621382 |
| 2124 - RGB              | 3800230621535 |


 Box Qty.  
**400 Meters**

|            |        |             |          |
|------------|--------|-------------|----------|
| LED Type:  | SMD    | lm/M:       | 500lm    |
| Watt/M:    | 4.8w   | lm/LED:     | 14 -16lm |
| Current/M: | 0.4A   | Beam Angle: | 120°     |
| Voltage:   | DC:12V | IP Rating:  | IP20     |
| LED Qty    | 30     | Width:      | 10mm     |



## Tape-5050 30 LEDs

### 4.8w VT-5050 30-IP65

|                         |               |
|-------------------------|---------------|
| 2145 - 3000K Warm White | 3800230621412 |
| 2460 - 4500K Day White  | 3800157612166 |
| 2144 - 6000K White      | 3800230621399 |
| 2118 - RGB              | 3800230621528 |



|            |        |             |          |
|------------|--------|-------------|----------|
| LED Type:  | SMD    | lm/M:       | 500lm    |
| Watt/M:    | 4.8w   | lm/LED:     | 14 -16lm |
| Current/M: | 0.4A   | Beam Angle: | 120°     |
| Voltage:   | DC:12V | IP Rating:  | IP65     |
| LED Qty    | 30     | Width:      | 10mm     |

## Tape-5050 60 LEDs

### 10.8w VT-5050 60-IP20

|                         |               |
|-------------------------|---------------|
| 2122 - 3000K Warm White | 3800230621504 |
| 2143 - 4500K Day White  | 3800230621467 |
| 2126 - 6000K White      | 3800230621481 |
| 2120 - RGB              | 3800230621542 |
| 2128 - Red              | 3800230624468 |
| 2137 - Blue             | 3800230621429 |
| 2138 - Green            | 3800230621443 |
| 2156 - Yellow           | 3800230628824 |



|            |        |             |          |
|------------|--------|-------------|----------|
| LED Type:  | SMD    | lm/M:       | 1000lm   |
| Watt/M:    | 10.8w  | lm/LED:     | 14 -16lm |
| Current/M: | 0.8A   | Beam Angle: | 120°     |
| Voltage:   | DC:12V | IP Rating:  | IP20     |
| LED Qty    | 60     | Width:      | 10mm     |

## Tape-5050 60 LEDs

## 10.8w VT-5050 60-IP65

|                         |               |
|-------------------------|---------------|
| 2149 - 3000K Warm White | 3800230621511 |
| 2150 - 4500K Day White  | 3800230621474 |
| 2148 - 6000K White      | 3800230621498 |
| 2155 - RGB              | 3800230621559 |

Box Qty.  
**400 Meters**

|            |        |             |          |
|------------|--------|-------------|----------|
| LED Type:  | SMD    | lm/M:       | 1000lm   |
| Watt/M:    | 10.8w  | lm/LED:     | 14 -16lm |
| Current/M: | 0.8A   | Beam Angle: | 120°     |
| Voltage:   | DC:12V | IP Rating:  | IP65     |
| LED Qty    | 60     | Width:      | 10mm     |

## Tape-3528 60 LEDs

## 3.6w VT-3528 60-IP20

|                         |               |
|-------------------------|---------------|
| 2016 - 3000K Warm White | 3800230621160 |
| 2041 - 4500K Day White  | 3800230621184 |
| 2005 - 6000K White      | 3800230621153 |
| 2015 - Red              | 3800230621269 |
| 2013 - Blue             | 3800230621252 |
| 2011 - Green            | 3800230621221 |
| 2009 - Yellow           | 3800230621214 |

Box Qty.  
**400 Meters**

|            |        |             |       |
|------------|--------|-------------|-------|
| LED Type:  | SMD    | lm/M:       | 400lm |
| Watt/M:    | 3.6w   | lm/LED:     | 5-6lm |
| Current/M: | 0.3A   | Beam Angle: | 120°  |
| Voltage:   | DC:12V | IP Rating:  | IP20  |
| LED Qty    | 60     | Width:      | 8mm   |

## Tape-3528 60 LEDs

**3.6W VT-3528 60-IP65**

|                         |               |
|-------------------------|---------------|
| 2032 - 3000K Warm White | 3800230621177 |
| 2043 - 4500K Day White  | 3800230621191 |
| 2031 - 6000K White      | 3800230621146 |
| 2036 - Red              | 3800230621276 |
| 2035 - Blue             | 3800230621245 |
| 2034 - Green            | 3800230621238 |



|            |        |             |       |
|------------|--------|-------------|-------|
| LED Type:  | SMD    | lm/M:       | 400lm |
| Watt/M:    | 3.6w   | lm/LED:     | 5-6lm |
| Current/M: | 0.3A   | Beam Angle: | 120°  |
| Voltage:   | DC:12V | IP Rating:  | IP65  |
| LED Qty    | 60     | Width:      | 8mm   |

## Tape-3528 120 LEDs

**7.2W VT-3528 120-IP20**

|                         |               |
|-------------------------|---------------|
| 2025 - 3000K Warm White | 3800230621306 |
| 2042 - 4500K Day White  | 3800230621320 |
| 2002 - 6000K White      | 3800230621283 |



|            |        |             |       |
|------------|--------|-------------|-------|
| LED Type:  | SMD    | lm/M:       | 600lm |
| Watt/M:    | 7.2w   | lm/LED:     | 5-6lm |
| Current/M: | 0.6A   | Beam Angle: | 120°  |
| Voltage:   | DC:12V | IP Rating:  | IP20  |
| LED Qty    | 120    | Width:      | 8mm   |

## Tape-3528 120 LEDs

**7.2w VT-3528 120-IP65**

|                         |               |
|-------------------------|---------------|
| 2038 - 3000K Warm White | 3800230621313 |
| 2044 - 4500K Day White  | 3800230621337 |
| 2037 - 6000K White      | 3800230621290 |


 Box Qty.  
**400 Meters**

|            |        |             |       |
|------------|--------|-------------|-------|
| LED Type:  | SMD    | lm/M:       | 600lm |
| Watt/M:    | 7.2w   | lm/LED:     | 5-6lm |
| Current/M: | 0.6A   | Beam Angle: | 120°  |
| Voltage:   | DC:12V | IP Rating:  | IP65  |
| LED Qty    | 120    | Width:      | 8mm   |

## Tape-5050 60 LEDs

**10.8w VT-5050 60RGBW**

|                       |               |
|-----------------------|---------------|
| 2159 - RGB+White      | 3800230629623 |
| 2552 - RGB+Day White  | 3800157630306 |
| 2553 - RGB+Warm White | 3800157630313 |


 Box Qty.  
**400 Meters**

|            |        |             |       |
|------------|--------|-------------|-------|
| LED Type:  | SMD    | lm/M:       | 900lm |
| Watt/M:    | 10.8w  | lm/LED:     | 15lm  |
| Current/M: | 1.2A   | Beam Angle: | 120°  |
| Voltage:   | DC:12V | IP Rating:  | IP20  |
| LED Qty    | 60     | Width:      | 10mm  |

## Tape-3014 204 LEDs

**18w VT-3014 204**

|                         |               |
|-------------------------|---------------|
| 2404 - 3000K Warm White | 3800230628060 |
| 2405 - 4500K Day White  | 3800157600309 |
| 2403 - 6000K White      | 3800230628053 |



|            |        |             |        |
|------------|--------|-------------|--------|
| LED Type:  | SMD    | lm/M:       | 1700lm |
| Watt/M:    | 18w    | lm/LED:     | 9-11lm |
| Current/M: | 1.5A   | Beam Angle: | 120°   |
| Voltage:   | DC:12V | IP Rating:  | IP20   |
| LED Qty    | 204    | Width:      | 10mm   |

## Tape-5050 60 LEDs

**9w VT-5050 60-24V**

|                         |               |
|-------------------------|---------------|
| 2431 - 3000K Warm White | 3800230621573 |
| 2459 - 4500K Day White  | 3800157612036 |
| 2430 - 6000K White      | 3800230621566 |



|            |        |             |         |
|------------|--------|-------------|---------|
| LED Type:  | SMD    | lm/M:       | 600lm   |
| Watt/M:    | 9w     | lm/LED:     | 14-16lm |
| Current/M: | 0.3A   | Beam Angle: | 120°    |
| Voltage:   | DC:24V | IP Rating:  | IP20    |
| LED Qty    | 60     | Width:      | 10mm    |

# LED **Neon** Lights



### Neon Flex-White

8W

**VT-555W**



Box Qty.  
**5 Packets**

SKU Code: 2512 - 6000K White  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157605656



### Neon Flex-Warm White

8W

**VT-555WW**



Box Qty.  
**5 Packets**

SKU Code: 2513 - 3000K Warm  
Voltage: White  
Lumen lm/M: DC:24V  
FPC Width MM: 320±5%  
Power W/M: 7.5  
Jacket Dia: 8w  
Beam Angle: 9 x16.5 mm  
EAN Code: 160°



### Neon Flex-Day White

8W

**VT-555DW**



Box Qty.  
**5 Packets**

SKU Code: 2514 - 4500K Day  
Voltage: White  
Lumen lm/M: DC:24V  
FPC Width MM: 320±5%  
Power W/M: 7.5  
Jacket Dia: 8w  
Beam Angle: 9 x16.5 mm  
EAN Code: 160°



## Neon Flex-Blue

8W

VT-555B

 Box Qty.  
5 Packets

SKU Code: 2515 - Blue  
 Voltage: DC:24V  
 Lumen lm/M: 320±5%  
 FPC Width MM: 7.5  
 Power W/M: 8w  
 Jacket Dia: 9 x16.5 mm  
 Beam Angle: 160°  
 EAN Code: 3800157605687



## Neon Flex-Red

8W

VT-555R

 Box Qty.  
5 Packets

SKU Code: 2516 - Red  
 Voltage: DC:24V  
 Lumen lm/M: 320±5%  
 FPC Width MM: 7.5  
 Power W/M: 8w  
 Jacket Dia: 9 x16.5 mm  
 Beam Angle: 160°  
 EAN Code: 3800157605694



## Neon Flex-Green

8W

VT-555G

 Box Qty.  
5 Packets

SKU Code: 2517 - Green  
 Voltage: DC:24V  
 Lumen lm/M: 320±5%  
 FPC Width MM: 7.5  
 Power W/M: 8w  
 Jacket Dia: 9 x16.5 mm  
 Beam Angle: 160°  
 EAN Code: 3800157605700





## Neon Flex-Yellow

8W

**VT-555Y**



Box Qty.  
**5 Packets**

SKU Code: 2518 - Yellow  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157605717



## Neon Flex-Pink

8W

**VT-555P**



Box Qty.  
**5 Packets**

SKU Code: 2529 - Pink  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157619523



## Neon Flex-Violet

8W

**VT-555V**



Box Qty.  
**5 Packets**

SKU Code: 2531 - Violet  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157619547



## Aluminium Profiles

Box Qty.  
**2200Pcs**
**6PCS  
Included with  
Neon Flex**

SKU Code: 2527  
EAN Code: 3800157608404


## Neon Power Cord

Box Qty.  
**500 Pcs**
SKU Code: 3331  
EAN Code: 3800157616829

## Neon Connector

Box Qty.  
**3000 Pcs**
SKU Code: 3333  
EAN Code: 3800157607889

## Neon End Safe Cap

Box Qty.  
**2 Pcs**
SKU Code: 3334  
EAN Code: 3800157607896

## LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



| SKU  | Description:                             | EAN Code:     | BOX Qty: |
|------|------------------------------------------|---------------|----------|
| 2351 | LED Strip Set SMD3528 60 LEDs 4500K IP20 | 3800230621634 | 48 Pcs   |
| 2350 | LED Strip Set SMD5050 30 LEDs RGB IP20   | 3800230621641 | 48 Pcs   |
| 2352 | LED Strip Set SMD5050 30 LEDs RGB IP65   | 3800230621658 | 50 Pcs   |
| 2353 | LED Strip Set SMD5050 60 LEDs RGB IP20   | 3800230621665 | 50 Pcs   |
| 2354 | LED Strip Set SMD5050 60 LEDs RGB IP65   | 3800230621672 | 48 Pcs   |
| 2355 | LED Strip Set SMD5050 60 LEDs White IP20 | 3800230621689 | 48 Pcs   |
| 2356 | LED Strip Set SMD5050 60 LEDs White IP65 | 3800230621696 | 48 Pcs   |

## Strip Connectors



| SKU  | Description:                                  | EAN Code:     | BOX Qty: |
|------|-----------------------------------------------|---------------|----------|
| 3500 | Flexible Connector - LED Strip 3528           | 3800230622051 | 100 Pcs  |
| 3501 | Flexible Connector - LED Strip 5050           | 3800230622068 | 100 Pcs  |
| 3502 | Flexible Connector - LED Strip 5050 RGB       | 3800230622075 | 100 Pcs  |
| 3503 | Connector - LED Strip 3528                    | 3800230622082 | 100 Pcs  |
| 3504 | Connector - LED Strip 5050                    | 3800230622099 | 1000 Pcs |
| 3505 | Connector - LED Strip 5050 RGB                | 3800230622105 | 1000 Pcs |
| 3507 | Flexible Connector - LED Strip 3528 DC Female | 3800230622112 | 100 Pcs  |
| 3508 | Flexible Connector - LED Strip 5050 DC Female | 3800157608466 | 100 Pcs  |
| 3509 | Connector - LED Strip 3528 Cross Type         | 3800157608473 | 100 Pcs  |
| 3510 | Connector - LED Strip 5050 Cross Type         | 3800157608480 | 200 Pcs  |
| 3511 | Connector - LED Strip 5050 L Type             | 3800157608497 | 250 Pcs  |
| 3512 | Connector - LED Strip DC Female               | 3800230622112 | 100 Pcs  |

## Bar 4014 144 LEDs

18w

VT-4014 144-2Pc

|                         |               |
|-------------------------|---------------|
| 2535 - 3000K Warm White | 3800157625883 |
| 2536 - 4000K Day White  | 3800157625890 |
| 2537 - 6400K White      | 3800157625906 |

|             |         |
|-------------|---------|
| Current:    | 1.5A    |
| Voltage:    | DC:12V  |
| Lumens/LED: | 20-24lm |
| LM/M:       | 1700lm  |
| Size:       | 1M      |
| LED Type:   | SMD     |
| IP Rating:  | IP20    |

Box Qty.  
125 Pcs

## Bar 4014 144 LEDs

18w

VT-4014 144-10Pc

|                         |               |
|-------------------------|---------------|
| 2538 - 3000K Warm White | 3800157625913 |
| 2539 - 4000K Day White  | 3800157625920 |
| 2540 - 6400K White      | 3800157625937 |

|             |         |
|-------------|---------|
| Current:    | 1.5A    |
| Voltage:    | DC:12V  |
| Lumens/LED: | 20-24lm |
| LM/M:       | 1700lm  |
| Size:       | 1M      |
| LED Type:   | SMD     |
| IP Rating:  | IP20    |

Box Qty.  
50 Pcs

## Bar 4014 144 LEDs

18w

VT-4014 144-P


|                         |               |
|-------------------------|---------------|
| 2541 - 3000K Warm White | 3800157625944 |
| 2542 - 4500K Day White  | 3800157625951 |
| 2543 - 6400K White      | 3800157625968 |

|             |         |
|-------------|---------|
| Current:    | 1.5A    |
| Voltage:    | DC:12V  |
| Lumens/LED: | 20-24lm |
| LM/M:       | 1700lm  |
| Size:       | 1M      |
| LED Type:   | SMD     |
| IP Rating:  | IP20    |

Box Qty.  
100 Pcs



### Aluminium Profile-Transparent




Model No: VT-7101-T  
SKU Code: 9981  
Dimension: 16.76x10.3x1000mm  
Color of Fixture: Transparent  
EAN Code: 3800230622129

Box Qty.  
**100 Pcs**



### Aluminium Profile-Matt




Model No: VT-7101-M  
SKU Code: 9982  
Dimension: 16.76x10.3x1000mm  
Color of Fixture: Matt  
EAN Code: 3800230622136

Box Qty.  
**100 Pcs**



### Aluminium Profile-Transparent




Model No: VT-7102-T  
SKU Code: 9983  
Dimension: 16.9x12.48x1000mm  
Color of Fixture: Transparent  
EAN Code: 3800230622143

Box Qty.  
**140 Pcs**



### Aluminium Profile-Matt




Model No: VT-7102-M  
SKU Code: 9984  
Dimension: 16.9x12.48x1000mm  
Color of Fixture: Matt  
EAN Code: 3800230622150

Box Qty.  
**140 Pcs**



### Aluminium Profile-Transparent




Box Qty.  
**90 Pcs**

Model No: **VT-7103-T**  
 SKU Code: **9985**  
 Dimension: **26.5x9x1000mm**  
 Color of Fixture: **Transparent**  
 EAN Code: **3800230622150**



### Aluminium Profile-Matt




Box Qty.  
**90 Pcs**

Model No: **VT-7103-M**  
 SKU Code: **9986**  
 Dimension: **26.5x9x1000mm**  
 Color of Fixture: **Matt**  
 EAN Code: **3800230622174**



### Aluminium Profile-Matt




Box Qty.  
**80 Pcs**

Model No: **VT-7104-M**  
 SKU Code: **9987**  
 Dimension: **19x19x1000mm**  
 Color of Fixture: **Matt**  
 EAN Code: **3800230622181**

**new!**



### Aluminium Profile-2 Meters




Box Qty.  
**40 Pcs**

Model No: **VT-7104**  
 SKU Code: **9956**  
 Dimension: **19x19x2000mm**  
 Color of Fixture: **Milky**  
 EAN Code: **3800157635509**



### Aluminium Profile-2 Meters




Box Qty.  
**150 Pcs**

Model No: VT-7109-2Pc  
SKU Code: 9957  
Dimension: 22x17x2000mm  
Color of Fixture: Milky  
EAN Code: 3800157617208



### Aluminium Profile-Milky




Box Qty.  
**150 Pcs**

Model No: VT-7109  
SKU Code: 9947  
Dimension: 22x17x1000mm  
Color of Fixture: Milky  
EAN Code: 3800157617208



### Aluminium Profile-Milky




Box Qty.  
**150 Pcs**

Model No: VT-7105  
SKU Code: 9990  
Dimension: 24.6x7.85x1000mm  
Color of Fixture: Milky  
EAN Code: 3800230628077



### Aluminium Profile-2 Meters




Box Qty.  
**50 Pcs**

Model No: VT-7105-M  
SKU Code: 9991  
Dimension: 24.6x7.85x2000mm  
Color of Fixture: Milky  
EAN Code: 3800230628794



### Aluminium Profile-2 Meters



|                   |                      |
|-------------------|----------------------|
| Model No:         | VT-7106-1            |
| SKU Code:         | 9992                 |
| Dimension:        | 17.5x7.8x1000/2000mm |
| Color of Fixture: | Milky                |
| EAN Code:         | 3800230628800        |

Box Qty.  
**150 Pcs**



### Aluminium Profile-2 Meters




|                   |                      |
|-------------------|----------------------|
| Model No:         | VT-7106-2            |
| SKU Code:         | 9993                 |
| Dimension:        | 17.5x7.8x1000/2000mm |
| Color of Fixture: | Milky                |
| EAN Code:         | 3800230628817        |

Box Qty.  
**70 Pcs**



### Aluminium Profile-Milky




|                   |                |
|-------------------|----------------|
| Model No:         | VT-7107        |
| SKU Code:         | 9994           |
| Dimension:        | 60x35.1x1000mm |
| Color of Fixture: | Milky          |
| EAN Code:         | 3800157601399  |

Box Qty.  
**16 Pcs**



### Aluminium Profile-Milky



|                   |               |
|-------------------|---------------|
| Model No:         | VT-7108       |
| SKU Code:         | 9995          |
| Dimension:        | 20.54x1000mm  |
| Color of Fixture: | Milky         |
| EAN Code:         | 3800157601405 |

Box Qty.  
**56 Pcs**





## Strip-Controller-Dimmer

### VT-2402

Box Qty.  
**50 Pcs**

Dimmer for LED Strip with  
Remote Control

SKU Code: 3300  
Max Current /Watt: 8A, 96W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622198



## Strip-Controller-Radio

### VT-2404

Box Qty.  
**100 Pcs**

Radio Controller with Remote  
Control 4 Buttons

SKU Code: 3303  
Max Current /Watt: 12A, 144W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622204



## Strip-Controller-DMX 512

### VT-DM X 512

Box Qty.  
**50 Pcs**

SKU Code: 3307  
Max Current /Watt: 4A x3, 360W  
Input Voltage: DC:12V  
EAN Code: 3800230622266



## Strip-Controller-Radio

### VT-2405

Box Qty.  
**20 Pcs**

Radio Controller with Touch  
Remote Control

SKU Code: 3312  
Max Current /Watt: 3A x4, 144W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622273



## Strip-Controller-Radio

### VT-2406

Box Qty.  
**50 Pcs**

Radio Controller with Remote  
Control

SKU Code: 3318  
Max Current /Watt: 500W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622235



### Strip-Controller-RF

**3320**



Box Qty.  
**500 Pcs**

Mini RF Controller

|                |               |
|----------------|---------------|
| SKU Code:      | 3320          |
| Input Voltage: | DC:12V        |
| EAN Code:      | 3800230628022 |



### Strip-Controller-Infrared

**VT-2472**



Box Qty.  
**100 Pcs**

Infrared Controller with  
Remote Control 24 Buttons

|                    |               |
|--------------------|---------------|
| SKU Code:          | 3625          |
| Max Current /Watt: | 72w           |
| Input Voltage:     | DC:12/24V     |
| EAN Code:          | 3800230629630 |



### Strip-Amplifier-5050

**3009**



Box Qty.  
**100 Pcs**

5050 RGB Strip Amplifier

|                    |               |
|--------------------|---------------|
| SKU Code:          | 3009          |
| Max Current /Watt: | 6A, 72W       |
| Input Voltage:     | DC:12V        |
| EAN Code:          | 3800230622259 |



### Strip-Amplifier-5050

**3018**



Box Qty.  
**1000 Pcs**

5050 RGB Strip Mini-Amplifier

|                |               |
|----------------|---------------|
| SKU Code:      | 3018          |
| Input Voltage: | DC:12V        |
| EAN Code:      | 3800230622242 |



### Strip-Controller

**3319**



Box Qty.  
**500 Pcs**

24B Mini Controller

|                |               |
|----------------|---------------|
| SKU Code:      | 3319          |
| Input Voltage: | DC:12V        |
| EAN Code:      | 3800230628015 |



### Strip-Controller-Wifi

**3321**



Box Qty.  
**50 Pcs**

Wi-Fi Single Controller

SKU Code: 3321  
Input Voltage: DC:12V  
EAN Code: 3800230628039



### Strip-Controller-Wifi RGB

**3322**



Box Qty.  
**50 Pcs**

Wi-Fi RGB Controller

SKU Code: 3322  
Input Voltage: DC:12V  
EAN Code: 3800230628046



### Strip-Controller-5050

**3326**



Box Qty.  
**100 Pcs**

5050 60 RGB+W/WW with LED  
Controller

SKU Code: 3326  
Input Voltage: DC:12V  
EAN Code: 3800230629630



### Strip-Amplifier

**VT-2408**



Box Qty.  
**100 Pcs**

RGB+W Amplifier

SKU Code: 3327  
Input Voltage: DC:12V  
EAN Code: 3800157601047



### Strip-Amplifier

**VT-2407**



Box Qty.  
**100Pcs**

RGB Amplifier

SKU Code: 3309  
Input Voltage: DC:12V  
EAN Code: 3800157620819

**new!**

## Bed Light-Sensor

VT-8069

 Box Qty.  
**400Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 2554          |
| Input voltage:    | DC:12V        |
| Sensing Distance: | 2-5m          |
| DeLay Time:       | 3s-6min       |
| EAN Code:         | 3800157632690 |

**new!**

## Bed Light-Touch Sensor

VT-8071

 Box Qty.  
**100Pcs**

|                |               |
|----------------|---------------|
| SKU Code:      | 2556          |
| Input voltage: | DC:12V        |
| EAN Code:      | 3800157632713 |

**new!**

## Bed Light-Hand Wave Sensor

VT-8072

 Box Qty.  
**100Pcs**

|                |               |
|----------------|---------------|
| SKU Code:      | 2557          |
| Input voltage: | DC:12V        |
| EAN Code:      | 3800157632720 |

**new!**

## Bed Light-Connector Terminal

VT-8070

 Box Qty.  
**400Pcs**

|           |               |
|-----------|---------------|
| SKU Code: | 2555          |
| EAN Code: | 3800157632706 |



## Strip-Controller-Dimmer

### VT-2410



Box Qty.  
**100 Pcs**

RF Controller+Dimmer

SKU Code: 3663  
Max Current /Watt: 6A 216W/432W  
Input Voltage: DC:12V  
EAN Code: 3800157619509

**new!**



## LED Sync Controller- Dimmer

### VT-2414



Box Qty.  
**50Pcs**

SKU Code: 3337  
Input Voltage: DC:12/24V  
EAN Code: 3800157634601

**new!**



## LED Sync Controller- RGBW/WW

### VT-2424



Box Qty.  
**60Pcs**

SKU Code: 3338  
Input Voltage: DC:12/24V  
EAN Code: 3800157634618

**new!**



## LED Sync Controller- RGB

### VT-2420



Box Qty.  
**60Pcs**

SKU Code: 3339  
Input Voltage: DC:12/24V  
EAN Code: 3800157634625

**new!**



## LED Sync Controller- RGB

### VT-2421



Box Qty.  
**100Pcs**

SKU Code: 3340  
Input Voltage: DC:12/24V  
EAN Code: 3800157634632

## Modules-3 SMD-IP67

**0.72w**      **VT-50303**

5116 - 6000K White

3800157610209

5117 - Red

3800157610216

5118 - Blue

3800157610223

5119 - Green

3800157610230

Voltage/Frequency: **DC:12V**  
 Luminous Flux: **66lm**  
 LED Type: **SMD**  
 CRI: **>75**  
 Beam Angle: **160°**  
 Dimension: **67x15x8.5mm**  
 IP Rating: **IP67**


 Box Qty.  
**2000 Pcs**
 **IP67**  
 RATING

## Modules-3 SMD-IP67

**1w**      **VT-28353**

5120 - 6000K White

3800157610247

5121 - Red

3800157610254

5122 - Blue

3800157610261

5123 - Green

3800157610278

Voltage/Frequency: **DC:12V**  
 Luminous Flux: **100lm**  
 LED Type: **SMD**  
 CRI: **>75**  
 Beam Angle: **120°**  
 Dimension: **53x12x4.6mm**  
 IP Rating: **IP67**


 Box Qty.  
**200 Pcs**
 **IP67**  
 RATING

## Modules-3 SMD-IP67

**1.5w**      **VT-28356**

5124 - 3000K Warm White

3800157621687

5125 - 6000K White

3800157621694

5126 - Red

3800157621700

5127 - Blue

3800157621717

5128 - Green

3800157621724

Voltage/Frequency: **DC:12V**  
 Luminous Flux: **120-150lm**  
 LED Type: **SMD**  
 CRI: **>75**  
 Beam Angle: **120°**  
 Dimension: **87x15x10mm**  
 IP Rating: **IP67**


 Box Qty.  
**2000 Pcs**
 **IP67**  
 RATING

## Modules-4 SMD-IP68

1.44w VT-28358

Voltage/Frequency: DC:12V  
 Luminous Flux: 120-135lm  
 LED Type: SMD  
 CRI: >75  
 Beam Angle: 160°  
 Dimension: 37x37x6.8mm  
 IP Rating: IP68

5129 - 3000K Warm White 3800157621731  
 5130 - 6000K White 3800157621748  
 5131 -Red 3800157621755  
 5132 -Blue 3800157621762  
 5133 -Green 3800157621779


 Box Qty.  
100Pcs

 IP68  
RATING

## Modules-3 SMD-IP67

0.72w VT-50506

Voltage/Frequency: DC:12V  
 Luminous Flux: 20lm  
 LED Type: SMD  
 CRI: >75  
 Beam Angle: 120°  
 Dimension: 68x19.5x5.7mm  
 IP Rating: IP67

5134 - RGB 3800157621786


 Box Qty.  
100 Pcs

 IP67  
RATING

## Modules-SMD-IP68

0.24w VT-50501

Voltage/Frequency: DC:12V  
 Luminous Flux: 20lm  
 LED Type: SMD  
 CRI: >75  
 Beam Angle: 120°  
 Dimension: 12x22mm  
 IP Rating: IP68

5135 - 3000K Warm white 3800157621793  
 5136 - 6000K White 3800157621809  
 5137 -Red 3800157621816  
 5139 -Blue 3800157621830  
 5140 -Green 3800157621847  
 5138 -Yellow 3800157621823


 Box Qty.  
320 Pcs

 IP68  
RATING

# Power Supply For **LED** Strip Lights







### Slim Power Supply

**VT-20062**



Box Qty.  
**36 Pcs**

SKU Code: 3246  
Watts: 60w  
Current Capacity: 5A  
Output: DC:12V  
Unit Size: 130x50x31mm  
EAN Code: 3800157628549



### Slim Power Supply

**VT-20077**



Box Qty.  
**60 Pcs**

With short circuit protection,  
over load protection, stable  
output voltage

SKU Code: 3247  
Watts: 75w  
Current Capacity: 6A  
Output: DC:12V  
Unit Size: 130x50x31mm  
EAN Code: 3800157628556



### Slim Power Supply

**VT-20122**



Box Qty.  
**80 Pcs**

Built in EMI Filter

SKU Code: 3243  
Watts: 120w  
Current Capacity: 10A  
Output: DC:12V  
Unit Size: 190x50x31mm  
EAN Code: 3800157628525



### Slim Power Supply

**VT-20152**



Box Qty.  
**60 Pcs**

High efficiency, low  
temperature

SKU Code: 3244  
Watts: 150w  
Current Capacity: 12.5A  
Output: DC:12V  
Unit Size: 200x62x31mm  
EAN Code: 3800157628532



## Power Supply-Metal

## VT-20026



100% load tested

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3228          |
| Watts:            | 25w           |
| Current Capacity: | 2.1A          |
| Output:           | DC:12V        |
| Unit Size:        | 140x33x27mm   |
| EAN Code:         | 3800157622929 |



## Power Supply-Metal

## VT-20350



Protection Rating : IP20

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3057          |
| Watts:            | 350w          |
| Current Capacity: | 30A           |
| Output:           | DC:12V        |
| Unit Size:        | 215x115x50mm  |
| EAN Code:         | 3800230621795 |



## Power Supply-Metal

## VT-20061



CE, ROHS, EMC approved

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3229          |
| Watts:            | 60w           |
| Current Capacity: | 5A            |
| Output:           | DC:12V        |
| Unit Size:        | 160x40x32mm   |
| EAN Code:         | 3800157622936 |



## Power Supply-Metal

## VT-20076



|                   |               |
|-------------------|---------------|
| SKU Code:         | 3230          |
| Watts:            | 75w           |
| Current Capacity: | 6A            |
| Output:           | DC:12V        |
| Unit Size:        | 188x47x35mm   |
| EAN Code:         | 3800157622943 |



### Power Supply-Metal

#### VT-20121



|                   |               |
|-------------------|---------------|
| SKU Code:         | 3226          |
| Watts:            | 120w          |
| Current Capacity: | 10A           |
| Output:           | DC:12V        |
| Unit Size:        | 188x47x35mm   |
| EAN Code:         | 3800157622905 |



### Power Supply-Metal

#### VT-20151



|                   |               |
|-------------------|---------------|
| SKU Code:         | 3227          |
| Watts:            | 150w          |
| Current Capacity: | 12.5A         |
| Output:           | DC:12V        |
| Unit Size:        | 200x58x40mm   |
| EAN Code:         | 3800157622912 |

**new!**



### Power Supply-Metal

#### VT-20153



|                   |               |
|-------------------|---------------|
| SKU Code:         | 3253          |
| Watts:            | 150w          |
| Current Capacity: | 6.5A          |
| Output:           | DC:24V        |
| Unit Size:        | 253x72x45mm   |
| EAN Code:         | 3800157635233 |

**new!**



### Power Supply-Metal

#### VT-20027



|                   |               |
|-------------------|---------------|
| SKU Code:         | 3254          |
| Watts:            | 25w           |
| Current Capacity: | 2A            |
| Output:           | DC:12V        |
| Unit Size:        | 140x33x27mm   |
| EAN Code:         | 3800157635264 |



LED Power Supply-TRIAC Dimmable

VT-20101D

 Box Qty.  
50 Pcs


|                   |               |
|-------------------|---------------|
| SKU Code:         | 3256          |
| Watts:            | 100w          |
| Current Capacity: | 8.5A          |
| Output:           | DC:12V        |
| Unit Size:        | 199x98x42mm   |
| EAN Code:         | 3800157635523 |



LED Power Supply-TRIAC Dimmable

VT-20154D

 Box Qty.  
50 Pcs


|                   |               |
|-------------------|---------------|
| SKU Code:         | 3257          |
| Watts:            | 150w          |
| Current Capacity: | 12.5A         |
| Output:           | DC:12V        |
| Unit Size:        | 199x98x42mm   |
| EAN Code:         | 3800157635530 |



LED Power Supply-TRIAC Dimmable

VT-20155D

 Box Qty.  
50 Pcs


|                   |               |
|-------------------|---------------|
| SKU Code:         | 3258          |
| Watts:            | 150w          |
| Current Capacity: | 6.25A         |
| Output:           | DC:24V        |
| Unit Size:        | 199x98x42mm   |
| EAN Code:         | 3800157635547 |

## LED Power Supply-Rainproof-IP45

### VT-21151



Box Qty.  
**40 Pcs**

SKU Code: 3231  
Watts: 150w  
Current Capacity: 12.5A  
Output: DC:12V  
Unit Size: 207x74x42mm  
EAN Code: 3800157627979

## LED Power Supply-Rainproof-IP45

### VT-21251



Box Qty.  
**25 Pcs**

SKU Code: 3232  
Watts: 250w  
Current Capacity: 20A  
Output: DC:12V  
Unit Size: 218x95x50mm  
EAN Code: 3800157627986

## LED Power Supply-Rainproof-IP45

### VT-21401



Box Qty.  
**20 Pcs**

SKU Code: 3233  
Watts: 400w  
Current Capacity: 33A  
Output: DC:12V  
Unit Size: 223x118x50mm  
EAN Code: 3800157627993



## Power Supply-Waterproof-IP65

**VT-22101**
 Box Qty.  
**20 Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3101          |
| Watts:            | 100w          |
| Current Capacity: | 4.2A          |
| Output:           | DC:24V        |
| Unit Size:        | 201x30.5x20mm |
| EAN Code:         | 3800157605991 |



## Power Supply-Waterproof-IP67

**VT-22061**
 Box Qty.  
**40 Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3234          |
| Watts:            | 60w           |
| Current Capacity: | 5A            |
| Output:           | DC:12V        |
| Unit Size:        | 166x43x33mm   |
| EAN Code:         | 3800157628006 |



## Power Supply-Waterproof-IP67

**VT-22075**
 Box Qty.  
**40 Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3235          |
| Watts:            | 75w           |
| Current Capacity: | 6A            |
| Output:           | DC:12V        |
| Unit Size:        | 166x43x33mm   |
| EAN Code:         | 3800157628013 |



## Power Supply-Waterproof-IP67

**VT-22153**
 Box Qty.  
**15 Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3248          |
| Watts:            | 150w          |
| Current Capacity: | 6A            |
| Output:           | DC:12V        |
| Unit Size:        | 192x52x37mm   |
| EAN Code:         | 3800157629362 |



**new!**

Power Supply-Waterproof-IP67

**VT-22155**

Box Qty.  
**20 Pcs**

**5** **V-TAC®** **PRO**  
**— YEAR —**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

SKU Code: 3250  
Watts: 150w  
Current Capacity: 12.5A  
Output: DC:12V  
Unit Size: 192x52x37mm  
EAN Code: 3800157630436



**new!**

Power Supply-Waterproof-IP67

**VT-22105**

Box Qty.  
**25 Pcs**

**5** **V-TAC®** **PRO**  
**— YEAR —**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

SKU Code: 3251  
Watts: 100w  
Current Capacity: 8.3A  
Output: DC:12V  
Unit Size: 192x52x37mm  
EAN Code: 3800157630443



**new!**

Power Supply-Waterproof-IP67

**VT-22065**

Box Qty.  
**40 Pcs**

**5** **V-TAC®** **PRO**  
**— YEAR —**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

SKU Code: 3252  
Watts: 60w  
Current Capacity: 5A  
Output: DC:12V  
Unit Size: 166x43x33mm  
EAN Code: 3800157630450





## Power Supply-Plastic-IP44

**VT-23019**
 Box Qty.  
**120 Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3237          |
| Watts:            | 18w           |
| Current Capacity: | 1.5A          |
| Output:           | DC:12V        |
| Unit Size:        | 73x27x43mm    |
| EAN Code:         | 3800157628037 |



## Power Supply-Plastic-IP44

**VT-23031**
 Box Qty.  
**50 Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3238          |
| Watts:            | 30w           |
| Current Capacity: | 2.5A          |
| Output:           | DC:12V        |
| Unit Size:        | 119x52x32mm   |
| EAN Code:         | 3800157628044 |



## Power Supply-Plastic-IP44

**VT-23061**
 Box Qty.  
**50 Pcs**

|                   |               |
|-------------------|---------------|
| SKU Code:         | 3239          |
| Watts:            | 60w           |
| Current Capacity: | 5A            |
| Output:           | DC:12V        |
| Unit Size:        | 119x52x32mm   |
| EAN Code:         | 3800157628051 |





### Power Supply-Plastic-IP44

**VT-23079**



Box Qty.  
**50 Pcs**

SKU Code: 3240  
Watts: 78w  
Current Capacity: 6.5A  
Output: DC:12V  
Unit Size: 119x52x32mm  
EAN Code: 3800157628068



### Power Supply-Plastic-IP44

**VT-23043**



Box Qty.  
**50 Pcs**

SKU Code: 3249  
Watts: 42w  
Current Capacity: 3.5A  
Output: DC:12V  
Unit Size: 119x52x32mm  
EAN Code: 3800157629379



### Power Supply-Plastic

**VT-23060**



Box Qty.  
**50 Pcs**

SKU Code: 3035  
Watts: 60w  
Current Capacity: 5A  
Output: DC:12V  
Unit Size: 130x90x45mm  
EAN Code: 3800157601085



## LED Linear Lights

V-TAC LED Linear Trunking System is an energy-efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost.

### High lumen output

output: 160 lm/W to meet different requirements

**160<sup>++</sup>**  
LM/W  
**HIGH LUMENS**


### Flexible Beam angle


90°, 120°, double-asymmetric



### Modular system

Continuous row system, seamless connection, max 3500W /row






### LED Linear Master Trunking

1360 - 4000K Day White


3800157625647



### LED Linear Master Trunking

1361 - 4000K Day White


3800157625654



### LED Linear Master Trunking

1362 - 4000K Day White

3800157625661



50w

VT-4551D



Box Qty.  
2 Pcs

**5** **V-TAC®** **PRO**  
**— YEAR —**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **8000lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Color of Fixture: **White**  
Body Type: **Steel**  
Dimension: **1500mm**  
ON/OFF Time: **>15000**  
Life Span: **50,000 Hours**


**V-TAC PERFORMANCE**  
**160**  
**LUMENS/WATT**



## LED Linear Follow Trunking

1363 - 4000K Day White


3800157625678



## LED Linear Follow Trunking

1364 - 4000K Day White


3800157625685



## LED Linear Follow Trunking

1365 - 4000K Day White

3800157625692



50w

VT-4550D

Box Qty.  
2 Pcs

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **8000lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

**5** **PRO**  
**— YEAR —**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Color of Fixture: **White**  
 Body Type: **Steel**  
 Dimension: **1500mm**  
 ON/OFF Time: **>15000**  
 Life Span: **50,000 Hours**



V-TAC PERFORMANCE  
**160**  
 LUMENS/WATT



#### Linear Track Module

Box Qty.  
**5Pcs**

SKU Code: **1382**

EAN Code: **3800157626415**



#### End Cap-Linear Light Accessory

Box Qty.  
**200 Pcs**

SKU Code: **1366**

EAN Code: **3800157625708**



#### Suspended Cord-Linear Light

Box Qty.  
**100 Pcs**

SKU Code: **1367**

EAN Code: **3800157625715**



#### 8 Wire-Feed In Male Connector

Box Qty.  
**200 Pcs**

SKU Code: **1368**

EAN Code: **3800157625722**



#### L Node Connector-Linear

Box Qty.  
**8Pcs**

SKU Code: **1383**

EAN Code: **3800157626422**



#### T Node Connector-Linear

Box Qty.  
**2Pcs**

SKU Code: **1384**

EAN Code: **3800157626439**



#### X Node Connector-Linear

Box Qty.  
**2Pcs**

SKU Code: **1385**

EAN Code: **3800157626446**



#### S Line-Follow Trunking Rail

Box Qty.  
**10 Pcs**

SKU Code: **1451**

EAN Code: **3800157633079**



#### S Line-PC Blank Cover

Box Qty.  
**35 Pcs**

SKU Code: **1452**

EAN Code: **3800157633086**

# LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.




## Product Features

- Available from 10W up to 45W
- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

## Applications

Perfect choice for Exhibition Stands, Hotels, Bars, Commercial & Residential Lighting.



**15° to 60°**  
Beam Angle  
Adjustable by Rotating





Tracklights-CREE COB-15° to 60°  
**35w VT-4735**

|                         |               |
|-------------------------|---------------|
| 1357 - 3000K Warm White | 3800157625074 |
| 1358 - 4000K Day White  | 3800157625081 |
| 1359 - 6400K White      | 3800157625098 |

Box Qty.  
**8 Pcs**

**5** **V-TAC®** **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2800lm**  
LED Type: **COB(CREE)**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **15°-60° (Adjustable)**  
Color of Fixture: **White**  
Body Type: **Aluminium**  
Life span: **30,000 Hours**  
Dimension: **178.4x197.7x95mm**



## Tracklights-Color Changing

18w VT-4718-W

1410 - 3 IN 1

3800157629324

Box Qty.  
20 PcsCCT Adjustable  
2800K/4000K/6000KLens Angle Adjustable  
20°~60°

Triac Dimmable

Sensor Compatible: Yes

PF: &gt;0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 20° ~ 60° (Adjustable)

Luminous Flux: 1450lm

Color of Fixture: White

LED Type: COB

Body Type: Aluminium

CRI: &gt;95

Life span: 30,000 Hours

Dimension: Ø93x93.5x203mm



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



## Tracklights-Color Changing

18w VT-4718-B

1411 - 3 IN 1

3800157629331

Box Qty.  
20 PcsCCT Adjustable  
2800K/4000K/6000KLens Angle Adjustable  
20°~60°

Triac Dimmable

Sensor Compatible: Yes

PF: &gt;0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 20° ~ 60° (Adjustable)

Luminous Flux: 1450lm

Color of Fixture: Black

LED Type: COB

Body Type: Aluminium

CRI: &gt;95

Life span: 30,000 Hours

Dimension: Ø93x93.5x203mm



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





### Tracklights-Color Changing


**35W VT-4745-W**

1412 - 3 IN 1

3800157629348



Box Qty.  
**8 Pcs**



**CCT Adjustable**  
**2800K/4000K/6000K**



**Lens Angle Adjustable**  
**20°~60°**



**Triac Dimmable**

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **3000lm**

LED Type: **COB**

CRI: **>95**

PF: **>0.9**

Beam Angle: **20° ~ 60° (Adjustable)**

Color of Fixture: **White**

Body Type: **Aluminium**

Life span: **30,000 Hours**

Dimension: **Ø100x196x262mm**

**5 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



### Tracklights-Color Changing

**35W VT-4745-B**

1413 - 3 IN 1

3800157629355



Box Qty.  
**8 Pcs**



**CCT Adjustable**  
**2800K/4000K/6000K**



**Lens Angle Adjustable**  
**20°~60°**



**Triac Dimmable**

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **3000lm**

LED Type: **COB**

CRI: **>95**

PF: **>0.9**

Beam Angle: **20° ~ 60° (Adjustable)**

Color of Fixture: **Black**

Body Type: **Aluminium**

Life span: **30,000 Hours**

Dimension: **Ø100x196x262mm**

**5 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




## Tracklights-Black-White Body

10w VT-4512

1332 - 3000K Warm White 3800157620604  
 1333 - 4000K Day White 3800157620611  
 1334 - 6000K White 3800157620628




Box Qty.  
**40 Pcs**



**5**  **YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



|                    |                     |                   |              |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes                 | PF:               | >0.9         |
| Voltage/Frequency: | AC:220-264V,50/60Hz | Beam Angle:       | 24°          |
| Luminous Flux:     | 800lm               | Color of Fixture: | Black+White  |
| LED Type:          | COB                 | Body Type:        | Aluminium    |
| CRI:               | >80                 | Life span:        | 30,000 Hours |
|                    |                     | Dimension:        | 209x65x163mm |




## Tracklights-Black-White Body

25w VT-4528

1335 - 3000K Warm White 3800157620635  
 1336 - 4000K Day White 3800157620642  
 1337 - 6000K White 3800157620659




Box Qty.  
**20 Pcs**



**5**  **YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



|                    |                     |                   |              |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes                 | PF:               | >0.9         |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle:       | 24°          |
| Luminous Flux:     | 2100lm              | Color of Fixture: | Black+White  |
| LED Type:          | COB                 | Body Type:        | Aluminium    |
| CRI:               | >80                 | Life span:        | 30,000 Hours |
|                    |                     | Dimension:        | 209x85x187mm |



## Tracklights-Black-White Body


**35w VT-4537**

1338 - 3000K Warm White  
1339 - 4000K Day White  
1340 - 6000K White

3800157620666  
3800157620673  
3800157620680




Box Qty.  
**10 Pcs**



**5** **V-TAC®** **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2850lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **24°**  
Color of Fixture: **Black+White**  
Body Type: **Aluminium**  
Life span: **30,000 Hours**  
Dimension: **224x100x215mm**





## Tracklights-White Body-5 Years


### 15W VT-4615W

1298 - 3000K Warm White 3800157619851  
 1299 - 4000K Day White 3800157619868  
 1300 - 6400K White 3800157619875


Box Qty.  
**20 Pcs**

**5** V-TAC® PRO  
**YEAR**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



|                    |                     |                   |               |
|--------------------|---------------------|-------------------|---------------|
| Sensor Compatible: | Yes                 | PF:               | >0.9          |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle:       | 24°           |
| Luminous Flux:     | 1350lm              | Color of Fixture: | White         |
| LED Type:          | COB                 | Body Type:        | Aluminium     |
| CRI:               | >95                 | Life span:        | 30,000 Hours  |
|                    |                     | Dimension:        | Ø180x97x155mm |



## Tracklights-Black Body-5 Years

### 15W VT-4615B

1301 - 3000K Warm White 3800157619882  
 1302 - 4000K Day White 3800157619899  
 1303 - 6400K White 3800157619905


Box Qty.  
**20 Pcs**

**5** V-TAC® PRO  
**YEAR**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



|                    |                     |                   |              |
|--------------------|---------------------|-------------------|--------------|
| Sensor Compatible: | Yes                 | PF:               | >0.9         |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle:       | 24°          |
| Luminous Flux:     | 1350lm              | Color of Fixture: | Black        |
| LED Type:          | COB                 | Body Type:        | Aluminium    |
| CRI:               | >95                 | Life span:        | 30,000 Hours |
|                    |                     | Dimension:        | 180x97x155mm |





### Tracklights-White Body-5 Years

**30w VT-4635W**

1292 - 3000K Warm White  
1293 - 4000K Day White  
1294 - 6400K White

3800157619790  
3800157619806  
3800157619813




Box Qty.  
**20 Pcs**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-264V,50/60Hz**  
Luminous Flux: **2700lm**  
LED Type: **COB**  
CRI: **>95**

PF: **>0.9**  
Beam Angle: **24°**  
Color of Fixture: **White**  
Body Type: **Aluminium**  
Life span: **30,000 Hours**  
Dimension: **180x140x215mm**



### Tracklights-Black Body-5 Years

**30w VT-4635B**

1295 - 3000K Warm White  
1296 - 4000K Day White  
1297 - 6400K White

3800157619820  
3800157619837  
3800157619844




Box Qty.  
**20 Pcs**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-264V,50/60Hz**  
Luminous Flux: **2700lm**  
LED Type: **COB**  
CRI: **>95**

PF: **>0.9**  
Beam Angle: **24°**  
Color of Fixture: **Black**  
Body Type: **Aluminium**  
Life span: **30,000 Hours**  
Dimension: **180x140x215mm**





## Tracklights-Black Body

33W VT-4535

1233 - 3000K Warm White  
1234 - 4000K Day White  
1235 - 5000K White

3800157603720  
3800157603737  
3800157603744




Box Qty.  
**8 Pcs**

Experience The  
*True Colors* with  
**CRI95 TRACKS**

**CRI**  
**>95**

LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 1800lm

LED Type: COB

CRI: &gt;95

PF: &gt;0.9


Beam Angle: 25°

Color of Fixture: Black

Body Type: Die Cast Aluminium

Life span: 20,000 Hours

Dimension: 112x165x205mm



## Tracklights-Black Body

45W VT-4545

1236 - 3000K Warm White  
1237 - 4000K Day White  
1238 - 5000K White

3800157603751  
3800157603768  
3800157603775




Box Qty.  
**8 Pcs**

Experience The  
*True Colors* with  
**CRI95 TRACKS**

**CRI**  
**>95**

LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 2300lm

LED Type: COB

CRI: &gt;95

PF: &gt;0.9


Beam Angle: 25°

Color of Fixture: Black

Body Type: Die Cast Aluminium

Life span: 20,000 Hours

Dimension: 123x165x218mm






Tracklights-Black Body  
**20w VT-4521T**

1202 - 5000K Day White

3800157600187



Box Qty.  
**8 Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **1500lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **46°**  
Color of Fixture: **Black**  
Body Type: **Die Cast Aluminium**  
Life span: **20,000 Hours**  
Dimension: **Ø80x185mm**




Tracklights-Black Body  
**40w VT-4540T**

1191 - 3000K Warm White  
1192 - 5000K Day White

3800230629548  
3800230629555



Box Qty.  
**8 Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2600lm**  
LED Type: **COB**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **22°**  
Color of Fixture: **Black**  
Body Type: **Aluminium**  
Life span: **20,000 Hours**  
Dimension: **225x185x138mm**




### Tracklights-White Body 33W VT-4534W


1241 - 3000K Warm White  
1229 - 4000K Day White  
1230 - 5000K White

3800157603997  
3800157602501  
3800157602518

 Box Qty.  
**8 Pcs**



LUMINOUS INTENSITY DISTRIBUTION



|                    |                     |                   |                    |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes                 | PF:               | >0.9               |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle:       | 22°                |
| Luminous Flux:     | 2300lm              | Color of Fixture: | White              |
| LED Type:          | COB                 | Body Type:        | Die Cast Aluminium |
| CRI:               | >80                 | Life span:        | 20,000 Hours       |
|                    |                     | Dimension:        | 106x208x206mm      |




### Tracklights-Black Body 33W VT-4534B


1242 - 3000K Warm White  
1231 - 4000K Day White  
1232 - 5000K White

3800157604000  
3800157602525  
3800157602532

 Box Qty.  
**8 Pcs**



LUMINOUS INTENSITY DISTRIBUTION



|                    |                     |                   |                    |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes                 | PF:               | >0.9               |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle:       | 22°                |
| Luminous Flux:     | 2300lm              | Color of Fixture: | Black              |
| LED Type:          | COB                 | Body Type:        | Die Cast Aluminium |
| CRI:               | >80                 | Life span:        | 20,000 Hours       |
|                    |                     | Dimension:        | 106x208x206mm      |





## Tracklights-White Body


**35w VT-4536W**

1255 - 3000K Warm White  
1256 - 4500K Day White  
1257 - 6000K White


3800157607551  
3800157607568  
3800157607575



Box Qty.  
**20 Pcs**



### LMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-264V,50/60Hz**  
Luminous Flux: **3500lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **24°**  
Color of Fixture: **White**  
Body Type: **Aluminium**  
Life span: **20,000 Hours**  
Dimension: **92x165x192mm**



## Tracklights-Black Body


**35w VT-4536B**

1285 - 3000K Warm White  
1286 - 4000K Day White  
1287 - 6000K White


3800157618694  
3800157618700  
3800157618717



Box Qty.  
**20 Pcs**



### LMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-264V,50/60Hz**  
Luminous Flux: **3500lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **24°**  
Color of Fixture: **Black**  
Body Type: **Aluminium**  
Life span: **20,000 Hours**  
Dimension: **92x165x192mm**



Track Fittings-4Line-GU10

4 Line White



Box Qty.

**24 Pcs VT-7111-4B**

SKU Code: 3544

EAN Code: 3800230628299



Track Fittings-4Line-PAR20

4 Line White



Box Qty.

**18 Pcs VT-7112-4W**

SKU Code: 3554

EAN Code: 3800230628398



Track Fittings-2Line-PAR20

2 Line White



Box Qty.

**18 Pcs VT-7112-2W**

SKU Code: 3556

EAN Code: 3800230628411



Track Fittings-4Line-PAR30

4 Line White



Box Qty.

**24 Pcs VT-7113-W**

SKU Code: 3548

EAN Code: 3800230628336



Track Fittings-4Line-PAR20

4 Line Black



Box Qty.

**18 Pcs VT-7112-4B**

SKU Code: 3553

EAN Code: 3800230628381



Track Fittings-4Line-E27

4 Line White



Box Qty.

**50 Pcs VT-7115**

SKU Code: 3567

EAN Code: 3800157602402



Track Fittings-4Line-PAR38

4 Line White



Box Qty.

**18 Pcs VT-7116-4W**

SKU Code: 3570

EAN Code: 3800157604252



Track Fittings-4Line-E27

4 Line Black



Box Qty.

**50 Pcs VT-7117**

SKU Code: 3574

EAN Code: 3800157604291



Track-Connectors-4l



Box Qty.

**50 Pcs**

SKU Code: 3522

EAN Code: 3800230623232



Track-Connectors-4I

Box Qty.  
**50 Pcs**

SKU Code: 3523

EAN Code: 3800230623195



Track-Connectors-4T

Box Qty.  
**25 Pcs**

SKU Code: 3524

EAN Code: 3800230623201



Track-Connectors-4T

Box Qty.  
**25 Pcs**

SKU Code: 3525

EAN Code: 3800230623249



Track-Connectors-4X

Box Qty.  
**10 Pcs**

SKU Code: 3526

EAN Code: 3800230623218



4 Wired Y Series-Connectors

Box Qty.  
**100 Pcs**

SKU Code: 3655

EAN Code: 3800157619103



4 Wired Y Series-Connectors

Box Qty.  
**100 Pcs**

SKU Code: 3656

EAN Code: 3800157619110



4 Wired Y Series-Connectors

Box Qty.  
**200 Pcs**

SKU Code: 3657

EAN Code: 3800157619127



4 Wired Y Series-Connectors

Box Qty.  
**200 Pcs**

SKU Code: 3658

EAN Code: 3800157619134



4 Wired Y Series-Adaptor

Box Qty.  
**50 Pcs**

SKU Code: 3659

EAN Code: 3800157619141



4 Wired Y Series-Adaptor

Box Qty.  
**50 Pcs**

SKU Code: 3660

EAN Code: 3800157619158



Track-Connectors-4X

Box Qty.  
**10 Pcs**

SKU Code: 3527

EAN Code: 3800230623256



Track-Connectors-4L

Box Qty.  
**25 Pcs**

SKU Code: 3528

EAN Code: 3800230623225



Track-Connectors-4L

Box Qty.  
**25 Pcs**

SKU Code: 3529

EAN Code: 3800230623263



Flexible Joint-4 Line

Box Qty.  
**20 Pcs**

SKU Code: 3560

EAN Code: 3800230628459



Hanging Trackline Kit-1 Meter

Box Qty.  
**100 Pcs**

SKU Code: 3565

EAN Code: 3800157600019



Hanging Trackline Kit-1 Meter

Box Qty.  
**100 Pcs**

SKU Code: 3566

EAN Code: 3800157600026



4 Core Track-1 Meter



Box Qty.  
**10 Pcs**

SKU Code: **9944**

EAN Code: **3800230623133**



4 Core Track-1 Meter



Box Qty.  
**10 Pcs**

SKU Code: **9945**

EAN Code: **3800230623164**



4 Core Track-1.5 Meter



Box Qty.  
**10 Pcs**

SKU Code: **9952**

EAN Code: **3800230623140**



4 Core Track-1.5 Meter



Box Qty.  
**10 Pcs**

SKU Code: **9953**

EAN Code: **3800230623171**



4 Core Track-2 Meter



Box Qty.  
**10 Pcs**

SKU Code: **9954**

EAN Code: **3800230623157**



4 Core Track-2 Meter



Box Qty.  
**10 Pcs**

SKU Code: **9955**

EAN Code: **3800230623188**



Track Fitting-Gu10



Box Qty.  
**20 Pcs VT-788**

SKU Code: **3617**

EAN Code: **3800157607469**



Track Fitting-Gu10



Box Qty.  
**20 Pcs VT-789**

SKU Code: **3618**

EAN Code: **3800157607476**



Track Fitting-Gu10



Box Qty.  
**10 Pcs VT-790**

SKU Code: **3619**

EAN Code: **3800157607483**

# LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long- lasting energy efficiency and instant brightness. Choose from a wide range of 3W to 40W



## Product Features

- Innumerable styles & Elegant appearance
- Non - Flickering
- Best Quality LED Chips from companies like CREE & SAMSUNG
- Premium Quality Power Driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast Aluminium body
- Low Maintenance
- All down lights come with premium quality power

## Applications

Residences, Showrooms, Hotels & Boutiques etc.

---

## Reflector Series - High Lumen

**10w VT-26101**


Box Qty.  
**27 Pcs**



1270 - 3000K Warm White  
1271 - 4000K Day White  
1272 - 6400K White

3800157611923  
3800157611930  
3800157611947

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-277V,50/60Hz**  
Luminous Flux: **1200lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **PKW**  
Color of Fixture: **White**  
Shape: **Round**  
Dimension: **Ø135x71mm**  
Cutting Size: **Ø120mm**

## Reflector Series - High Lumen

**20w VT-26201**


Box Qty.  
**18 Pcs**



1273 - 3000K Warm White  
1274 - 4000K Day White  
1275 - 6400K White

3800157611954  
3800157611961  
3800157611978

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-277V,50/60Hz**  
Luminous Flux: **2400lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **PKW**  
Color of Fixture: **White**  
Shape: **Round**  
Dimension: **Ø180x83mm**  
Cutting Size: **Ø167mm**

## Reflector Series - High Lumen


30w VT-26301

 Box Qty.  
12 Pcs


1276 - 3000K Warm White  
1277 - 4000K Day White  
1278 - 6400K White

3800157611985  
3800157611992  
3800157612005

**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-277V,50/60Hz  
Luminous Flux: 3600lm  
LED Type: COB  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: PKW  
Color of Fixture: White  
Shape: Round  
Dimension: Ø220x103mm  
Cutting Size: Ø207mm

## Reflector Series - High Lumen


40w VT-26451

 Box Qty.  
12 Pcs


1453 - 3000K Warm White  
1279 - 4500K Day White

3800157635561  
3800157612012

**120+ LUMENS  
PER WATT**  
**SUPER EFFICIENT**



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-270V,50/60Hz  
Luminous Flux: 4800lm  
LED Type: COB  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: PKW  
Color of Fixture: PKW  
Shape: Round  
Dimension: Ø220x103mm  
Cutting Size: Ø207mm




### Reflector Series

**10w VT-2610**

Box Qty.  
**27 Pcs**

1100 - 6000K White

3800230622372



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **730lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **PKW**  
Color of Fixture: **PKW**  
Shape: **Round**  
Dimension: **Ø135x71mm**  
Cutting Size: **Ø105mm**


### Reflector Series

**20w VT-2620**

Box Qty.  
**18 Pcs**

1103 - 6000K White

3800230622402



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1500lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **PKW**  
Color of Fixture: **PKW**  
Shape: **Round**  
Dimension: **Ø182x90mm**  
Cutting Size: **Ø160mm**

## Downlight-Moving Head-Round

3W

VT-1133RD

Box Qty.  
**100 Pcs**

5094 - 6400K White

3800157609364



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **200lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **60°**  
 Body Type: **Aluminium**  
 Color of Fixture: **White**  
 Shape: **Round**  
 Dimension: **55x42mm**  
 Cutting Size: **Ø45mm**

## Downlight-Moving Head-Square

3W

VT-1133SQ

Box Qty.  
**100 Pcs**

5095 - 2700K Warm White

3800157609371

5096 - 4000K Day White

3800157609388

5097 - 6400K White

3800157609395



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **200lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **60°**  
 Body Type: **Aluminium**  
 Color of Fixture: **White**  
 Shape: **Square**  
 Dimension: **55x55x42mm**  
 Cutting Size: **45 x 45mm**

### Downlight-Fixed Type-Square

3W

**VT-1123SQ**



Box Qty.  
**100 Pcs**

5110 - 6400K White

3800157609456



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **200lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **60°**  
Body Type: **Aluminium**  
Color of Fixture: **White**  
Shape: **Square**  
Dimension: **45x45x35mm**  
Cutting Size: **36 x 36 mm**

### Downlight-Fixed Type-Square

8W

**VT-2908SQ**



Box Qty.  
**12 Pcs**


1115 - 6000K White

3800230625199



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **530lm**  
LED Type: **COB**  
CRI: **>70**  
PF: **>0.8**

Beam Angle: **24°**  
Body Type: **Powder Coating Die cast**  
Color of Fixture: **PKW**  
Shape: **Square**  
Dimension: **103x103x75mm**  
Cutting Size: **90 x 90mm**




## Zoom Series - Rectangle

30W VT-2930

 Box Qty.  
20 Pcs


1306 - 3000K Warm White  
1307 - 4000K Day White  
1289 - 6400K White

3800157619936  
3800157619943  
3800157619646



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2450lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **99°**  
Body Type: **Die Cast Aluminum**  
Color of Fixture: **White**  
Shape: **Rectangle**  
Dimension: **235x146x139mm**  
Cutting Size: **220 x 132mm**


## Zoom Series - Round

33W VT-2933

 Box Qty.  
20 Pcs


1304 - 3000K Warm White  
1305 - 4500K Day White  
1288 - 6400K White

3800157619912  
3800157619929  
3800157619639



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2650lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **24°**  
Body Type: **Die Cast Aluminum**  
Color of Fixture: **White**  
Shape: **Round**  
Dimension: **Ø165x140mm**  
Cutting Size: **Ø155**


## Step Light With Sensor

3W VT-8035

 Box Qty.  
100 Pcs


5570 - 4000K Day White

3800157617291



Sensor Compatible: **Sensor Included**  
Voltage/Frequency: **AC:100-240V, 50/60Hz**  
Luminous Flux: **100lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **45°**  
Body Type: **Die cast Aluminum**  
Color of Fixture: **White**  
Shape: **Square**  
Dimension: **85x85x42mm**  
Cutting Size: **85x85mm**

### Step Light-Rectangle-IP65

**3W VT-1162-W**

Box Qty.  
**50 Pcs**

**IP65**  
RATING



1327 - 3000K Warm White  
1326 - 4000K Day White

3800157620550  
3800157620543



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **110lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **White**  
Shape: **Rectangle**  
Dimension: **230x80x28mm**

### Step Light-Rectangle-IP65

**3W VT-1162-B**

Box Qty.  
**50 Pcs**

**IP65**  
RATING



1329 - 3000K Warm White  
1328 - 4000K Day White

3800157620574  
3800157620567



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **110lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **Black**  
Shape: **Rectangle**  
Dimension: **230x80x28mm**

### Step Light-Rectangle-IP65

**3W VT-1162-G**

Box Qty.  
**50 Pcs**

**IP65**  
RATING



1331 - 3000K Warm White  
1330 - 4000K Day White

3800157620598  
3800157620581



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **110lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **Grey**  
Shape: **Rectangle**  
Dimension: **230x80x28mm**



## Step Light-Round-IP65


**2w VT-1142-W**
 Box Qty.  
**50 Pcs**
 **IP65**  
 RATING

1315 - 3000K Warm White

3800157620437

1314 - 4000K Day White

3800157620420



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **60lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **55°**  
 Body Type: **PC**  
 Color of Fixture: **White**  
 Shape: **Round**  
 Dimension: **150x27mm**



## Step Light-Round-IP65


**2w VT-1142-B**
 Box Qty.  
**50 Pcs**
 **IP65**  
 RATING

1317 - 3000K Warm White

3800157620451

1316 - 4000K Day White

3800157620444



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **60lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **55°**  
 Body Type: **PC**  
 Color of Fixture: **Black**  
 Shape: **Round**  
 Dimension: **150x27mm**



## Step Light-Round-IP65


**2w VT-1142-G**
 Box Qty.  
**50 Pcs**
 **IP65**  
 RATING

1319 - 3000K Warm White

3800157620475

1318 - 4000K Day White

3800157620468



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **60lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **55°**  
 Body Type: **PC**  
 Color of Fixture: **Grey**  
 Shape: **Round**  
 Dimension: **150x27mm**



### Step Light-Square-IP65

**2W VT-1152-W**




1321 - 3000K Warm White

3800157620499

1320 - 4000K Day White

3800157620482



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF **>0.5**

Beam Angle: **55°**

Body Type: **PC**

Color of Fixture: **White**

Shape: **Square**

Dimension: **124x124x27mm**



### Step Light-Square-IP65

**2W VT-1152-B**




1323 - 3000K Warm White

3800157620512

1322 - 4000K Day White

3800157620505



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF **>0.5**

Beam Angle: **55°**

Body Type: **PC**

Color of Fixture: **Black**

Shape: **Square**

Dimension: **124x124x27mm**



### Step Light-Square-IP65

**2W VT-1152-G**




1325 - 3000K Warm White

3800157620536

1324 - 4000K Day White

3800157620529



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **60lm**

LED Type: **SMD**

CRI: **>80**

PF **>0.5**

Beam Angle: **55°**

Body Type: **PC**

Color of Fixture: **Grey**

Shape: **Square**

Dimension: **124x124x27mm**



## Step Light - IP65

**3W VT-1172-B**

**Box Qty.  
20 Pcs**

**IP65  
RATING**
**1398 - 3000K Warm White**
**3800157628310**
**1399 - 4000K Day White**
**3800157628327**

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **210lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **90°**  
 Body Type: **PC**  
 Color of Fixture: **Black**  
 Shape: **Square**  
 Dimension: **151x72x154mm**



## Step Light - IP65

**3W VT-1172-G**

**Box Qty.  
20 Pcs**

**IP65  
RATING**
**1400 - 3000K Warm White**
**3800157628334**
**1401 - 4000K Day White**
**3800157628341**

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **210lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **90°**  
 Body Type: **PC**  
 Color of Fixture: **Grey**  
 Shape: **Square**  
 Dimension: **151x72x154mm**



## Step Light - IP65

**3W VT-1172-W**

**Box Qty.  
20 Pcs**

**IP65  
RATING**
**1402 - 3000K Warm White**
**3800157628358**
**1403 - 4000K Day White**
**3800157628365**

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **210lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **90°**  
 Body Type: **PC**  
 Color of Fixture: **White**  
 Shape: **Square**  
 Dimension: **151x72x154mm**





### Step Light-Round-IP65

**3W VT-1182-B**

Box Qty.  
**20 Pcs**

**IP65**  
RATING

1404 - 3000K Warm White  
1405 - 4000K Day White

3800157628372  
3800157628389

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **210lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **90°**  
Body Type: **PC**  
Color of Fixture: **Black**  
Shape: **Round**  
Dimension: **Ø166x94mm**



### Step Light-Round-IP65

**3W VT-1182-G**

Box Qty.  
**20 Pcs**

**IP65**  
RATING

1406 - 3000K Warm White  
1407 - 4000K Day White

3800157628396  
3800157628402

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **210lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **90°**  
Body Type: **PC**  
Color of Fixture: **Grey**  
Shape: **Round**  
Dimension: **Ø166x94mm**



### Step Light-Round-IP65

**3W VT-1182-W**

Box Qty.  
**20 Pcs**

**IP65**  
RATING

1408 - 3000K Warm White  
1409 - 4000K Day White

3800157628419  
3800157628426

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **210lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **90°**  
Body Type: **PC**  
Color of Fixture: **White**  
Shape: **Round**  
Dimension: **Ø166x94mm**



## Steplight-Square

3W VT-1109

Box Qty.  
100 Pcs

1209 - 3000K Warm White

3800157600255

1210 - 4200K Day White

3800157600262



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **120lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **15°**  
 Body Type: **Aluminium**  
 Color of Fixture: **White**  
 Shape: **Square**  
 Dimension: **80x80x51mm**  
 Cutting Size: **62x62mm**



## Steplight-Round

3W VT-1109RD

Box Qty.  
100 Pcs

1207 - 3000K Warm White

3800157600231

1208 - 4200K Day White

3800157600248



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **120lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **15°**  
 Body Type: **Aluminium**  
 Color of Fixture: **White**  
 Shape: **Round**  
 Dimension: **Ø80x51mm**  
 Cutting Size: **Ø62mm**




## Steplight-Square

3W VT-1143

Box Qty.  
100 Pcs

1284 - 4000K Day White

3800157617307



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **100lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **83°**  
 Body Type: **Die Cast Aluminium**  
 Color of Fixture: **White**  
 Shape: **Square**  
 Dimension: **84x84x43mm**  
 Cutting Size: **72x72mm**

**new!**



### Steplight-Rectangle

**6W VT-856-B**



Box Qty.  
**50 Pcs**

8348 - 3000K Warm White  
8349 - 4000K Day White

3800157633383  
3800157633390

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **240lm**  
LED Type: **SMD**  
CRI: **>70**  
PF: **>0.6**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Color of Fixture: **Black**  
Shape: **Rectangle**  
Dimension: **210x65x60mm**  
Cutting Size: **195x46mm**

**new!**



### Steplight-Rectangle

**6W VT-856-G**



Box Qty.  
**50 Pcs**

8350 - 3000K Warm White  
8351 - 4000K Day White

3800157633406  
3800157633413

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **240lm**  
LED Type: **SMD**  
CRI: **>70**  
PF: **>0.6**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Color of Fixture: **Grey**  
Shape: **Rectangle**  
Dimension: **210x65x60mm**  
Cutting Size: **195x46mm**

**new!**



### Steplight-Rectangle

**6W VT-856-W**



Box Qty.  
**50 Pcs**

8352 - 3000K Warm White  
8353 - 4000K Day White

3800157633420  
3800157633437

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **240lm**  
LED Type: **SMD**  
CRI: **>70**  
PF: **>0.6**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Color of Fixture: **White**  
Shape: **Rectangle**  
Dimension: **210x65x60mm**  
Cutting Size: **195x46mm**

# LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These Compact and Easy to install lights make a perfect replacement for traditional Dome Lights.



## Product Features

- 80% Electricity savings as compared to traditional Incandescent Bulbs
- Non - Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)

## Applications

Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls.

**new!**

## Ceiling Lights - Round

**14w VT-8073RD**

Box Qty.  
**20 Pcs**


1428 - 3000K Warm White  
1429 - 4000K Day White  
1430 - 6400K White

3800157633147  
3800157633154  
3800157633161



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1000lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **257x65mm**



**new!**

## Ceiling Lights - Round

**20w VT-8074RD**

Box Qty.  
**10 Pcs**


1431 - 3000K Warm White  
1432 - 4000K Day White  
1433 - 6400K White

3800157633178  
3800157633185  
3800157633192



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1500lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **290x65mm**



**new!**

### Ceiling Lights - Square

**20w VT-8074SQ**

 Box Qty.  
**10 Pcs**

 1434 - 3000K Warm White  
 1435 - 4000K Day White  
 1436 - 6400K White

 3800157633208  
 3800157633215  
 3800157633222

 Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1500lm**  
 IP Rating: **IP20**  
 CRI: **>80**  
 PF: **>0.5**

 Beam Angle: **120°**  
 Color of Fixture: **White**  
 Body Type: **Iron+PMMA**  
 Shape: **Square**  
 Dimension: **280x280x60mm**

**new!**

### Ceiling Lights - Round


**24w VT-8075RD**

 Box Qty.  
**10 Pcs**

 1437 - 3000K Warm White  
 1438 - 4000K Day White  
 1439 - 6400K White

 3800157633239  
 3800157633246  
 3800157633253

 Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1800lm**  
 IP Rating: **IP20**  
 CRI: **>80**  
 PF: **>0.5**

 Beam Angle: **120°**  
 Color of Fixture: **White**  
 Body Type: **Iron+PMMA**  
 Shape: **Round**  
 Dimension: **340x65mm**


**new!**

## Ceiling Lights - Square

**32w VT-8076SQ**

Box Qty.  
**10 Pcs**

1443 - 3000K Warm White  
1444 - 4000K Day White  
1445 - 6400K White

3800157633291  
3800157633307  
3800157633314



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2600lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Square**  
Dimension: **330x330x65mm**



**new!**


## Ceiling Lights - Round

**32w VT-8076RD**

Box Qty.  
**10 Pcs**


1440 - 3000K Warm White  
1441 - 4000K Day White  
1442 - 6400K White

3800157633260  
3800157633277  
3800157633284



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2800lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **Ø390x65mm**



## Ceiling Lights - Square

**15w VT-8033SQ**

 Box Qty.  
**20 Pcs**

 1390 - 3000K Warm White  
 5567 - 4000K Day White  
 1391 - 6400K White


 3800157626477  
 3800157610360  
 3800157626484


## TRIMLESS

Luxurious Finish

SURFACE MOUNTED

 Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **1250lm**  
 IP Rating: **IP44**  
 CRI: **>80**  
 PF: **>0.6**

 Beam Angle: **110°**  
 Color of Fixture: **White**  
 Body Type: **PC**  
 Shape: **Square**  
 Dimension: **200x200x47.5**


## Ceiling Lights - Round

**15w VT-8033RD**

 Box Qty.  
**20 Pcs**

 1388 - 3000K Warm White  
 5566 - 4000K Day White  
 1389 - 6400K White


 3800157626453  
 3800157610353  
 3800157626460


## TRIMLESS

Luxurious Finish

SURFACE MOUNTED

 Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **1250lm**  
 IP Rating: **IP44**  
 CRI: **>80**  
 PF: **>0.6**

 Beam Angle: **110°**  
 Color of Fixture: **White**  
 Body Type: **PC**  
 Shape: **Round**  
 Dimension: **Ø200x47.5mm**




## Ceiling Lights - Square

**25w VT-8066SQ**

Box Qty.  
**10 Pcs**

1395 - 3000K Warm White  
1396 - 4200K Day White  
1397 - 6500K White


3800157628280  
3800157628297  
3800157628303



**TRIMLESS**  
**Luxurious Finish**  
**SURFACE MOUNTED**

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **2000lm**  
IP Rating: **IP44**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **110°**  
Color of Fixture: **White**  
Body Type: **PC**  
Shape: **Square**  
Dimension: **300x300x50mm**



## Ceiling Lights - Round

**25w VT-8066RD**

Box Qty.  
**10 Pcs**

1392 - 3000K Warm White  
1393 - 4200K Day White  
1394 - 6500K White

3800157628259  
3800157628266  
3800157628273



**TRIMLESS**  
**Luxurious Finish**  
**SURFACE MOUNTED**

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **2000lm**  
IP Rating: **IP44**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **110°**  
Color of Fixture: **White**  
Body Type: **PC**  
Shape: **Round**  
Dimension: **Ø300x50mm**



## Dome Series - Rectangle Oval

8W

VT-8038-B

 Box Qty.  
20 Pcs


1308 - 3000K Warm White  
1309 - 4500K Day White  
1310 - 6000K White

3800157620260  
3800157620277  
3800157620284



Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50/60Hz  
Luminous Flux: 560lm  
IP Rating: IP54  
CRI: >70  
PF: >0.5

Beam Angle: 120°  
Color of Fixture: Black  
Body Type: PC  
Shape: Rectangle  
Dimension: 190x100x55mm



## Dome Series - Rectangle Oval

8W

VT-8038-W

 Box Qty.  
20 Pcs


1311 - 3000K Warm White  
1312 - 4000K Day White  
1313 - 6000K White

3800157620291  
3800157620307  
3800157620314



Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50/60Hz  
Luminous Flux: 560lm  
IP Rating: IP54  
CRI: >70  
PF: >0.5

Beam Angle: 120°  
Color of Fixture: White  
Body Type: PC  
Shape: Rectangle  
Dimension: 190x100x55mm



## Bling Star

**8w VT-8061**



Box Qty.  
**20 Pcs**


1370 - 3000K Warm White  
1371 - 4000K Day White  
1372 - 6400K White

3800157626262  
3800157626279  
3800157626286



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **Ø215x78mm**



## Bling Star

**12w VT-8062**



Box Qty.  
**10 Pcs**


1373 - 3000K Warm White  
1374 - 4000K Day White  
1375 - 6400K White

3800157626293  
3800157626309  
3800157626316



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **Ø260x92mm**



## Bling Star


**18w VT-8063**

 Box Qty.  
**10 Pcs**

 1376 - 3000K Warm White  
 1377 - 4000K Day White  
 1378 - 6400K White

 3800157626323  
 3800157626330  
 3800157626347

 Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1260lm**  
 IP Rating: **IP20**  
 CRI: **>80**  
 PF: **>0.5**

 Beam Angle: **120°**  
 Color of Fixture: **White**  
 Body Type: **Iron+PMMA**  
 Shape: **Round**  
 Dimension: **Ø290x92mm**


## Bling Star


**24w VT-8064**

 Box Qty.  
**10 Pcs**

 1379 - 3000K Warm White  
 1380 - 4000K Day White  
 1381 - 6400K White

 3800157626354  
 3800157626361  
 3800157626378

 Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1680lm**  
 IP Rating: **IP20**  
 CRI: **>80**  
 PF: **>0.5**

 Beam Angle: **120°**  
 Color of Fixture: **White**  
 Body Type: **Iron+PMMA**  
 Shape: **Round**  
 Dimension: **Ø330x102mm**


## Ceiling Lights - Round

**12w VT-8031**



Box Qty.  
**16 Pcs**


1414 - 3000K Warm White  
5563 - 4500K Day White  
5562 - 6500K White

3800157630092  
3800157610322  
3800157610315



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **800lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Metal+PMMA**  
Shape: **Round**  
Dimension: **Ø250x80mm**



## Ceiling Lights - Round

**24w VT-8032**



Box Qty.  
**10 Pcs**


1415 - 3000K Warm White  
5565 - 4500K Day White  
5564 - 6500K White

3800157630108  
3800157610346  
3800157610339



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1700lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Metal+PMMA**  
Shape: **Round**  
Dimension: **Ø320x95mm**



## Dome Series - Oval

8W

VT-8014-OV-B

Box Qty.  
10 Pcs


1267 - 3000K Warm White  
1266 - 4000K Day White  
1268 - 6400K White

3800157611893  
3800157611886  
3800157611909

IP54  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50/60Hz  
Luminous Flux: 560lm  
IP Rating: IP54  
CRI: >70  
PF: >0.5

Beam Angle: 120°  
Color of Fixture: Black  
Body Type: Plastic CLAD Aluminium  
Shape: Oval  
Dimension: Ø126x76mm



## Dome Series - Oval

8W

VT-8014-OV-W

Box Qty.  
10 Pcs


1264 - 3000K Warm White  
1263 - 4500K Day White  
1265 - 6400K White

3800157611862  
3800157611855  
3800157611879

IP54  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:200-240V,50/60Hz  
Luminous Flux: 560lm  
IP Rating: IP54  
CRI: >70  
PF: >0.5

Beam Angle: 120°  
Color of Fixture: White  
Body Type: Plastic CLAD Aluminium  
Shape: Oval  
Dimension: Ø126x76mm



## Dome Series - Round

8W

**VT-8014-RD-W**



Box Qty.  
**10 Pcs**


4999 - 3000K Warm White  
1259 - 4500K Day White  
4997 - 6400K White

3800157602556  
3800157611817  
3800157602259



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø180x82mm**



## Dome Series - Round

8W

**VT-8014-RD-B**



Box Qty.  
**10 Pcs**


1261 - 3000K Warm White  
1260 - 4000K Day White  
1262 - 6000K White

3800157611831  
3800157611824  
3800157611848



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **Black**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø180x82mm**



## Dome Series - Oval

**12w VT-8016-B**
 Box Qty.  
**10 Pcs**


5056 - 4500K Day White  
5055 - 6400K White

3800157603980  
3800157603348



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **Black**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Oval**  
Dimension: **Ø245x96mm**



## Dome Series - Oval

**12w VT-8016-W**
 Box Qty.  
**10 Pcs**


5054 - 4500K Day White  
5053 - 6400K White

3800157603331  
3800157603324



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Oval**  
Dimension: **Ø245x96mm**





## Dome Series - Oval

**12w VT-8015-B**

Box Qty.  
**10 Pcs**


1349 - 3000K Warm White  
5052 - 4000K Day White  
5051 - 6400K White

3800157624046  
3800157603317  
3800157603300



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **Black**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø220x105mm**



## Dome Series - Round

**12w VT-8015-W**

Box Qty.  
**10 Pcs**


4998 - 3000K Warm White  
5050 - 4500K Day White  
4996 - 6400K White

3800157602549  
3800157603294  
3800157602228



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø220x105mm**



## Dome Series - Oval

**12w VT-8010-B**
 Box Qty.  
**10 Pcs**


1350 - 3000K Warm White  
4973 - 4500K Day White  
1269 - 6400K White

3800157624053  
3800230629050  
3800157611916



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Color of Fixture: **Black**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Oval**  
Dimension: **Ø242x96mm**



## Dome Series - Oval

**12w VT-8010-W**
 Box Qty.  
**10 Pcs**


1351 - 3000K Warm White  
1352 - 4000K Day White  
1353 - 6000K White

3800157624060  
3800157624077  
3800157624084



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **110°**  
Color of Fixture: **White**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Oval**  
Dimension: **Ø242x96mm**



## Dome Sensor Series

### VT-8002C

Box Qty.  
**5 Pcs**


4966

3800230625816



Sensor Type: **Microwave**  
Color: **White**  
Detection Range: **360°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max. 60W**  
Watts:

Detection Distance: **1-8m(radius) adjustable**  
Body Type: **PC**  
IP Rating: **IP44**  
Dimension: **Ø296x96mm**  
Time Delay: **Min. 10sec±3sec,  
Max. 12min±1min**



## Dome Sensor Series

### 16w VT-8001C

Box Qty.  
**5 Pcs**

1281 - 3000K Warm White  
4965 - 4500K Day White  
1282 - 6000K White

3800157612678  
3800230625809  
3800157612685




**IP54  
RATING**



**Built In LED**

Sensor Type: **Microwave**  
Color: **White**  
Detection Range: **360°**  
Voltage: **AC:200-240V,50/60Hz**  
Rated Load: **16w**  
Watts: **16w**

Detection Distance: **1-8m(radius) adjustable**  
Body Type: **PC**  
IP Rating: **IP54**  
Dimension: **Ø296 x 96mm**  
Time Delay: **Min. 10 sec to 12 min**



## Dome Sensor Series

### 12w VT-8017

Box Qty.  
**10 Pcs**

5057 - 3000K Warm White  
5058 - 4000K Day White  
5059 - 6400K White


3800157605250  
3800157605267  
3800157605274

**MOTION  
PIR  
SENSOR**



Sensor Type: **PIR**  
Color: **White**  
Detection Range: **360°**  
Voltage: **AC:110-240V,50/60Hz**  
Rated Load: **12W(24PCS LED)**  
Watts: **12w**

Detection Distance: **Max. 6m(<24°C)**  
Body Type: **Plastic CLAD Aluminium**  
IP Rating: **IP20**  
Dimension: **Ø290x60mm**  
Time Delay: **Min. 10sec±3sec,  
Max. 12min±1min**



# LED Bulkhead

Mostly used in Parking Lots, Corridors, Exterior Walls, Airports, and Malls.



## Sleek Design & Durability

Lightweight and energy efficient. Specially designed anti-glare diffuser.



2D LED Bulkhead



2D LED Bulkhead  
Emergency Battery Back Up



360°  
Detection Angle

2D LED Bulkhead  
with Microwave Sensor



360°  
Detection Angle

3<sub>1</sub>N1  
2D LED Bulkhead  
Built In Emergency Battery  
Back Up & Microwave Sensor

## 2D Bulkhead

8w VT-8039

Box Qty.  
**10 Pcs**


1345 - 4000K Day White

3800157623087



**5** **YEAR** **WARRANTY**  
\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**IP65**  
RATING



Watts: **8w**  
Lumens: **720lm**  
No. Of Led: **40**  
Beam Angle: **120°**  
Voltage/Frequency: **AC:200-240V,50/60Hz**

On/Off Time: **<0.5s**  
Life Span: **30,000 Hours**  
Unit Size: **Ø260x90mm**  
IP Rating: **IP65**  
Body Type: **PC**

## 2D Bulkhead-Microwave Sensor

8w VT-8041

Box Qty.  
**10 Pcs**


1346 - 4000K Day White

3800157623094



**3** **YEAR** **WARRANTY**  
\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**IP65**  
RATING



**Microwave Sensor**

Watts: **8w**  
Lumens: **720lm**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
On/Off Time: **<0.5s**  
Life Span: **30,000 Hours**  
Unit Size: **Ø260x90mm**  
IP Rating: **IP65**  
Body Type: **PC**

Detection Angle: **120° / 360°**  
Detection Distance: **3m, 5m, 8m, 10m (optional)**  
Detection Range: **Max D10Mx4M**  
Hold Time: **10S, 1min, 5min, 10min customized**  
Day light Sensor: **Day, 10Lux, 30Lux, 50Lux optional**  
Dimmable Function: **Yes, 0, 10%, 20%, 30% optional**  
Detection Motion Speed: **0.5~3m/s**



### Emergency Battery Backup

## 2D Bulkhead-Emergency Pack

10w VT-8042

 Box Qty.  
10 Pcs


1347 - 4000K Day White

3800157623100

**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

 **IP65 RATING**



|                    |                     |
|--------------------|---------------------|
| Watts:             | 10w                 |
| Lumens:            | 720lm               |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| On/Off Time:       | <0.5s               |
| Life Span:         | 20,000 Hours        |
| Unit Size:         | Ø260x90mm           |
| IP Rating:         | IP65                |

|                              |                      |
|------------------------------|----------------------|
| Body Type:                   | PC                   |
| Emergency Operation time:    | >3 Hours             |
| Emergency Standby Watts:     | >1.2 Watts           |
| Battery Charging Current:    | 60mA                 |
| Battery Discharging Current: | 200mA                |
| Battery Type:                | Ni-CD AA, 7.2V 1.0Ah |
| Charging indicate:           | Green LED            |

Including battery protection circuit & inhibiting mode



### 31 Battery Backup Microwave Sensor

## 2D Bulkhead-Microwave Sensor-Emergency Pack

10w VT-8043

 Box Qty.  
10 Pcs


1348 - 4000K Day White

3800157623117

**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

 **IP65 RATING**



|                         |                                   |
|-------------------------|-----------------------------------|
| Watts:                  | 10w                               |
| Lumens:                 | 720lm                             |
| Detection Angle:        | 120° / 360°                       |
| Detection Distance:     | 3m, 5m, 8m, 10m (optional)        |
| Detection Range:        | Max D10Mx4M                       |
| Hold Time:              | 10S, 1min, 5min, 10min customized |
| Day light Sensor:       | Day, 10Lux, 30Lux, 50Lux optional |
| Dimmable Function:      | Yes, 0, 10%, 20%, 30% optional    |
| Detection Motion Speed: | 0.5-3m/s                          |

|                              |                      |
|------------------------------|----------------------|
| IP Rating:                   | IP65                 |
| Body Type:                   | PC                   |
| Emergency Operation time:    | >3 Hours             |
| Emergency Standby Watts:     | >1.2 Watts           |
| Battery Charging Current:    | 60mA                 |
| Battery Discharging Current: | 200mA                |
| Battery Type:                | Ni-CD AA, 7.2V 1.0Ah |
| Charging indicate:           | Green LED            |

Including battery protection circuit & inhibiting mode


2D Bulkhead

15w VT-8044

Box Qty.  
**10 Pcs**

1341 - 4000K Day White

3800157623049



Watts: 15w  
Lumens: 1400lm  
No. Of Led: 72  
Beam Angle: 120°  
Voltage/Frequency: AC:200-240V,50/60Hz

On/Off Time: <0.5s  
Life Span: 30,000 Hours  
Unit Size: 320x100mm  
IP Rating: IP65  
Body Type: PC

**new!**

2D Bulkhead

15w VT-8078

Box Qty.  
**10 Pcs**

1447 - 4000K Day White

3800157632744



Watts: 15w  
Lumens: 1450lm  
No. Of Led: 72  
Beam Angle: 120°  
Voltage/Frequency: AC:200-240V,50/60Hz

On/Off Time: <0.5s  
Life Span: 30,000 Hours  
Unit Size: 280x80mm  
IP Rating: IP65  
Body Type: ABS+PC



## 2D Bulkhead-Microwave Sensor


15w VT-8045

 Box Qty.  
10 Pcs

1342 - 4000K Day White

3800157623056

**3 YEAR**  
WARRANTY

\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
 **IP65**  
RATING


## Microwave Sensor

|                    |                     |
|--------------------|---------------------|
| Watts:             | 15w                 |
| Lumens:            | 1400lm              |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| On/Off Time:       | <0.5s               |
| Life Span:         | 30,000 Hours        |
| Unit Size:         | Ø320x100mm          |
| IP Rating:         | IP65                |
| Body Type          | PC                  |

|                         |                                   |
|-------------------------|-----------------------------------|
| Detection Angle:        | 120° / 360°                       |
| Detection Distance:     | 3m, 5m, 8m, 10m (optional)        |
| Detection Range:        | Max D10Mx4M                       |
| Hold Time:              | 10S, 1min, 5min, 10min customized |
| Day light Sensor:       | Day, 10Lux, 30Lux, 50Lux optional |
| Dimmable Function:      | Yes, 0, 10%, 20%, 30% optional    |
| Detection Motion Speed: | 0.5-3m/s                          |

**new!**


## 2D Bulkhead-Microwave Sensor

15w VT-8079

 Box Qty.  
10 Pcs

1448 - 4000K Day White

3800157632751

**3 YEAR**  
WARRANTY

\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
 **IP65**  
RATING


## Microwave Sensor

|                    |                     |
|--------------------|---------------------|
| Watts:             | 15w                 |
| Lumens:            | 1450lm              |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| On/Off Time:       | <0.5s               |
| Life Span:         | 30,000 Hours        |
| Unit Size:         | 280x80mm            |
| IP Rating:         | IP65                |
| Body Type          | ABS+PC              |

|                         |                                   |
|-------------------------|-----------------------------------|
| Detection Angle:        | 360°(Ceiling)120°(Wall)           |
| Detection Distance:     | 3M,5M,8M,10M optional             |
| Detection Range:        | Max D10Mx4M                       |
| Hold Time:              | 10S, 1min, 5min, 10min customized |
| Day light Sensor:       | Day, 10Lux, 30Lux, 50Lux optional |
| Dimmable Function:      | N/A                               |
| Detection Motion Speed: | 0.5-3m/s                          |





## 2D Bulkhead-Emergency Pack

**17w VT-8046**

Box Qty.  
**10 Pcs**


1343 - 4000K Day White

3800157623063

**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**IP65 RATING**



### Emergency Battery Backup

|                    |                     |
|--------------------|---------------------|
| Watts:             | 17w                 |
| Lumens:            | 1400lm              |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| On/Off Time:       | <0.5s               |
| Life Span:         | 20,000 Hours        |
| Unit Size:         | Ø320x100mm          |
| IP Rating:         | IP65                |

|                              |                      |
|------------------------------|----------------------|
| Body Type:                   | PC                   |
| Emergency Operation time:    | >3 Hours             |
| Emergency Standby Watts:     | >1.5 Watts           |
| Battery Charging Current:    | 60mA                 |
| Battery Discharging Current: | 200mA                |
| Battery Type:                | Ni-CD AA, 9.6V 1.0Ah |
| Charging indicate:           | Green LED            |

Including battery protection circuit & inhibiting mode

**new!**



## 2D Bulkhead-Emergency Pack

**17w VT-8080**

Box Qty.  
**10 Pcs**

1449 - 4000K Day White

3800157632768

**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**IP65 RATING**

### Emergency Battery Backup

|                    |                     |
|--------------------|---------------------|
| Watts:             | 17w                 |
| Lumens:            | 1450lm              |
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| On/Off Time:       | <0.5s               |
| Life Span:         | 20,000 Hours        |
| Unit Size:         | 280x80mm            |
| IP Rating:         | IP65                |

|                              |                    |
|------------------------------|--------------------|
| Body Type:                   | ABS+PC             |
| Emergency Operation time:    | >3 Hours           |
| Emergency Standby Watts:     | >1.5W              |
| Battery Charging Current:    | 60mA               |
| Battery Discharging Current: | 200mA              |
| Battery Type:                | Ni-CDA, 9.6V 1.0Ah |
| Charging indicate:           | Green LED          |

Including battery protection circuit & inhibiting mode

## 2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8047


 Box Qty.  
10 Pcs

1344 - 4000K Day White

3800157623070


**31** Emergency   
Battery Backup  
Microwave Sensor

**3 YEAR**  
WARRANTY

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
 **IP65**  
RATING


|                         |                                   |
|-------------------------|-----------------------------------|
| Watts:                  | 17w                               |
| Lumens:                 | 1400lm                            |
| Detection Angle:        | 120° / 360°                       |
| Detection Distance:     | 3m, 5m, 8m, 10m (optional)        |
| Detection Range:        | Max. D 10 x 4m                    |
| Hold Time:              | 10S, 1min, 5min, 10min customized |
| Day light Sensor:       | Day, 10Lux, 30Lux, 50Lux optional |
| Dimmable Function:      | Yes, 0, 10%, 20%, 30% optional    |
| Detection Motion Speed: | 0.5-3m/s                          |

|                              |                       |
|------------------------------|-----------------------|
| IP Rating:                   | IP65                  |
| Body Type:                   | PC                    |
| Emergency Operation time:    | >3 Hours              |
| Emergency Standby Watts:     | >1.5W                 |
| Battery Charging Current:    | 60mA                  |
| Battery Discharging Current: | 200mA                 |
| Battery Type:                | Ni-CD AA, 9.6V 1.0 Ah |
| Charging indicate:           | Green LED             |

Including battery protection circuit &amp; inhibiting mode

**new!**

## 2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8081

 Box Qty.  
10 Pcs

1450 - 4000K Day White

3800157632775


**31** Emergency   
Battery Backup  
Microwave Sensor

**3 YEAR**  
WARRANTY

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
 **IP65**  
RATING

|                         |                                   |
|-------------------------|-----------------------------------|
| Watts:                  | 17w                               |
| Lumens:                 | 1450lm                            |
| Detection Angle:        | 360(Ceiling) 120(Wall)            |
| Detection Distance:     | 3M,5M,8M,10M Optional             |
| Detection Range:        | Max D10Mx4M                       |
| Hold Time:              | 10S, 1min, 5min, 10min customized |
| Day light Sensor:       | Day, 10Lux, 30Lux, 50Lux optional |
| Dimmable Function:      | Yes, 0, 10%, 20%, 30% optional    |
| Detection Motion Speed: | 0.5-3m/s                          |

|                              |                      |
|------------------------------|----------------------|
| IP Rating:                   | IP65                 |
| Body Type:                   | ABS+PC               |
| Emergency Operation time:    | >3 Hours             |
| Emergency Standby Watts:     | >1.5W                |
| Battery Charging Current:    | 60mA                 |
| Battery Discharging Current: | 200mA                |
| Battery Type:                | Ni-CD AA, 9.6V 0.7Ah |
| Charging indicate:           | Green LED            |

Including battery protection circuit &amp; inhibiting mode





## Fire Rated Light With Anti-glare Lens


- ✓ IP65 Rating.
- ✓ Integrated COB LED (Non-replaceable).
- ✓ Isolate driver with terminal for easy and speedy installation.
- ✓ Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

## Color Changing

Easily can change Color from  
2700-6500K

## Dimmable

Controls brightness level from  
0% To 100%





**Optional Bezel  
Changeable:**



**Black**  
SKU- 1425



**Brush Nickel**  
SKU - 1426



**Polish Chrome**  
SKU- 1427



**CCT AND DIMMING  
VIA SMART PHONE APP**


Fire Rated Downlight With White Bezel

**10w VT-7710**

Box Qty.  
**40 Pcs**

1424 - 3 IN 1 3800157633109

Voltage/Frequency: AC:220-240V,50Hz  
Lumens: 850lm  
LED Type: COB  
Body Type: Aluminium  
Beam Angle: 38°  
Life Span: 30,000 Hours  
Unit Size: Ø83x57mm  
IP Rating: IP65



**90 MIN**  
**Fire Rated**

**IP65**  
RATING

**QUICK CONNECTOR**

**DIMMABLE**

**5 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**new!**
**Fire Rated Downlight With White Bezel**
**7W**
**VT-7077-W**

**Box Qty.  
50 Pcs**

1416 - 2700K Warm White  
1417 - 4000K Day White  
1418 - 6400K White

3800157630344  
3800157630351  
3800157630368


**Optional Bezel Changeable:**

**Satin Nickel SKU- 1422**

**Chrome SKU- 1423**

**90** MIN  
**Fire Rated**


**QUICK CONNECTOR**

**IP65  
RATING**
**Voltage/Frequency:**
**AC:220-240V,50Hz**
**Life Span:**
**30,000 Hours**
**Lumens:**
**600lm**
**Unit Size:**
**Ø85x52mm**
**LED Type:**
**COB**
**Cutting Size:**
**Ø72mm**
**Body Type:**
**Aluminium Alloy & Iron**
**IP Rating:**
**IP65**
**Beam Angle:**
**38°**
**new!**
**Fire Rated Downlight With Satin Nickel Bezel**
**7W**
**VT-7077-SN**

**Box Qty.  
50 Pcs**

1419 - 3000K Warm White  
1420 - 4000K Day White  
1421 - 6400K White

3800157630375  
3800157630382  
3800157630399


**Optional Bezel Changeable:**

**Chrome SKU- 1423**

**90** MIN  
**Fire Rated**


**QUICK CONNECTOR**

**IP65  
RATING**
**Voltage/Frequency:**
**AC:220-240V,50Hz**
**Life Span:**
**30,000 Hours**
**Lumens:**
**600lm**
**Unit Size:**
**Ø85x52mm**
**LED Type:**
**COB**
**Cutting Size:**
**Ø72mm**
**Body Type:**
**Aluminium Alloy & Iron**
**IP Rating:**
**IP65**
**Beam Angle:**
**38°**

**new!**



### Fire Rated Fitting-GU10

#### VT-7011-W

Box Qty.  
**50 Pcs**

|                  |                         |
|------------------|-------------------------|
| SKU: 3131        | EAN: 3800157632621      |
| Base             | GU10                    |
| Material:        | Steel+Die Cast Aluminum |
| Shape:           | Round                   |
| Color of Fxture: | White                   |
| Dimension:       | Ø80x105mm               |
| Cutting Size:    | Ø65mm                   |
| IP Rating:       | IP20                    |

**90** MIN  
**Fire Rated**

**Twist & Lock**

**new!**



### Fire Rated Fitting-GU10

#### VT-7011-SN

Box Qty.  
**50 Pcs**

|                  |                         |
|------------------|-------------------------|
| SKU: 3132        | EAN: 3800157632638      |
| Base             | GU10                    |
| Material:        | Steel+Die Cast Aluminum |
| Shape:           | Round                   |
| Color of Fxture: | Satin Nickel            |
| Dimension:       | Ø80x105mm               |
| Cutting Size:    | Ø65mm                   |
| IP Rating:       | IP20                    |

**90** MIN  
**Fire Rated**

**Twist & Lock**

**new!**



### Fire Rated Fitting-GU10

#### VT-7011

Box Qty.  
**50 Pcs**

|                  |                         |
|------------------|-------------------------|
| SKU: 3133        | EAN: 3800157632645      |
| Base             | GU10                    |
| Material:        | Steel+Die Cast Aluminum |
| Shape:           | Round                   |
| Color of Fxture: | Chrome                  |
| Dimension:       | Ø80x105mm               |
| Cutting Size:    | Ø65mm                   |
| IP Rating:       | IP20                    |

**90** MIN  
**Fire Rated**

**Twist & Lock**

## Fire Rated Fitting-GU10

## VT-701-SN

 Box Qty.  
50 Pcs

SKU: 3680

EAN: 3800157626859

Base: GU10  
 Material: Steel  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø80mmx115mm  
 Cutting Size: 65mm  
 IP Rating: IP20




## Fire Rated Fitting-GU10

## VT-701-W

 Box Qty.  
50 Pcs

SKU: 3681

EAN: 3800157626866

Base: GU10  
 Material: Steel  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø80mmx115mm  
 Cutting Size: 65mm  
 IP Rating: IP20




## Fire Rated Fitting-GU10

## VT-701-CH

 Box Qty.  
50 Pcs

SKU: 3682

EAN: 3800157626873

Base: GU10  
 Material: Steel  
 Shape: Round  
 Color of Fixture: Chrome  
 Dimension: Ø80mmx115mm  
 Cutting Size: 65mm  
 IP Rating: IP20






## Fire Rated Fitting-GU10

### VT-702-SN

Box Qty.  
**40 Pcs**



|                   |                    |
|-------------------|--------------------|
| SKU: 3683         | EAN: 3800157626880 |
| Base              | GU10               |
| Material:         | Steel              |
| Shape:            | Round              |
| Color of Fixture: | Satin Nickel       |
| Dimension:        | Ø86mmx115mm        |
| Cutting Size:     | 65mm               |
| IP Rating:        | IP65               |

**90** MIN  
**Fire Rated**

**IP65**  
RATING

## Fire Rated Fitting-GU10

### VT-702-W

Box Qty.  
**40 Pcs**



|                   |                    |
|-------------------|--------------------|
| SKU: 3684         | EAN: 3800157626897 |
| Base              | GU10               |
| Material:         | Steel              |
| Shape:            | Round              |
| Color of Fixture: | White              |
| Dimension:        | Ø86mmx115mm        |
| Cutting Size:     | 65mm               |
| IP Rating:        | IP65               |

**90** MIN  
**Fire Rated**

**IP65**  
RATING

## Fire Rated Fitting-GU10

### VT-702-CH

Box Qty.  
**40 Pcs**



|                   |                    |
|-------------------|--------------------|
| SKU: 3685         | EAN: 3800157626903 |
| Base              | GU10               |
| Material:         | Steel              |
| Shape:            | Round              |
| Color of Fixture: | Chrome             |
| Dimension:        | Ø86mmx115mm        |
| Cutting Size:     | 65mm               |
| IP Rating:        | IP65               |

**90** MIN  
**Fire Rated**

**IP65**  
RATING

## Fire Rated Fitting-GU10

## VT-703-SN

 Box Qty.  
40 Pcs

SKU: 3686

EAN: 3800157626910

Base: GU10  
 Material: Steel  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø82mmx130mm  
 Cutting Size: 68mm  
 IP Rating: IP20




## Fire Rated Fitting-GU10

## VT-703-W

 Box Qty.  
40 Pcs

SKU: 3687

EAN: 3800157626927

Base: GU10  
 Material: Steel  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø82mmx130mm  
 Cutting Size: 68mm  
 IP Rating: IP20




## Fire Rated Fitting-GU10

## VT-703-CH

 Box Qty.  
40 Pcs

SKU: 3688

EAN: 3800157626934

Base: GU10  
 Material: Steel  
 Shape: Round  
 Color of Fixture: Chrome  
 Dimension: Ø82mmx130mm  
 Cutting Size: 68mm  
 IP Rating: IP20




# NEW FIRE-RATED DOWNLIGHT FITTING



# Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.



## Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

## Applications

- Outdoor Areas like parking garages, Gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

## Infrared Sensor Max 1000W(LED)

### VT-8027-W

SKU-5086

3800157609173



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

## Infrared Sensor Max 1000W(LED)

### VT-8027-B

SKU-5087

3800157609180



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



## Infrared Sensor-Moving Head-IP44

Max 400W(LED)

VT-8028-W

SKU-5088

3800157609197

Box Qty.  
**50 Pcs**

Sensor Type: **Infrared**  
 Colour: **White**  
 Detection Range: **180°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 400W(LED)**  
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
 Body Type: **PC**  
 IP Rating: **IP44**  
 Dimension: **445X345X19mm**  
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



## Infrared Sensor-Moving Head-IP44

Max 400W(LED)

VT-8028-B

SKU-5089

3800157609203

Box Qty.  
**50 Pcs**

Sensor Type: **Infrared**  
 Colour: **Black**  
 Detection Range: **180°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 400W(LED)**  
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
 Body Type: **PC**  
 IP Rating: **IP44**  
 Dimension: **445X345X19mm**  
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**




## Infrared Sensor

Max 300W(LED)

VT-8029

SKU-5090

3800157609210

Box Qty.  
**50 Pcs**

Sensor Type: **Infrared**  
 Colour: **White**  
 Detection Range: **360°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 300W(LED)**  
 Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
 Body Type: **PC**  
 IP Rating: **IP20**  
 Dimension: **76x75.6mm**  
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

## Infrared Sensor-Moving Head Max 400W(LED)

**VT-8030**

SKU-5091

3800157609227



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**  
Colour: **White**  
Detection Range: **360°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 400W(LED)**  
Detection Distance: **Max. 8m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **PC**  
IP Rating: **IP20**  
Dimension: **98x73x82mm**  
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

## Infrared Sensor-IP44 Max 300W(LED)

**VT-8003-W**

SKU-4967

3800230625823



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**  
Colour: **White**  
Detection Range: **180°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **PC**  
IP Rating: **IP44**  
Dimension: **86.4x60.4x98mm**  
Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

## Infrared Sensor-IP44 Max 300W(LED)

**VT-8003-B**
**SKU-5077**

3800157606875


Box Qty.  
**50 Pcs**

Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **180°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP44**

Dimension: **86.4x60.4x98mm**

Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

## Infrared Sensor Max 300W(LED)

**VT-8004**
**SKU-4968**

3800230625830


Box Qty.  
**50 Pcs**

Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **Ø88x55mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**





## Infrared Sensor-E27 Max 60W

**VT-8005**

SKU-4982

3800157600071



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**  
Colour: **White**  
Detection Range: **360°**  
Voltage: **AC:110-240V,50/60Hz**  
Rated Load: **Max 60W**  
Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **Plastic**  
IP Rating: **IP20**  
Dimension: **55.5x116.5mm**  
Time Delay: **Min. 10sec±3sec, Max. 5min±1min**

## Infrared Sensor-IP44 Max 300W(LED)

**VT-8048**

SKU-1354

3800157624794



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**  
Colour: **White**  
Detection Range: **180°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **PC**  
IP Rating: **IP44**  
Dimension: **86.4x86.4x60.4mm**  
Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

### Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally. (Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

## Infrared Sensor Max 300W(LED) VT-8049

SKU-1355 3800157624800



Box Qty.  
**50 Pcs**



|                     |                     |                |                                  |
|---------------------|---------------------|----------------|----------------------------------|
| Sensor Type:        | Infrared            | Ambient Light: | <3-2000LUX(adjustable)           |
| Colour:             | White               | Body Type:     | PC                               |
| Detection Range:    | 360°                | IP Rating:     | IP20                             |
| Voltage:            | AC:220-240V,50/60Hz | Dimension:     | 88x55mm                          |
| Rated Load:         | Max 300W(LED)       | Time Delay:    | Min. 10sec±3sec, Max. 15min±2min |
| Detection Distance: | Max. 12m(<24°C)     |                |                                  |

### Manual Override Function:


1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

## Infrared Sensor Max 300W(LED) VT-8051

SKU-1356 3800157624817



Box Qty.  
**50 Pcs**



|                     |                     |                |                                  |
|---------------------|---------------------|----------------|----------------------------------|
| Sensor Type:        | Infrared            | Ambient Light: | <3-2000LUX(adjustable)           |
| Colour:             | White               | Body Type:     | PC                               |
| Detection Range:    | 360°                | IP Rating:     | IP20                             |
| Voltage:            | AC:220-240V,50/60Hz | Dimension:     | 76x75.6mm                        |
| Rated Load:         | Max 300W(LED)       | Time Delay:    | Min. 10sec±3sec, Max. 15min±2min |
| Detection Distance: | Max. 6m(<24°C)      |                |                                  |

### Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

## Day Light Sensor - 1-10V

**VT-8059**Box Qty.  
**100 Pcs**

SKU-1369

3800157625982

|                  |           |
|------------------|-----------|
| Colour:          | White     |
| Detection Range: | 360°      |
| Dimming Range:   | 1% - 100% |
| Voltage:         | DC:1-10V  |
| Body Type:       | PC        |
| IP Rating:       | IP20      |



Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.


The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.

Infrared-Hand Gesture Detection  
Max 200W(LED)**VT-8025**

SKU-5084

3800157608046

Box Qty.  
**100 Pcs****On/Off via Moving Hand**

|                     |                     |            |                  |
|---------------------|---------------------|------------|------------------|
| Sensor Type:        | Infrared            | Body Type: | Plastic          |
| Colour:             | White               | IP Rating: | IP20             |
| Detection Range:    | 30°                 | Dimension: | 35.5x78.2x20.6mm |
| Voltage:            | AC:110-240V,50/60Hz |            |                  |
| Rated Load:         | Max 200W(LED)       |            |                  |
| Detection Distance: | 5cm/6cm(<24°C)      |            |                  |



### Infrared-Door Detection Max 200W(LED)

**VT-8026**
**SKU-5085**

3800157608053


Box Qty.  
**100 Pcs**

**On/Off via the opening  
and closing of the door**


Sensor Type: **Infrared**  
 Colour: **White**  
 Detection Range: **30°**  
 Voltage: **AC:110-240V,50/60Hz**  
 Rated Load: **Max 200W(LED)**  
 Detection Distance: **5cm/6cm(<24°C)**

Body Type: **Plastic**  
 IP Rating: **IP20**  
 Dimension: **35.5x78.2x18.7mm**



### Microwave Sensor-IP65 Max 200W(LED)

**VT-8036-W**
**SKU-5571**

3800157620246


Box Qty.  
**100 Pcs**


Sensor Type: **Microwave**  
 Colour: **White**  
 Detection Range: **180°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 200W(LED)**  
 Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**  
 Body Type: **Plastic**  
 IP Rating: **IP65**  
 Dimension: **115x35x25mm**  
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

## Microwave Sensor-IP65 Max 200W(LED)

**VT-8036-B**

SKU-5572

3800157620253



Box Qty.  
**100 Pcs**



Sensor Type: **Microwave**  
Colour: **Black**  
Detection Range: **180°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 200W(LED)**  
Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**  
Body Type: **Plastic**  
IP Rating: **IP65**  
Dimension: **115x35x25mm**  
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

## Microwave Sensor Max 300W(LED)


**VT-8018**

SKU-5078

3800157606882



Box Qty.  
**100 Pcs**



Sensor Type: **Microwave**  
Colour: **White**  
Detection Range: **180° / 360°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **1-8m(radius) adjustable**

Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **Plastic**  
IP Rating: **IP20**  
Dimension: **37x25x61.5mm**  
Time Delay: **Min. 10sec±3sec, Max. 12min±1min**

## Housing Case-IP65

Box Qty.  
**50 Pcs****VT-8021**

SKU-5079

3800157606899

Colour: **White**IP Rating: **IP65**Dimension: **134x66.5mm**

66.5mm



134mm



## Photocell Sensor-IP44

**VT-8019**

SKU-5081

3800157608015

Box Qty.  
**100 Pcs**

Sensor Type: **Photocell**  
 Colour: **White**  
 Detection Range: **360°**  
 Voltage: **AC:220-240V,50Hz**

Ambient Light: **<5-15LUX(adjustable)**  
 Body Type: **Plastic**  
 IP Rating: **IP44**  
 Dimension: **35.5x46x44.1mm**  
 Time Delay: **5 sec to 8 min (adjustable)**

Infrared Sensor-IP44  
Max 200W(LED)**VT-8022**

SKU-5082

3800157608022

Box Qty.  
**100 Pcs**

Sensor Type: **Infrared**  
 Colour: **White**  
 Detection Range: **120°/360°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 200W(LED)**  
 Detection Distance: **3/6m(<24°C)**

Ambient Light: **10LUX/2000LUX(choice)**  
 Body Type: **Plastic**  
 IP Rating: **IP20**  
 Dimension: **36.8x25.5x55.4mm**  
 Time Delay: **5s,30s,1min,3min,5min,8min(choice)**



**new!**

## Microwave Sensor Max 300W(LED)


**VT-8077**

SKU-1446

3800157634755



Box Qty.  
**100 Pcs**



Sensor Type: **Microwave**  
Colour: **White**  
Detection Range: **360°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **1-8m(radius) Adjustable**

Ambient Light: **0<3-2000LUX(Adjustable)**  
Body Type: **Plastic**  
IP Rating: **IP20**  
Dimension: **80.7x42.1x43.8mm**  
Time Delay: **Min. 10sec±3sec, Max.12min±1min**

## Microwave Sensor Max 300W(LED)


**VT-8023**

SKU-5083

3800157608039



Box Qty.  
**100 Pcs**



Sensor Type: **Microwave**  
Colour: **White**  
Detection Range: **180°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **5m-15m(adjustable)**

Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **Plastic**  
IP Rating: **IP20**  
Dimension: **80x80x32mm**  
Time Delay: **10 sec to 12 min (adjustable)**

# LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



**Walls/Surface Mount**

2w | 120 lm



**Walls/Surface Hanging**

2w | 120 lm



**Recessed Hanging**

2w | 120 lm



**Recessed Fixed**

2w | 120 lm



**Bulkhead**

3w | 140 lm



**Bulkhead**

4w | 190 lm



**Wall Mounted**

7w | 600 lm

## Salient Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⌚ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 24 hours recharge after more than 3 Hours discharge
- ⚡ Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- ⌚ High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours



### Exit Light - Surface


2W VT-519

Box Qty.  
**10 Pcs**

8099 - 6000K White 3800157623155



**24Hrs**  
CHARGING TIME



Lamp Type: 16 SMD LEDs  
Lumens: 160lm  
Input Voltage: AC:220-240V,50/60Hz  
Protection Rating: IP20  
Material: PC  
Exit Lamp Type: Surface/Ceiling Mounted  
Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours  
Battery: Ni-Cd 4.8V,600mAh  
Recharging Time: 24 Hours  
Test Button: Green Light Indicator Test Button  
Stickers: 4 Stickers  
Legends: 4 Way Legend Available  
Mode Of Operation: Maintained

**new!**

### Exit Light - Surface


2W VT-519-12

Box Qty.  
**10 Pcs**

8312 - 6000K White 3800157630764



**12Hrs**  
CHARGING TIME



Lamp Type: 16 SMD LEDs  
Lumens: 160lm  
Input Voltage: AC:220-240V,50/60Hz  
Protection Rating: IP20  
Material: PC  
Exit Lamp Type: Surface/Ceiling Mounted  
Viewing Distance: 22 Meters From Both Sides


Emergency Operation Time: >3 Hours  
Battery: Ni-cd 4.8V,600mAh  
Recharging Time: 12 Hours  
Test Button: Green Light Indicator Test Button  
Stickers: 4 Stickers  
Legends: 4 Way Legend Available  
Mode Of Operation: Maintained



## Exit Light-Surface Hanging

**2w VT-520**
 **Box Qty. 10 Pcs**

8100 - 6000K White 3800157623162

 **24Hrs**  
CHARGING TIME


Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Surface/Ceiling Mounted  
 Viewing Distance: 22 Meters From Both Sides


Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,600mAh  
 Recharging Time: 24 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained




## Exit Light-Surface Hanging

**2w VT-520-12**
 **Box Qty. 10 Pcs**

8313 - 6000K White 3800157630771

 **12Hrs**  
CHARGING TIME


Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Surface/Ceiling Mounted  
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,600mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained



### Exit Light-Hanging


**2W VT-521**

8200 - 6000K White 3800157623179



Box Qty.  
**10Pcs**

**24Hrs**  
CHARGING TIME



Lamp Type: **16 SMD LEDs**  
Lumens: **160lm**  
Input Voltage: **AC:220-240V,50/60Hz**  
Protection Rating: **IP20**  
Material: **PC**  
Exit Lamp Type: **Recessed Hanging**  
Viewing Distance: **22 Meters From Both Sides**

Emergency Operation Time: **>3 Hours**  
Battery: **Ni-Cd 4.8V,600mAh**  
Recharging Time: **24 Hours**  
Test Button: **Green Light Indicator Test Button**  
Stickers: **4 Stickers**  
Legends: **4 Way Legend Available**  
Mode Of Operation: **Maintained**

**new!**



### Exit Light-Hanging


**2W VT-521-12**

8314 - 6000K White 3800157630788



Box Qty.  
**10 Pcs**

**12Hrs**  
CHARGING TIME




Lamp Type: **16 SMD LEDs**  
Lumens: **160lm**  
Input Voltage: **AC:220-240V,50/60Hz**  
Protection Rating: **IP20**  
Material: **PC**  
Exit Lamp Type: **Recessed Hanging**  
Viewing Distance: **22 Meters From Both Sides**

Emergency Operation Time: **>3 Hours**  
Battery: **Ni-Cd 4.8V,600mAh**  
Recharging Time: **12 Hours**  
Test Button: **Green Light Indicator Test Button**  
Stickers: **4 Stickers**  
Legends: **4 Way Legend Available**  
Mode Of Operation: **Maintained**

## Exit Light-Recessed

**2w VT-522**
 Box Qty.  
**10 Pcs**
**8201 - 6000K White 3800157623186**

 **24Hrs**  
 CHARGING TIME



Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Recessed Fixed  
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,600mAh  
 Recharging Time: 24 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained

**new!**

## Exit Light-Recessed

**2w VT-522-12**
 Box Qty.  
**10 Pcs**
**8315 - 6000K White 3800157630795**

 **12Hrs**  
 CHARGING TIME


Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Recessed Fixed  
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,600mAh  
 Recharging Time: 12 hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained

**24Hrs**  
CHARGING TIME




Emergency -Bulkhead

**3.8w VT-511**

Box Qty.  
**10 Pcs**

8249 - 6000K White 3800157626491



Lumens: **110lm**  
Input: **AC:220-240V,50/60Hz**  
Protection Rating: **IP20**  
Lamp Type: **20 SMD LEDs**  
Exit Lamp Type: **Bulkhead**  
Operation Time: **>3 Hours**

Charging Current: **200mA**  
Discharging Current: **360mA**  
Battery: **4V2.0AH Lead Acid battery**  
Material: **ABS+PC**  
Dimension: **292x79x102mm**  
Mode Of Operation: **Maintained/Non Maintained**

**new!**

**12Hrs**  
CHARGING TIME




Emergency -Bulkhead

**3.8w VT-511-12**

Box Qty.  
**10 Pcs**

8383 - 6000K White 3800157635554



Lumens: **110lm**  
Input: **AC:220-240V,50/60Hz**  
Protection Rating: **IP20**  
Lamp Type: **20 SMD LEDs**  
Exit Lamp Type: **Bulkhead**  
Operation Time: **>3 Hours**


Charging Current: **200mA**  
Discharging Current: **360mA**  
Battery: **4V2.0AH Lead Acid battery**  
Material: **ABS+PC**  
Dimension: **292x79x102mm**  
Mode Of Operation: **Maintained/Non Maintained**

## Emergency-Downlight

3W VT-503

 Box Qty.  
20 Pcs

8274 - 5500K White 3800157627269



|                           |                                      |
|---------------------------|--------------------------------------|
| Material:                 | Poly Carbonate & Aluminium           |
| Moured:                   | Ceiling Recessed                     |
| Life Time Of Battery:     | 2 Years                              |
| Light Output (Emergency): | 140lm                                |
| Lamp Protection:          | Over Charge And Discharge Protection |
| Led Indicator:            | Green Light Indicator Test Button    |
| Charging Current:         | 90mA                                 |

|                      |                            |
|----------------------|----------------------------|
| Convert Voltage:     | AC:155V                    |
| Discharging Current: | 300mA                      |
| Discharge Duration:  | 3 Hours                    |
| Spec Of Battery:     | 3.6V 1800mAh Ni-cd Battery |
| Packing:             | 38.5x22x25mm               |
| IP Rating:           | IP20                       |
| Mode Of Operation:   | Non Maintained             |

## Exit Light - Bulkhead

3W VT-523

 Box Qty.  
12 Pcs

8096 - 6000K White 3800157623124






|                    |                         |
|--------------------|-------------------------|
| Lamp Type:         | 16 SMD LEDs             |
| Lumens:            | 140lm                   |
| Input Voltage:     | AC:220-240V,50/60Hz     |
| Protection Rating: | IP65                    |
| Material :         | PC                      |
| Exit Lamp Type:    | Wall - Bulkhead         |
| Viewing Distance:  | 22 Meters From One side |

|                           |                                   |
|---------------------------|-----------------------------------|
| Emergency Operation Time: | >3 Hours                          |
| Battery:                  | Ni-Cd 3.6v,1500mAh                |
| Recharging Time:          | 24 Hours                          |
| Test Button:              | Green Light Indicator Test Button |
| Stickers:                 | 4 Stickers                        |
| Legends:                  | 4 Ways Legend Available           |
| Mode Of Operation:        | Maintained                        |

**new!**

### Exit Light - Bulkhead

**3W VT-523-12**

Box Qty.  
**12 Pcs**

8311 - 6000K White 3800157630757



**12Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type: **16 SMD LEDs**  
Lumens: **140lm**  
Input Voltage: **AC:220-240V,50/60Hz**  
Protection Rating: **IP65**  
Material: **PC**  
Exit Lamp Type: **Wall - Bulkhead**  
Viewing Distance: **22 Meters From One side**

Emergency Operation Time: **>3 Hours**  
Battery: **Ni-Cd 3.6v,1500mAh**  
Recharging Time: **12 Hours**  
Test Button: **Green Light Indicator Test Button**  
Stickers: **4 Stickers**  
Legends: **4 Ways Legend Available**  
Mode Of Operation: **Maintained**

### Exit Light - Bulkhead

**4W VT-524**

Box Qty.  
**12 Pcs**

8097 - 6000K White 3800157623131



**24Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type: **30 SMD LEDs**  
Lumens: **190lm**  
Input Voltage: **AC:220-240V,50/60Hz**  
Protection Rating: **IP65**  
Material: **PC**  
Exit Lamp Type: **Wall - Bulkhead**  
Viewing Distance: **22 Meters From One side**

Emergency Operation Time: **>3 Hours**  
Battery: **Ni-Cd 4.8V,900mAh**  
Recharging Time: **24 Hours(intial charge 36 hours)**  
Test Button: **Green Light Indicator Test Button**  
Stickers: **4 Stickers**  
Legends: **4 Ways Legend Available**  
Mode Of Operation: **Maintained**



## Exit Light - Bulkhead

**4W**      **VT-524-12**
 Box Qty.  
**12 Pcs**

8382 - 6000K White    3800157635493






Lamp Type: 30 SMD LEDs  
 Lumens: 190lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP65  
 Material: PC  
 Exit Lamp Type: Wall - Bulkhead  
 Viewing Distance: 22 Meters From One side


Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,900mAh  
 Recharging Time: 12 hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Ways Legend Available  
 Mode Of Operation: Maintained

## Emergency-Twin Spotlight

**7W**      **VT-526**
 Box Qty.  
**5 Pcs**

8098 - 6000K White    3800157623148





Lamp Type: 2x15 SMD LEDs  
 Lumens: 600lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP65  
 Material: PC  
 Exit Lamp Type: Wall Mounted  
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 9.6V,2200mAh  
 Recharging Time: 24 Hours(intial charge 36 hours)  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 2 Ways Legend Available  
 Mode Of Operation: Non Maintained





# LED Table Lamps

Most cozy and favorite corners, always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver very smooth lighting with suitable functions to set the right mood and ambiance.



## Product Features

- Energy efficient ways of keeping it that way.
- Adjustable direction.
- Multiple functions like dimming, color changing.
- With USB charging functionality.
- Sleek and modern design.

## Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. It is also a good accessory to be a part of the office decor.



### Table Lamps-White+Silver

**4W VT-1014-S**

Box Qty.  
**25 Pcs**


7098 - 3 IN 1 3800157616980



Rechargeable

Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **120lm**  
CRI: **>80**  
PF: **>0.45**

Beam Angle: **120°**  
Color: **White+Silver**  
Body Type: **ABS+PC+Aluminium**  
Dimension: **200x50x263mm**



### Table Lamps-White+Gold

**4W VT-1014-G**

Box Qty.  
**25 Pcs**


7099 - 3 IN 1 3800157616997



Rechargeable

Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **120lm**  
CRI: **>80**  
PF: **>0.45**

Beam Angle: **120°**  
Color: **White+Gold**  
Body Type: **ABS+PC+Aluminium**  
Dimension: **200x50x263mm**



### Table Lamps-Black

**4W VT-1014-B**

Box Qty.  
**25 Pcs**


8500 - 3 IN 1 3800157617215



Rechargeable

Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **120lm**  
CRI: **>80**  
PF: **>0.45**

Beam Angle: **120°**  
Color: **Black**  
Body Type: **ABS+PC+Aluminium**  
Dimension: **200x50x263mm**





## Table Lamps-Grey

**7W VT-1007D-G**
 Box Qty.  
**8 Pcs**
**7034 - 5000K White** 3800157603836


Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation

Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **120°**Luminous Flux: **850lux**Color: **Grey**CRI: **>80**Body Type: **ABS**PF: **>0.45**Dimension: **330x130x380mm**

## Table Lamps-Pink

**7W VT-1007D-P**
 Box Qty.  
**8 Pcs**
**7042 - 5000K White** 3800157605311


Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation

Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **120°**Luminous Flux: **850lux**Color: **Pink**CRI: **>80**Body Type: **ABS**PF: **>0.45**Dimension: **330x130x380mm**

## Table Lamps-Blue

**7W VT-1007D-B**
 Box Qty.  
**8 Pcs**
**7043 - 5000K White** 3800157605328


Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation

Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **120°**Luminous Flux: **850lux**Color: **Blue**CRI: **>80**Body Type: **ABS**PF: **>0.45**Dimension: **330x130x380mm**



### Table Lamps-3 In 1-Dimmable

7W

**VT-1009D-W**



Box Qty.  
**9 Pcs**

7039 - 3 IN 1 3800157605281



Dimmable



**270°**  
ROTATING HEAD

Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **650lux**  
CRI: **>80**  
PF: **>0.45**

Beam Angle: **120°**  
Color: **White**  
Body Type: **ABS+Aluminium**  
Dimension: **240x396x180mm**



### Table Lamps-3 In 1-Dimmable

7W

**VT-1009D-B**




Box Qty.  
**9 Pcs**

7040 - 3 IN 1 3800157605298



Dimmable



**270°**  
ROTATING HEAD

Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **650lux**  
CRI: **>80**  
PF: **>0.45**

Beam Angle: **120°**  
Color: **Black+White**  
Body Type: **ABS+Aluminium**  
Dimension: **240x396x180mm**



### Table Lamps-3 In 1-Dimmable

10W

**VT-1010D**



Box Qty.  
**12 Pcs**

7033 - 3 IN 1 3800157603829



Dimmable



Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **700lm**  
CRI: **>80**  
PF: **>0.45**

Beam Angle: **120°**  
Color: **White+Silver**  
Body Type: **ABS+Aluminium**  
Dimension: **328x445x205mm**



## Table Lamps-3 In 1-Dimmable

7W

VT-1008D

Box Qty.  
16 Pcs

7035 - 3 IN 1 3800157603843



Dimmable

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 400lm

CRI: &gt;80

PF: &gt;0.45

Beam Angle: 120°

Color: White

Body Type: ABS

Dimension: 170x352x113mm



## Desk Lamp-White

5W

VT-1015-W

Box Qty.  
6 Pcs

7051 - 4000K Day white 3800157610650



Touch Control

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 360lm

CRI: &gt;80


PF: &gt;0.45

Beam Angle: 90°

Color: White

Body Type: ABS+Metal

Dimension: 210x136x32mm



## Desk Lamp-Touch Dimming

5W

VT-1015-B

Box Qty.  
6 Pcs

7052 - 4000K Day white 3800157610667



Touch Control

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 360lm

CRI: &gt;80


PF: &gt;0.45

Beam Angle: 90°

Color: Black

Body Type: ABS+Metal

Dimension: 210x136x32mm






### Table Lamps

**5.5w VT-1046**

8514 - 3000K Warm White  
8515 - 4000K Day White

Box Qty.  
**12 Pcs**

3800157627245  
3800157627252



|                    |                     |             |                 |
|--------------------|---------------------|-------------|-----------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 110°            |
| Luminous Flux:     | 420lm               | Color:      | White           |
| CRI:               | >80                 | Body Type:  | Plastic+Metal   |
| PF:                | >0.5                | Dimension:  | 142x101.8x310mm |




### Desk Lamp-White

**7w VT-1017-W**

7053 - 4000K Day white 3800157610674

Box Qty.  
**12 Pcs**



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 420lm               | Color:      | White         |
| CRI:               | >80                 | Body Type:  | ABS+Metal     |
| PF:                | >0.45               | Dimension:  | 376x166x270mm |



### Desk Lamp-Touch Dimming

**7w VT-1017-B**

7054 - 4000K Day white 3800157610681

Box Qty.  
**12 Pcs**



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 420lm               | Color:      | Black         |
| CRI:               | >80                 | Body Type:  | ABS+Metal     |
| PF:                | >0.45               | Dimension:  | 376x166x270mm |




## Table Lamps-Bakelite-E27

VT-7151-GR

3912 3800157626071

**5**  **YEAR WARRANTY**

Body Type: Glass+Metal  
Holder: E27  
Color: Green  
Dimension: 260x180x360mm

 Box Qty.  
**6 Pcs**



## Table Lamps-Bakelite-E27

VT-7151-B

3913 3800157626088

**5**  **YEAR WARRANTY**

Body Type: Glass+Metal  
Holder: E27  
Color: Blue  
Dimension: 260x180x360mm

 Box Qty.  
**6 Pcs**



## Table Lamps-Bakelite-E27

VT-7151-GD

3914 3800157626095

**5**  **YEAR WARRANTY**

Body Type: Glass+Metal  
Holder: E27  
Color: Yellow  
Dimension: 260x180x360mm

 Box Qty.  
**6 Pcs**




**new!**

## Table Lamps+Speaker

**3W**

**VT-1043D**




Box Qty.  
**40 Pcs**

8516 - 3000K+RGB 3800157632959



|                    |                      |             |           |
|--------------------|----------------------|-------------|-----------|
| Voltage/Frequency: | AC:100-240V,50/60Hz  | CRI:        | >70       |
| Luminous Flux:     | 110lm                | PF:         | >0.6      |
| Working Time:      | 2-3 Hours(Min) 15-20 | Beam Angle: | 360°      |
| Battery Type:      | Hours(Max)           | Color:      | White     |
| Charging Time:     | Lithium Battery -    | Body Type:  | ABS       |
| USB Output         | 1500mAh              | Dimension:  | Ø95x122mm |



- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.

## Desk Lamp-Purple Shade

5W


VT-1035-P

 Box Qty.  
6 Pcs

8501 - 4000K Day White 3800157620345



Touch Control



Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 300lm  
 CRI: >80  
 PF: >0.45

Beam Angle: 90°  
 Color: Chrome+Purple  
 Body Type: PC+Metal  
 Dimension: Ø150x233mm

## Hanging Lamp-Purple Shade

7W

VT-1036-P

 Box Qty.  
9 Pcs

8504 - 4000K Day White 3800157620376



Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 360lm  
 CRI: >80  
 PF: >0.45

Beam Angle: 90°  
 Color: Chrome+Purple  
 Body Type: PC+Metal  
 Dimension: Ø150x151x1241mm

### Desk Lamp-White Shade

5W

VT-1035-W




Box Qty.  
**6 Pcs**

8502 - 4000K Day White 3800157620352



Touch Control



Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **300lm**

CRI: **>80**

PF: **>0.45**

Beam Angle: **90°**

Color: **Chrome+White**

Body Type: **PC+Metal**

Dimension: **Ø150x233mm**

### Hanging Lamp-White Shade

7W

VT-1036-W



Box Qty.  
**9 Pcs**

8505 - 4000K Day White 3800157620383



Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **360lm**

CRI: **>80**

PF: **>0.45**

Beam Angle: **90°**

Color: **Chrome+White**

Body Type: **PC+Metal**

Dimension: **Ø150x151x1241mm**

## Desk Lamp-Blue Shade

5w


VT-1035-B

 Box Qty.  
6 Pcs

8503 - 4000K Day White 3800157620369



Touch Control



Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 300lm  
CRI: >80  
PF: >0.45

Beam Angle: 90°  
Color: Chrome+Blue  
Body Type: PC+Metal  
Dimension: Ø150x233mm

## Hanging Lamp-Blue Shade

7w

VT-1036-B

 Box Qty.  
9 Pcs

8506 - 4000K Day White 3800157620390



Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 360lm  
CRI: >80  
PF: >0.45

Beam Angle: 90°  
Color: Chrome+Blue  
Body Type: PC+Metal  
Dimension: Ø150x151x1241mm



### Floor Lamp-E27


#### VT-7500-B

7055 3800157610698

Max. Watts: 60W  
 Body Type: ABS+Metal  
 Holder: E27  
 Color: Black  
 Dimension: 250x250x1800mm



Box Qty.  
4 Pcs



### Floor Lamp-E27


#### VT-7500-S

7056 3800157610704

Max. Watts: 60W  
 Body Type: ABS+Metal  
 Holder: E27  
 Color: Silver  
 Dimension: 250x250x1800mm



Box Qty.  
4 Pcs






## Floor Lamp-E27

## VT-7600-SB

3703 3800157610766

Max. Watts: 60W  
 Body Type: Metal With Sand Finish  
 Holder: E27  
 Color: Sand Black+Satin Nickel  
 Dimension: 140x200x1600mm


 Box Qty.  
**4 Pcs**


## Floor Lamp-E27

## VT-7600-SW

3704 3800157610773

Max. Watts: 60W  
 Body Type: Metal With Sand Finish  
 Holder: E27  
 Color: Sand White+Satin Nickel  
 Dimension: 140x200x1600mm

 Box Qty.  
**4 Pcs**




### Floor Lamp

7W

**VT-7700-W**




Box Qty.  
**3 Pcs**

8507 3800157620406

**Built In LED**

Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **420lm**  
 CRI: **>80**  
 PF: **>0.5**  
 Beam Angle: **120°**  
 Color: **White**  
 Body Type: **ABS+Metal**  
 Dimension: **Ø220x440x1405mm**



### Floor Lamp

7W

**VT-7700-B**




Box Qty.  
**3 Pcs**

8508 3800157620413

**Built In LED**

Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **420lm**  
 CRI: **>80**  
 PF: **>0.5**  
 Beam Angle: **120°**  
 Color: **Black**  
 Body Type: **ABS+Metal**  
 Dimension: **Ø220x440x1405mm**



# LED Innovative Lights

An Innovative and sustainable way of lighting up your outdoors.V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day.Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.



## Product Features

 ZERO Electricity Cost

 PIR Detective

 Outdoor

 Solar Powered

 Light on/off automatically

 Cordless

## Applications

Suitable for Outdoor and Indoor Lighting





### Solar Wall Light-IP65

**1.5w VT-767-W**

7096 - Day+Warm White

3800157616966



Box Qty.  
**20Pcs**



Battery: 3.7V Lithium Battery 1200mAh  
Lumens: 200lm  
No. of LED: 10pcs (Front 8pcs, Back 2 pcs)  
Detecting Angle: 120°  
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
Working Time: Min 8 hrs and Max 24 hrs  
IP Rating: IP65  
Material: Mono Crystal Silicon  
Dimension: 152x96x83.4mm



### Solar Wall Light-IP65


**1.5w VT-767-2-W**

8276 - 4000K Day White

3800157627931



Box Qty.  
**20Pcs**



Battery: 3.7V Lithium Battery 1200mAh  
Lumens: 220lm  
No. of LED: 14pcs (Front 12pcs, Back 2 pcs)  
Detecting Angle: 120°  
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
Working Time: Min 8 hrs and Max 24 hrs  
IP Rating: IP65  
Material: ABS+PC  
Dimension: 144.5x96x79mm



### Solar Wall Light-IP65

**1.5w VT-767-2-B**

8277 - 4000K Day White

3800157627948



Box Qty.  
**20Pcs**



Battery: 3.7V Lithium Battery 1200mAh  
Lumens: 220lm  
No. of LED: 14pcs (Front 12pcs, Back 2 pcs)  
Detecting Angle: 120°  
Sensing Range: 2 - 6 mtrs


Charging Time: 6-7 hrs Sunlight Charging  
Working Time: Min 8 hrs and Max 24 hrs  
IP Rating: IP65  
Material: ABS+PC  
Dimension: 144.5x96x79mm

## Solar Wall Light-IP65

3w VT-768

7523 - Day+Warm White

3800157619363

 Box Qty.  
12Pcs


Battery: 3.7V Lithium Battery 2000mAh  
 Lumens: 400lm  
 No. of LED: 30pcs (Front 28pcs, Back 2 pcs)  
 Detecting Angle: 120°  
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
 IP Rating: IP65  
 Material: ABS+PC  
 Dimension: 140x212x109.2mm  
 Working Time: Min 5-8 hrs and Max 24 hrs

new!

## Solar Floodlight

10w VT-787-10

9869 - 4000K Day White

3800157636025

 Box Qty.  
8Pcs


Battery: 3.7V Lithium Battery 8000mAh  
 Lumens: 1100lm  
 No. of LED: 60pcs  
 Detecting Angle: 180°  
 Sensing Range: ≤8mtrs

IP Rating: IP65  
 Material: Aluminium  
 Dimension: 175x43x266mm



### Solar Wall Light-IP65

**7W VT-767-7-W**

8278 - 4000K Day White

3800157627955

Box Qty.  
**20Pcs**



Battery: 3.7V Lithium Battery 4000mAh  
Lumens: 800lm  
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)  
Detecting Angle: 120°  
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
IP Rating: IP65  
Material: ABS+PC  
Dimension: 270x221x109.2mm  
Working Time: Mode A: 5 hours, Mode B: 2~3 nights  
Mode C: 3~4 nights



### Solar Wall Light-IP65

**7W VT-767-7-B**

8279 - 4000K Day White

3800157627962

Box Qty.  
**20Pcs**



Battery: 3.7V Lithium Battery 4000mAh  
Lumens: 800lm  
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)  
Detecting Angle: 120°  
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
IP Rating: IP65  
Material: ABS+PC  
Dimension: 270x221x109.2mm  
Working Time: Mode A: 5 hours, Mode B: 2~3 nights  
Mode C: 3~4 nights

No Wiring



Wireless



Battery Free



Switch - One Gang Set

Box Qty.  
**50****VT-541**

8229 3800157624336

## Switch

|                   |                 |
|-------------------|-----------------|
| Working Type:     | Push -Button    |
| Power Mode:       | Self Powered    |
| Control Distance: | Up to 30 meters |
| Switch Lifetime:  | 2,00,000        |
| Operating Temp:   | -5~40°C         |
| Humidity:         | 0-95%RH         |
| IP Rating:        | IP20            |
| Dimensions:       | Ø70x15.5mm      |

## Receiver

|                |                     |
|----------------|---------------------|
| Input Voltage: | AC:200-265V,50/60Hz |
| Load Power:    | Max 200W            |
| Controller:    | RF Receiver         |
| Dimensions:    | D:48x25mm           |

Switch - Mounting Base

Box Qty.  
**200****VT-540-1**

8231 3800157624350

Dimensions: 86x86x11mm



No Wiring



Wireless



Battery Free



Switch - Two Gang Set



Box Qty.  
**30**

**VT-542**

8230 3800157624343

## Switch

|                   |                 |
|-------------------|-----------------|
| Working Type:     | Push -Button    |
| Power Mode:       | Self Powered    |
| Control Distance: | Up to 30 meters |
| Switch Lifetime:  | 2,00,000        |
| Operating Temp:   | -5~40°C         |
| Humidity:         | 0-95%RH         |
| IP Rating:        | IP20            |
| Dimensions:       | Ø70x15.5mm      |

## Receiver

|                |                     |
|----------------|---------------------|
| Input Voltage: | AC:200-265V,50/60Hz |
| Load Power:    | Max 200W            |
| Controller:    | RF Receiver         |
| Dimensions:    | D:48x25mm           |

Switch - Mounting Base



Box Qty.  
**200**

**VT-540**

8231 3800157624350

Dimensions: 86x86x11mm



# LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.



## Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from  $-20^{\circ}$  to  $+45^{\circ}$  without any adverse effects
- Specifically designed for Outdoor use
- IP65/67 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

## Applications

Used for Gardens, Outdoor Residential Areas, Walkways & Passages, Driveways, Fountains, Lawns, Entrance, Patio or Terrace and similar environments



### Wall Fitting-IP44-GU10-PIR

#### VT-7621PIR

7502 3800157617611

**UP & DOWN  
LIGHTS**



Box Qty.  
**24 Pcs**

Type: Wall Fixtures  
Holder: GU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 110x67x163mm



### Wall Fitting-Up-Down-GU10-PIR

#### VT-7622PIR

7503 3800157617628

**UP & DOWN  
LIGHTS**



Box Qty.  
**12 Pcs**

Type: Wall Fixtures  
Holder: GU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 110x67x220mm



### Wall Fitting-Up-Down-GU10-IP44

#### VT-7622

7500 3800157617598

**UP & DOWN  
LIGHTS**



Box Qty.  
**16 Pcs**

Type: Wall Fixtures  
Holder: 2XGU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 93x85x163mm



### Wall Fitting-IP44-GU10

#### VT-7621

7501 3800157617604

**UP & DOWN  
LIGHTS**



Box Qty.  
**24 Pcs**

Type: Wall Fixtures  
Holder: GU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 93x85x118mm



### Wall Fitting-Up-Down-GU10-IP44

#### VT-7632

7504 3800157617635

 Box Qty.  
**12 Pcs**



Type: **Wall Fixtures**  
Holder: **2XGU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **110x60x178mm**



### Wall Fitting-IP44-GU10

#### VT-7631

7505 3800157617642

 Box Qty.  
**24 Pcs**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **110x60x125mm**



### Wall Light-IP44-GU10

#### VT-7641

7506 3800157617659

 Box Qty.  
**24 Pcs**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **105x76x118mm**



### Wall Fitting-Up-Down-GU10

#### VT-7642

7507 3800157617666

 Box Qty.  
**16 Pcs**



Type: **Wall Fixtures**  
Holder: **2XGU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **105x76x207mm**



### Wall Fitting-Round-IP44-GU10

#### VT-7651RD

7508 3800157617673

 Box Qty.  
**24 Pcs**



Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x80mm**

### Wall Fitting-Up-Down-GU10-IP44

#### VT-7652RD

7509 3800157617680

 Box Qty.  
**16 Pcs**



 **UP & DOWN  
LIGHTS**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x80mm**

### Wall Fitting-Square-IP44-GU10

#### VT-7651SQ

7510 3800157617697

 Box Qty.  
**24 Pcs**



Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x80mm**

### Wall Fitting-Square-IP44-GU10

#### VT-7652SQ

7511 3800157617703

 Box Qty.  
**16 Pcs**



Type: **Wall Fixtures**  
Holder: **2XGU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x150mm**



## Wall Fitting-Up-Down-GU10

## VT-7662

7512 3800157617710

 Box Qty.  
**12 Pcs**


Type: Wall Fixtures  
Holder: 2XGU10  
Material: Stainless Steel

Color of Fixture: Black  
IP Rating: IP44  
Dimension: 85x87x250mm

**new!**

## Wall Fitting-Square-IP44-GU10

## VT-7651SQ-W

7539 3800157630702

 Box Qty.  
**24 Pcs**

Type: Wall Fixtures  
Holder: GU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 92x68x80mm

**new!**

## Wall Fitting-Round-IP44-GU10

## VT-7651RD-W

7540 3800157630719

 Box Qty.  
**24 Pcs**

Type: Wall Fixtures  
Holder: GU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 92x68x80mm

**new!**

## Wall Fitting-Square-IP44-GU10

## VT-7652SQ-W

7541 3800157630726

 Box Qty.  
**16 Pcs**


Type: Wall Fixtures  
Holder: 2XGU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 92x68x150mm

**new!**



Wall Fitting-Up-Down-GU10-IP44

**VT-7652RD-W**

7542 3800157630733

Box Qty.  
**16 Pcs**

**UP & DOWN  
LIGHTS**

Type: Wall Fixtures  
Holder: 2xGU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 92x68x80mm

**new!**



Wall Fitting-Up-Down-GU10

**VT-7662-W**

7543 3800157630740

Box Qty.  
**12 Pcs**

**UP & DOWN  
LIGHTS**

Type: Wall Fixtures  
Holder: 2XGU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 85x87x250mm

**new!**



Wall Fitting-IP44-GU10

**VT-7611**

7553 3800157633574

Box Qty.  
**24 Pcs**

Type: Wall Fixtures  
Holder: GU10  
Material: Aluminium

Color of Fixture: Black  
IP Rating: IP44  
Dimension: 100x66x92mm

**new!**



Wall Fitting-IP44-GU10

**VT-7612**

7554 3800157633581

Box Qty.  
**6 Pcs**

Type: Wall Fixtures  
Holder: GU10  
Material: Aluminium

Color of Fixture: Black  
IP Rating: IP44  
Dimension: 1170x50mm



## Underground Fitting-Round-GU10

## VT-7677RD

7515 3800157617741

 Box Qty.  
**24 Pcs**


Type: **Underground**  
Holder: **Fittings**  
Material: **GU10**

Color of Fixture: **Black**  
IP Rating: **IP65**  
Dimension: **110x110x-**



## Underground Fitting-Square-GU10

## VT-7677SQ

7516 3800157617758

 Box Qty.  
**24 Pcs**


Type: **Underground**  
Holder: **Fittings**  
Material: **GU10**

Color of Fixture: **Black**  
IP Rating: **IP65**  
Dimension: **110x110x-**



## Garden Spike-Single Head-E27

## VT-728

7044 3800157606332

 Box Qty.  
**12 Pcs**

Type: **Garden Lamps**  
Holder: **E27**  
Material: **ABS**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **450x27mm**



## Garden Spike-Double Head-E27

## VT-729

7045 3800157606349

 Box Qty.  
**12 Pcs**

Type: **Garden Lamps**  
Holder: **E27**  
Material: **ABS**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **450x205mm**



### Garden Spike-Black-IP44

#### VT-769

7517 3800157617765

 Box Qty.  
**12 Pcs**

Type: **Garden Lamps**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **95x95x335mm**



### Garden Spike-White-IP44

#### VT-770

7518 3800157617772

 Box Qty.  
**8 Pcs**

Type: **Garden Lamps**  
Holder: **GU10**  
Material: **Stainless Steel**

Color of Fixture: **Silver**  
IP Rating: **IP44**  
Dimension: **60x60x420mm**



**new!**

Garden Lamp

**12w VT-857-B**
 Box Qty.  
**50 Pcs**

7544 - 3000K Warm White

3800157633444

7545 - 4000K Day White

3800157633451

7546 - Green

3800157633468

 **IP65**  
 RATING


Commercial Type: **Garden Spike Light**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 Beam Angle: **30°**  
 PF **>0.6**

CRI: **>80**  
 IP Rating: **IP65**  
 Body Type: **Aluminium**  
 Dimension: **73x255mm**

**new!**

Garden Lamp

**12w VT-857-W**
 Box Qty.  
**50 Pcs**

7547 - 3000K Warm White

3800157633475

7548 - 4000K Day White

3800157633482

7549 - Green

3800157633499

 **IP65**  
 RATING


Commercial Type: **Garden Spike Light**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 Beam Angle: **30°**  
 PF **>0.6**

CRI: **>80**  
 IP Rating: **IP65**  
 Body Type: **Aluminium**  
 Dimension: **73x255mm**

**new!**

Garden Lamp

**12w VT-857-G**
 Box Qty.  
**50 Pcs**

7550 - 3000K Warm White

3800157633505

7551 - 4000K Day White

3800157633512

7552 - Green

3800157633529

 **IP65**  
 RATING


Commercial Type: **Garden Spike Light**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 Beam Angle: **30°**  
 PF **>0.6**

CRI: **>80**  
 IP Rating: **IP65**  
 Body Type: **Aluminium**  
 Dimension: **73x255mm**

**new!**

## Pool Lights-PAR56

8W

VT-1258



Box Qty.  
**12 Pcs**

7556 - 3000K Warm White

3800157633789

7555 - 6400K White


3800157633772

7557 - Blue

3800157633796



|                    |                |
|--------------------|----------------|
| Commercial Type:   | PAR56          |
| Voltage/Frequency: | AC/DC:12V,50Hz |
| Luminous Flux:     | 800lm          |
| Beam Angle:        | 120°           |
| CRI:               | >80            |
| IP Rating:         | IP68           |
| Body Type:         | Glass          |
| Dimension:         | 178x114mm      |
| Cutting Size:      | 275x145mm      |



**new!**

## Pool Lights-PAR56-RGB

8W

VT-1268




Box Qty.  
**12 Pcs**

7558 - RGB

3800157633802



|                    |                |
|--------------------|----------------|
| Commercial Type:   | PAR56          |
| Voltage/Frequency: | AC/DC:12V,50Hz |
| Luminous Flux:     | 800lm          |
| Beam Angle:        | 120°           |
| CRI:               | >80            |
| IP Rating:         | IP68           |
| Body Type:         | Glass          |
| Dimension:         | 178x114mm      |
| Cutting Size:      | 275x145mm      |



**new!**
**Pool Lights-PAR56**
**12w VT-1262**
 Box Qty.  
**12 Pcs**

7560 - 3000K Warm White

7559 - 6500K White

7561 - Blue


3800157633826

3800157633819

3800157633833



Commercial Type: PAR56  
Voltage/Frequency: AC/DC:12V,50Hz  
Luminous Flux: 1200lm  
Beam Angle: 120°  
CRI: >80  
IP Rating: IP68  
Body Type: Glass  
Dimension: 178x114mm  
Cutting Size: 275x145mm



**new!**
**Pool Lights-PAR56-RGB**
**12w VT-1263**
 Box Qty.  
**12 Pcs**

7562 - RGB

3800157633840



Commercial Type: PAR56  
Voltage/Frequency: AC/DC:12V,50Hz  
Luminous Flux: 1200lm  
Beam Angle: 120°  
CRI: >80  
IP Rating: IP68  
Body Type: Glass  
Dimension: 178x114mm  
Cutting Size: 275x145mm







# Garden Lamps

V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.



## Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Waterproof Lamps available in series of IP rating from IP 44 to IP 66
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

## Applications

Suitable for Outdoor Lighting

## Wall Lamp


### VT-7670

7513

3800157617727

Box Qty.  
**12 Pcs**

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **14W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Stainless Steel**  
Body Type: **Stainless Steel+PC**  
Size: **250x90x100mm**



## Wall Lamp


### VT-7680

7514

3800157617734

Box Qty.  
**12 Pcs**

Voltage: **AC:220-240V**  
Max.Watts: **14W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Stainless Steel**  
Body Type: **Stainless Steel+PC**  
Size: **250x90x100mm**



## Wall Lamp


### VT-745-B

7064

3800157614399

Box Qty.  
**12 Pcs**

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **40W**  
IP Rating: **IP54**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium**  
Size: **145X265mm**




## Wall Lamp

## VT-745-DG

 Box Qty.  
**12 Pcs**

3800157614405

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP54  
 Holder: E27  
 Color of Fixture: Dark Grey  
 Body Type: Aluminium  
 Size: 145X265mm




## Wall Lamp

## VT-754-MB

 Box Qty.  
**10 Pcs**

3800157616294

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt Black  
 Body Type: Aluminium+Glass  
 Size: 245x180x93mm




## Wall Lamp

## VT-754-MW

 Box Qty.  
**10 Pcs**

3800157616300

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 245x180x93mm



## Wall Lamp


### VT-760-B

7519

3800157617789

Box Qty.  
**12 Pcs**

Voltage: **AC:220-240V**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium+Glass**  
Size: **225x400x148mm**



## Wall Lamp


### VT-760-W

7520

3800157617796

Box Qty.  
**12 Pcs**

Voltage: **AC:220-240V**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt White**  
Body Type: **Aluminium+Glass**  
Size: **225x400x148mm**



## Wall Lamp


### VT-761-B

7521

3800157617802

Box Qty.  
**8 Pcs**

Voltage: **AC:220-240V**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium+Glass**  
Size: **245x445x185mm**



## Wall Lamp


## VT-761-W



7522

3800157617819

Voltage: AC:220-240V  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 245x445x185mm



## Wall Lamp


## VT-730



7046

3800157610391

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 200x238mm



## Wall Lamp


## VT-731



7047

3800157610407

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 200x238mm



## Wall Lamp


### VT-852



7531

3800157630078

Voltage: AC:220-240V,50Hz  
Max.Watts: 60W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium, Glass  
Size: 290x250x525mm



## Wall Lamp


### VT-853



7532

3800157630085

Voltage: AC:220-240V,50Hz  
Max.Watts: 60W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium, Glass  
Size: 290x250x525mm



## Wall Lamp


### VT-751-B



7070

3800157616232

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium+Glass  
Size: 215x375x170mm



MOTION  
PIR  
SENSOR



## Wall Lamp


## VT-751-W



7071

3800157616249

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 215x375x170mm



## Wall Lamp


## VT-749-B



7066

3800157616195

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt Black  
 Body Type: Aluminium+Glass  
 Size: 208x360x170mm



## Wall Lamp


## VT-749-W



7067

3800157616201

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 208x360x170mm





## Wall Lamp


### VT-750-B



7068

3800157616218

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium+Glass  
Size: 208x360x170mm



## Wall Lamp


### VT-750-W



7069

3800157616225

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt White  
Body Type: Aluminium+Glass  
Size: 208x360x170mm



## Ceiling Lamp


### VT-752-B



7072

3800157616256

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium+Glass  
Size: 170x840mm



## Ceiling Lamp


## VT-752-W



7073

3800157616263

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: White  
 Body Type: Aluminium+Glass  
 Size: 170x840mm



## Ceiling Lamp


## VT-735



7058

3800157612616

Voltage: AC:220-240V,50Hz  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 170x720mm



## Stand Lamp


## VT-736



7059

3800157612623

Voltage: AC:220-240V,50Hz  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 170x600mm



## Ceiling Lamp


### VT-850

7529

3800157630054

Box Qty.  
**8 Pcs**

Voltage: **AC:200-240V,50Hz**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium+PC**  
Size: **250x890mm**



## Pole Lamp


### VT-851

7530

3800157630061

Box Qty.  
**1 Pcs**

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Black**  
Body Type: **Aluminium+PC**  
Size: **250x1110mm**



## Stand Lamp

### VT-734


7057

3800157612609

Box Qty.  
**10 Pcs**

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **60W**  
IP Rating: **IP65**  
Holder: **E27**  
Color of Fixture: **Black**  
Body Type: **Aluminium+Glass**  
Size: **170x290**

**IP65**  
RATING



## Stand Lamp


## VT-753-B



7074

3800157616270

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt Black  
 Body Type: Aluminium+Glass  
 Size: 170x403mm



## Stand Lamp


## VT-753-W



7075

3800157616287

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 170x403mm



## Stand Lamp


## VT-737



7060

3800157612630

Voltage: AC:220-240V,50Hz  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 345x1365mm



## Stand Lamp


### VT-738



7061

3800157612647

Voltage: AC:220-240V,50Hz  
Max.Watts: 60Wx2  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Black  
Body Type: Aluminium+Glass  
Size: 480x1410mm



## Stand Lamp


### VT-739



7062

3800157612654

Voltage: AC:220-240V,50Hz  
Max.Watts: 60Wx2  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Black  
Body Type: Aluminium+Glass  
Size: 500x1990mm



## Stand Lamp


### VT-740



7063

3800157612661

Voltage: AC:220-240V,50Hz  
Max.Watts: 60Wx3  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Black  
Body Type: Aluminium+Glass  
Size: 500x1990mm



# LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these Wall Lamps.



## Product Features

- Modern Wall lights available in sleek and stylish designs.
- Adjustable Beam Angle.
- Available in Black, Grey & White Colors
- Easy installation
- Perfect for Halls, Pathways, Bedroom, Kitchen & Terrace

## Applications

Suitable for Residential lighting, Hotels, Restaurants, Resorts, Residential Lighting and similar environment



### White

|                         |               |
|-------------------------|---------------|
| 8316 - 3000K Warm White | 3800157632270 |
| 8317 - 4000K Day White  | 3800157632287 |
| 8318 - 5000K White      | 3800157632294 |

### Black

|                         |               |
|-------------------------|---------------|
| 8322 - 3000K Warm White | 3800157632331 |
| 8323 - 4000K Day White  | 3800157632348 |
| 8324 - 5000K White      | 3800157632355 |

### Grey

|                         |               |
|-------------------------|---------------|
| 8319 - 3000K Warm White | 3800157632300 |
| 8320 - 4000K Day White  | 3800157632317 |
| 8321 - 5000K White      | 3800157632324 |

**new!**

Wall Lights


10w VT-830

Box Qty.  
**8Pcs**

**IP65**  
RATING

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **450lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **72°**  
Body Type: **Aluminium**  
Dimension: **108x250mm**





**new!**

Wall Lights


10w VT-820

Box Qty.  
4Pcs

**IP65**  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 450lm  
 IP Rating: IP65  
 CRI: >80

PF: >0.5  
 Beam Angle: 72°  
 Body Type: Aluminium  
 Dimension: 108x800mm







**new!**

Wall Lights


12w VT-822

Box Qty.  
**20Pcs**

**IP65**  
RATING

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **750lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **140°**  
Body Type: **PC**  
Dimension: **130x160mm**



### Black

8211 - 3000K Warm White 3800157623285  
8212 - 4000K Day White 3800157623292

### White

8209 - 3000K Warm White 3800157623261  
8210 - 4000K Day White 3800157623278

Square-IP65

4w


VT-704

Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **440lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Body Type: **Aluminium+Acrylic**  
Dimension: **150x150x50mm**





### Black

8215 - 3000K Warm White 3800157623322  
8216 - 4000K Day White 3800157623339

### White

8213 - 3000K Warm White 3800157623308  
8214 - 4000K Day White 3800157623315

Round-IP65

4W


VT-706

Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **440lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Body Type: **Aluminium+Acrylic**  
Dimension: **150x50mm**



### White

8280 - 3000K Warm White 3800157629744  
8281 - 4000K Day White 3800157629751

### Black

8282 - 3000K Warm White 3800157629768  
8283 - 4000K Day White 3800157629775

### Grey

8284 - 3000K Warm White 3800157629782  
8285 - 4000K Day White 3800157629799

### Modern Wall Lights

5w


VT-825

Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **550lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Dimension: **170x170x75mm**





### Triangle Light

6W

VT-826





Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **660lm**  
 IP Rating: **IP65**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **15/120°**  
 Body Type: **Aluminium**  
 Dimension: **90x200x90mm**





### Black

8288 - 3000K Warm White 3800157629829  
8289 - 4000K Day White 3800157629836

### White

8286 - 3000K Warm White 3800157629805  
8287 - 4000K Day White 3800157629812

### Grey

8290 - 3000K Warm White 3800157629843  
8291 - 4000K Day White 3800157629850

### Single Head-Rotatable

6W


VT-816

Box Qty.  
20Pcs



Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 660lm  
IP Rating: IP65  
CRI: >80

PF: >0.5  
Beam Angle: 350°  
Body Type: Aluminium  
Dimension: 110x54x97mm





## Square-Bridgelux

6W


VT-759

Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.45**  
Beam Angle: **120°**  
Body Type: **Aluminium**  
Dimension: **100x100x100mm**





Round-Bridgelux

6W

VT-756

 Box Qty.  
20Pcs


Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 660lm

IP Rating: IP65


CRI: &gt;80

PF: &gt;0.45

Beam Angle: 120°

Body Type: Aluminium

Dimension: 140x115x100mm







## Round Light

6W

VT-836




Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **90°**  
Body Type: **Aluminium**  
Dimension: **112x112x93mm**





### Black

8219 - 3000K Warm White 3800157623360

8220 - 4000K Day White 3800157623377

### White

8217 - 3000K Warm White 3800157623346


8218 - 4000K Day White 3800157623353

### Ceiling-Blade Lights

7W

VT-707

Box Qty.  
20Pcs



Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 770lm  
IP Rating: IP65  
CRI: >80

PF: >0.5  
Beam Angle: 360°  
Body Type: Aluminium  
Dimension: 110x120x170mm



### Round-Bridgelux

**6W VT-741**


Box Qty.  
**20Pcs**

7524 - 3000K Warm White 3800157620017  
7525 - 4000K Day White 3800157620024



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.55**  
Beam Angle: **360°**  
Body Type: **Aluminium**  
Dimension: **Ø135mm**



### Round-Bridgelux

**9W VT-743**


Box Qty.  
**20Pcs**

7526 - 3000K Warm White 3800157620031  
7527 - 4000K Day White 3800157620048



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **990lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.55**  
Beam Angle: **360°**  
Body Type: **Aluminium**  
Dimension: **Ø180mm**





## Up-Down Light-Medium

9w

VT-8056


Box Qty.  
20Pcs

8239 - 3000K Warm White 3800157625791  
 8240 - 4000K Day White 3800157625807  
 8241 - 6400K White 3800157625814

IP65  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 400lm  
 IP Rating: IP65  
 CRI: >80

PF: >0.9  
 Beam Angle: 90°  
 Body Type: PC  
 Dimension: 173x81x46mm



## Up-Down Light-Large

12w

VT-8057


Box Qty.  
20Pcs

8242 - 3000K Warm White 3800157625821  
 8243 - 4000K Day White 3800157625838  
 8244 - 6400K White 3800157625845

IP65  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 600lm  
 IP Rating: IP65  
 CRI: >80

PF: >0.9  
 Beam Angle: 92°  
 Body Type: PC  
 Dimension: 230x100x90mm





### Grey

8294 - 3000K Warm White 3800157629881

### White

8292 - 3000K Warm White 3800157629867



### Black

8293 - 3000K Warm White 3800157629874



## Double Head-Rotatable


12w VT-814

Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:110-240V,50/60Hz**  
Luminous Flux: **1320lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **350°**  
Body Type: **Aluminium**  
Dimension: **230x54x97mm**





## Softlight-Bulkhead

12w VT-8058


 Box Qty.  
20Pcs

|                         |               |
|-------------------------|---------------|
| 8245 - 3000K Warm White | 3800157625852 |
| 8246 - 4000K Day White  | 3800157625869 |
| 8247 - 6400K White      | 3800157625876 |

 **IP65**  
RATING

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **500lm**  
 IP Rating: **IP65**  
 CRI: **>80**

PF: **>0.9**  
 Beam Angle: **130°**  
 Body Type: **PC**  
 Dimension: **230x110x76mm**






### Landscape-Soft Light-Medium

12w VT-8054

Box Qty.  
**20Pcs**

8233 - 3000K Warm White 3800157625739  
8234 - 4000K Day White 3800157625746  
8235 - 6400K White 3800157625753



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **600lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **110°**  
Body Type: **PC**  
Dimension: **265x120x81mm**




### Landscape-Soft Light-Large

20w VT-8055

Box Qty.  
**20Pcs**

8236 - 3000K Warm White 3800157625760  
8237 - 4000K Day White 3800157625777  
8238 - 6400K White 3800157625784



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **1000lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **110°**  
Body Type: **PC**  
Dimension: **319x170x114mm**

# INDOOR WALL LIGHTS



## Wall Lights

5W

VT-705




Box Qty.  
**20Pcs**

8208 - 3000K Warm White 3800157623254  
8232 - 4000K Day White 3800157624756

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **550lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **150°**  
Body Type: **Aluminium**  
Dimension: **175x80x96mm**







### White

8344 - 3000K Warm White 3800157633000  
8345 - 4000K Day White 3800157633017



### Black

8346 - 3000K Warm White 3800157633024  
8347 - 4000K Day White 3800157633031

**new!**

Square-Bridgelux

3W

VT-803



Box Qty.

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:110-240V,50/60Hz**  
Luminous Flux: **300lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **120°**  
Body Type: **Iron**  
Dimension: **220x80x200mm**


## Rotatable-360-White

5w

VT-757

Box Qty.  
20Pcs

7086 - 3000K Warm White 3800157616454  
7093 - 4000K Day White 3800157616935



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Sensor Compatible: | Yes                 | PF:         | >0.45         |
| Voltage/Frequency: | AC:110-240V,50/60Hz | Beam Angle: | 10-360°       |
| Luminous Flux:     | 560lm               | Body Type:  | Aluminium     |
| IP Rating:         | IP20                | Dimension:  | 140x105x140mm |
| CRI:               | >80                 |             |               |


## Square-Bridgelux

5w

VT-758-B

Box Qty.  
20Pcs

7084 - 3000K Warm White 3800157616430  
7094 - 4000K Day White 3800157616942



|                    |                     |             |              |
|--------------------|---------------------|-------------|--------------|
| Sensor Compatible: | Yes                 | PF:         | >0.45        |
| Voltage/Frequency: | AC:110-240V,50/60Hz | Beam Angle: | 120°         |
| Luminous Flux:     | 560lm               | Body Type:  | Aluminium    |
| IP Rating:         | IP20                | Dimension:  | 100x80x100mm |
| CRI:               | >80                 |             |              |


## Square-Bridgelux

5w

VT-758

Box Qty.  
20Pcs

7085 - 3000K Warm White 3800157616447  
7095 - 4000K Day White 3800157616959



|                    |             |             |              |
|--------------------|-------------|-------------|--------------|
| Sensor Compatible: | Yes         | PF:         | >0.45        |
| Voltage/Frequency: | AC:100-240V | Beam Angle: | 120°         |
| Luminous Flux:     | 560lm       | Body Type:  | Aluminium    |
| IP Rating:         | IP20        | Dimension:  | 100x100x80mm |
| CRI:               | >80         |             |              |



### White

8225 - 3000K Warm White 3800157623421  
8226 - 4000K Day White 3800157623438

### Black


8227 - 3000K Warm White 3800157623445  
8228 - 4000K Day White 3800157623452

## Modern Wall Lights

9w

VT-710

Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **990lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Body Type: **Aluminium+Acrylic**  
Dimension: **210x80mm**



### White

8221 - 3000K Warm White 3800157623384  
8222 - 4000K Day White 3800157623391



### Black

8223 - 3000K Warm White 3800157623407  
8224 - 4000K Day White 3800157623414

## Modern Wall Lights


9w

VT-709

 Box Qty.  
**10Pcs**

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **990lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Body Type: **Aluminium**  
Dimension: **440x335x75mm**



### White

8307 - 3000K Warm White 3800157630016  
8308 - 4000K Day White 3800157630023


### Black

8309 - 3000K Warm White 3800157630030  
8310 - 4000K Day White 3800157630047

## Modern Wall Lights

10w VT-811

Box Qty.  
**20Pcs**



|                    |                     |             |              |
|--------------------|---------------------|-------------|--------------|
| Sensor Compatible: | Yes                 | PF:         | >0.45        |
| Voltage/Frequency: | AC:110-240V,50/60Hz | Beam Angle: | 360°         |
| Luminous Flux:     | 1100lm              | Body Type:  | Aluminium    |
| IP Rating:         | IP65                | Dimension:  | 300x215x60mm |
| CRI:               | >80                 |             |              |



### Grey

8206 - 3000K Warm White 3800157623230  
8207 - 4000K Day White 3800157623247



### White

8202 - 3000K Warm White 3800157623193  
8203 - 4000K Day White 3800157623209



### Black

8204 - 3000K Warm White 3800157623216  
8205 - 4000K Day White 3800157623223


## Modern Wall Lights

12w VT-712

 Box Qty.  
20Pcs

Sensor Compatible: Yes  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 1100lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 360°  
Body Type: Aluminium+Acrylic  
Dimension: 260x125x55mm






### Single Head

**4.5w VT-805-W**

Box Qty.  
**12Pcs**

8262 - 3000K Warm White 3800157627122  
8264 - 4000K Day White 3800157627146



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Sensor Compatible: | Yes                 | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 100°          |
| Luminous Flux:     | 360lm               | Body Type:  | Plastic+Metal |
| IP Rating:         | IP20                | Dimension:  | 100x94x45mm   |
| CRI:               | >80                 |             |               |




### Single Head

**4.5w VT-805-B**

Box Qty.  
**12Pcs**

8263 - 3000K Warm White 3800157627139  
8265 - 4000K Day White 3800157627153



|                    |                     |             |               |
|--------------------|---------------------|-------------|---------------|
| Sensor Compatible: | Yes                 | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50/60Hz | Beam Angle: | 100°          |
| Luminous Flux:     | 360lm               | Body Type:  | Plastic+Metal |
| IP Rating:         | IP20                | Dimension:  | 100x94x45mm   |
| CRI:               | >80                 |             |               |




### Double Head

**9w**
**VT-810-W**
 Box Qty.  
**12Pcs**

8266 - 3000K Warm White 3800157627160  
 8268 - 4000K Day White 3800157627184

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 IP Rating: **IP20**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **100°**  
 Body Type: **Plastic+Metal**  
 Dimension: **400x100x94mm**




### Double Head

**9w**
**VT-810-B**
 Box Qty.  
**12Pcs**

8267 - 3000K Warm White 3800157627177  
 8269 - 4000K Day White 3800157627191

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 IP Rating: **IP20**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **100°**  
 Body Type: **Plastic+Metal**  
 Dimension: **400x100x94mm**








### Tripple Head

**13.5w VT-813-W**

Box Qty.  
**12Pcs**

8270 - 3000K Warm White 3800157627207  
8272 - 4000K Day White 3800157627221



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1080lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **100°**  
Body Type: **Plastic+Metal**  
Dimension: **600x100x94mm**




### Tripple Head

**13.5w VT-813-B**

Box Qty.  
**12Pcs**

8271 - 3000K Warm White 3800157627214  
8273 - 4000K Day White 3800157627238



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1080lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **100°**  
Body Type: **Plastic+Metal**  
Dimension: **600x100x94mm**



## Single Head

6W


VT-806-W

Box Qty.  
**24Pcs**

8250 - 3000K Warm White 3800157627009  
8252 - 4000K Day White 3800157627023

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **480lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **100°**  
Body Type: **Plastic+Metal**  
Dimension: **100x93mm**



## Single Head

6W


VT-806-B

Box Qty.  
**24Pcs**

8251 - 3000K Warm White 3800157627016  
8253 - 4000K Day White 3800157627030

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **480lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **100°**  
Body Type: **Plastic+Metal**  
Dimension: **100x93mm**





### Double Head


**12w VT-812-W**

Box Qty.  
**12Pcs**

8254 - 3000K Warm White 3800157627047  
8256 - 4000K Day White 3800157627061

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **960lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **100°**  
Body Type: **Plastic+Metal**  
Dimension: **405x100x93mm**



### Double Head


**12w VT-812-B**

Box Qty.  
**12Pcs**

8255 - 3000K Warm White 3800157627054  
8257 - 4000K Day White 3800157627078

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **960lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **100°**  
Body Type: **Plastic+Metal**  
Dimension: **405x100x93mm**





## Tripple Head


18w VT-818-W

 Box Qty.  
12Pcs

8258 - 3000K Warm White 3800157627085  
8260 - 4000K Day White 3800157627108

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 1440lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 100°  
Body Type: Plastic+Metal  
Dimension: 605x100x93mm



## Tripple Head


18w VT-818-B

 Box Qty.  
12Pcs

8259 - 3000K Warm White 3800157627092  
8261 - 4000K Day White 3800157627115

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 1440lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 100°  
Body Type: Plastic+Metal  
Dimension: 605x100x93mm





# LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.



## Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

## Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



## Indoor Display Screen

### P5 Indoor LED Finished Cabinet

11077 3800157617468



Box Qty.  
**6 Pcs**



## Screen Parameter

|                            |                             |
|----------------------------|-----------------------------|
| Pixel Density:             | 40000dots/sqm               |
| Brightness:                | 1800nits                    |
| Optimum View Distance:     | more than 5m                |
| Gray Scale:                | 16bits                      |
| Display Color:             | 281 trillions(synchronized) |
| Operation Power:           | 220V-240V                   |
| Max Power Consumption:     | 750W/sqm                    |
| Control Mode:              | Synchronized                |
| Refresh Frequency:         | 400-700HZ                   |
| Fram Frequency:            | 60HZ                        |
| Surport Signal Input:      | S-Video,RGBHV,YUV etc.      |
| Control Distance:          | UTP140M,SINGLE MODE FIBER   |
| Life Span(50% Brightness): | 15KM                        |
| IP(Front/rear):            | 100000hrs                   |

## LED Cabinet Parameter

|                               |              |
|-------------------------------|--------------|
| Cabinet Size(L*h*d):          | 640*640mm    |
| Cabinet Resolution:           | 128*128      |
| Module Quantity Each Cabinet: | 2*4=8        |
| Average Power Consumption:    | 300w/cabinet |
| Cabinet Material:             | Iron         |
| Cabinet Size:                 | 8kg/cabinet  |

## LED Module Parameter

|                    |                            |
|--------------------|----------------------------|
| Pixel Pitch:       | 5mm                        |
| Led Specification: | SMD3528                    |
| Led Configuration: | SMD 3 in 1                 |
| Module Size:       | 320*160mm                  |
| Module Resolution: | 64*32=2048dot              |
| Drive Method:      | 1/16 scan constant current |
| Drive IC:          | SM16106                    |

## Sending Box



Box Qty.  
**20 Pcs**

500082



## Sending Card



Box Qty.  
**20 Pcs**

500081



The background image shows two spherical pendant lights with a warm, orange-glowing filament bulb inside. They are suspended by thin black cords against a dark, paneled wall. To the left, a small potted plant is visible. The foreground is a dark, wooden floor with a geometric pattern of light-colored tiles.

# Stylish Pendants

---

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

## Product Features

- Stylish pendant lamps available in various shapes, material and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.
- Applicable with E14 & E27 base.
- Pendant holders available in Bottle Shape, Chrome, Wooden, Concrete, Metal & Porcelain series.

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.

---






### VT-7350-HT

Diamond Cut Glass-Transparent



Box Qty.  
**8Pcs**

SKU: 3879  
EAN Code: 3800157620970  
Material: Glass+Metal  
Size: Ø330x260x1000mm




### VT-7350-HB

Diamond Cut Glass-Black



Box Qty.  
**8Pcs**

SKU: 3880  
EAN Code: 3800157620987  
Material: Glass+Metal  
Size: 330x260x1000mm





**VT-7254**

Designer Glass-Transparent



Box Qty.  
**8Pcs**

SKU: 3882  
EAN Code: 3800157621007  
Material: Glass+Metal  
Size: Ø250x230x1000mm



**VT-7306**

Designer Glass-Transparent



Box Qty.  
**8Pcs**

SKU: 3883  
EAN Code: 3800157621014  
Material: Glass  
Size: Ø300x265x1000mm





### VT-7305

Designer Glass-Transparent




Box Qty.  
**4Pcs**

SKU: 3881

EAN Code: 3800157620994

Material: Glass

Size: Ø270x1280mm




**VT-7292**

Designer Glass-Gun Grey




Box Qty.  
**8Pcs**

SKU: 3887

EAN Code: 3800157621052

Material: Glass

Size: Ø300x265x1000mm


**VT-7380**

Designer Glass-Gun Grey




Box Qty.  
**4Pcs**

SKU: 3888

EAN Code: 3800157621069

Material: Glass

Size: Ø380x330x1000mm






### VT-7303

#### Amber Glass-Metal Series



Box Qty.  
**8Pcs**

SKU: 3866  
EAN Code: 3800157620765  
Material: Glass+Metal  
Size: 300x280x1000mm




### VT-7302

#### Transparent Glass-Metal Series



Box Qty.  
**8Pcs**

SKU: 3865  
EAN Code: 3800157620758  
Material: Glass+Metal  
Size: 300x280x1000mm





**VT-7229**

Transparent Glass-Metal Series



Box Qty.  
**8Pcs**

SKU: 3867  
EAN Code: 3800157620772  
Material: Glass+Metal  
Size: 265x190x1000mm



**VT-7304-AW**

Double Glass-Amber-White



Box Qty.  
**8Pcs**

SKU: 3875  
EAN Code: 3800157620932  
Material: Glass+Metal  
Size: Ø250x420x1000mm






### VT-7181-AW

Double Glass-Amber-White



Box Qty.  
**9Pcs**

SKU: 3878  
EAN Code: 3800157620963  
Material: Glass+Metal  
Size: 180x350x1000mm




### VT-7304-GW

Double Glass-Gungrey-White



Box Qty.  
**8Pcs**

SKU: 3876  
EAN Code: 3800157620949  
Material: Glass+Metal  
Size: 250x420x1000mm





**VT-7181-GW**

Double Glass-Gungrey-White



Box Qty.  
**9Pcs**

SKU: 3877  
EAN Code: 3800157620956  
Material: Glass+Metal  
Size: 180x350x1000mm



**VT-7281-WG**

Modern-White Glass Pendant



Box Qty.  
**4Pcs**

SKU: 3884  
EAN Code: 3800157621021  
Material: Glass+Metal  
Size: Ø285x440x1000mm








### VT-7281-BG

Modern-Black Glass Pendant



Box Qty.  
**4Pcs**

SKU: 3885  
EAN Code: 3800157621038  
Material: Glass+Metal  
Size: 285x440x1000mm




### VT-7281-AG

Modern-Amber Glass Pendant



Box Qty.  
**4Pcs**


SKU: 3886  
EAN Code: 3800157621045  
Material: Glass+Metal  
Size: 285x440x1000mm




**VT-7210**
**Glass-Metal Series**



Box Qty.  
**8Pcs**

SKU: 3730  
EAN Code: 3800157611039  
Material: Glass+Metal  
Size: 245x230x1100mm


**VT-7140-A**
**Amber Glass-Metal Series**


Box Qty.  
**12Pcs**

SKU: 3736  
EAN Code: 3800157611091  
Material: Glass+Metal  
Size: 140x240x1130mm






### VT-7140-T

Transparent Glass-Metal Series



Box Qty.  
**8Pcs**

SKU: 3735  
EAN Code: 3800157611084  
Material: Glass+Metal  
Size: 140x240x1130mm




### VT-7185

Transparent Glass-Metal Series



Box Qty.  
**12Pcs**

SKU: 3738  
EAN Code: 3800157611114  
Material: Glass+Metal  
Size: 180x230x1110mm





**VT-7250**

Transparent Glass-Metal Series


Box Qty.  
**8Pcs**


SKU: 3739  
 EAN Code: 3800157611121  
 Material: Glass+Metal  
 Size: 250x330x1220mm


**VT-7290**

Amber Glass-Metal Series


Box Qty.  
**8Pcs**

SKU: 3741  
 EAN Code: 3800157611145  
 Material: Glass+Metal  
 Size: 260x260x1150mm






### VT-7300

Transparent Glass-Metal Series



Box Qty.  
**8Pcs**

SKU: 3737  
EAN Code: 3800157611107  
Material: Glass+Metal  
Size: 300x250x1150mm




### VT-7320

Amber Glass-Metal Series



Box Qty.  
**8Pcs**


SKU: 3740  
EAN Code: 3800157611138  
Material: Glass+Metal  
Size: 250x280x1180mm




**VT-7150-AG**
**Amber Glass-Metal Series**


Box Qty.  
**12Pcs**

SKU: 3732  
 EAN Code: 3800157611053  
 Material: Glass+Metal  
 Size: 145x160x1050mm


**VT-7150-GG**
**Green Glass-Metal Series**

Box Qty.  
**12Pcs**

SKU: 3734  
 EAN Code: 3800157611077  
 Material: Glass+Metal  
 Size: 145x160x1050mm






### VT-7150-RG

Red Glass-Metal Series



Box Qty.  
**12Pcs**

SKU: 3731  
EAN Code: 3800157611046  
Material: Glass+Metal  
Size: 145x160x1050mm




### VT-7150-CG

Glass-Metal Series



Box Qty.  
**12Pcs**

SKU: 3733  
EAN Code: 3800157611060  
Material: Glass+Metal  
Size: 145x160x1050mm






### VT-7220-A

#### Amber Glass Pendant



Box Qty.  
**8Pcs**

SKU: 3726  
EAN Code: 3800157610995  
Material: Glass+Metal  
Size: 220x280x1150mm




### VT-7220-T

#### Transparent Glass Pendant



Box Qty.  
**8Pcs**

SKU: 3727  
EAN Code: 3800157611008  
Material: Glass+Metal  
Size: 220x280x1150mm








### VT-7130

Transparent Glass-Wood Pendant



Box Qty.  
**8Pcs**

SKU: 3818  
EAN Code: 3800157615433  
Material: Glass+Wood  
Size: 135x240x1150mm




### VT-7170

Transparent Glass-Wood Pendant



Box Qty.  
**8Pcs**

SKU: 3819  
EAN Code: 3800157615440  
Material: Glass+Wood  
Size: 165x220x1100mm





**VT-7307**

Trio Glass Pendant-Lampholder


Box Qty.  
**4Pcs**


SKU: 3926  
EAN Code: 3800157626217  
Material: Glass+Wood  
Size: 300x1300mm


**VT-7240**

Transparent Glass-Wood Pendant


Box Qty.  
**8Pcs**

SKU: 3820  
EAN Code: 3800157615457  
Material: Glass+Wood  
Size: 235x140x1050mm





### VT-7015

3D Glass-Black Canopy




Box Qty.  
**10Pcs**

SKU: 3830

EAN Code: 3800157616652

Material: Glass

Size: 150x140x1200mm





**VT-7180**

Transparent Glass-V Shape



Box Qty.  
**8Pcs**

SKU: 3863  
EAN Code: 3800157620734  
Material: Glass+Metal  
Size: Ø250x90mm



**VT-7226**

Transparent Glass-Globe



Box Qty.  
**8Pcs**

SKU: 3864  
EAN Code: 3800157620741  
Material: Glass+Metal  
Size: Ø250x230mm






### VT-7142

Transparent Glass-Cone Shape



Box Qty.  
**8Pcs**

SKU: 3861  
EAN Code: 3800157620710  
Material: Glass+Metal  
Size: 140x160mm




### VT-7143

Transparent Glass-V Shape



Box Qty.  
**8Pcs**

SKU: 3862  
EAN Code: 3800157620727  
Material: Glass+Metal  
Size: 185x140mm




**VT-7400**
**6 Bulb Chandelier-Movable**


Box Qty.  
**4Pcs**

SKU: 3889

EAN Code: 3800157621076

Material: Metal

Size: 791x900mm






### VT-7422-B

Aluminium Shade-Black



Box Qty.  
**8Pcs**

SKU: 3728  
EAN Code: 3800157611015  
Material: Aluminium  
Size: 230x310x1150mm




### VT-7422-WH

Aluminium Shade-White



Box Qty.  
**8Pcs**

SKU: 3729  
EAN Code: 3800157611022  
Material: Aluminium  
Size: 230x310x1150mm






**VT-7200-MG**  
Mesh Metal-Grey



Box Qty.  
**8Pcs**

SKU: 3822  
EAN Code: 3800157616577  
Material: Metal  
Size: 200x270x1300mm




**VT-7200-CG**  
Mesh Metal-Gold



Box Qty.  
**8Pcs**

SKU: 3821  
EAN Code: 3800157616560  
Material: Metal  
Size: 200x270x1300mm








**VT-7200-MW**  
Mesh Metal-White



Box Qty.  
**8Pcs**

SKU: 3823  
EAN Code: 3800157616584  
Material: Metal  
Size: 200x270x1300mm




**VT-7131-CG**  
Can Shape-Gold Pendant



Box Qty.  
**10Pcs**


SKU: 3824  
EAN Code: 3800157616591  
Material: Metal  
Size: 130x250x1300mm




**VT-7131-MB**
**Can Shape-Black Pendant**


Box Qty.  
**10Pcs**

SKU: 3825  
EAN Code: 3800157616607  
Material: Metal  
Size: 130x250x1300mm


**VT-7131-MW**
**Can Shape-WhitePendant**

Box Qty.  
**10Pcs**

SKU: 3826  
EAN Code: 3800157616614  
Material: Metal  
Size: 130x250x1300mm






### VT-7132-CG

#### Can Shape-Gold Pendant



Box Qty.  
**10Pcs**

SKU: 3827  
EAN Code: 3800157616621  
Material: Metal  
Size: 130x220x1300mm




### VT-7132-MB

#### Can Shape-Black Pendant



Box Qty.  
**10Pcs**


SKU: 3828  
EAN Code: 3800157616638  
Material: Metal  
Size: 130x220x1300mm




**VT-7132-MW**
**Can Shape-WhitePendant**



Box Qty.  
**10Pcs**

SKU: 3829  
EAN Code: 3800157616645  
Material: Metal  
Size: 130x220x1300mm


**VT-7332**
**Mesh Metal-Globe**


Box Qty.  
**8Pcs**

SKU: 3859  
EAN Code: 3800157620697  
Material: Metal  
Size: Ø290x1000x1340mm






### VT-7252

Mesh Metal-GV Shape



Box Qty.  
**12Pcs**

SKU: 3860  
EAN Code: 3800157620703  
Material: Metal  
Size: 285x170x1000mm



### VT-8255

Copper Series-Rose Gold



Box Qty.  
**4Pcs**

SKU: 3709  
EAN Code: 3800157610827  
Material: Iron with electric copper paint  
Size: Ø250mm





### VT-8150-CO

Copper Series-Rose Gold



Box Qty.  
**10Pcs**

SKU: 3713  
EAN Code: 3800157610865  
Material: Metal  
Size: Ø150



### VT-8300

Copper Series-Rose Gold



Box Qty.  
**4Pcs**

SKU: 3710  
EAN Code: 3800157610834  
Material: Iron with electric copper paint  
Size: Ø300





### VT-8220

Copper Series-Rose Gold



Box Qty.  
**4Pcs**

SKU: 3711  
EAN Code: 3800157610841  
Material: Iron with electric copper paint  
Size: Ø220



### VT-8150-CH

Copper Series-Rose Gold



Box Qty.  
**10Pcs**

SKU: 3712  
EAN Code: 3800157610858  
Material: Iron with electric copper paint  
Size: Ø150mm





### VT-8180-CH

Copper Series-Chrome



SKU: 3707  
EAN Code: 3800157610803  
Material: Iron with electric copper paint  
Size: Ø180mm



### VT-8180-CO

Copper Series-Rose Gold



SKU: 3708  
EAN Code: 3800157610810  
Material: Iron with electric copper paint  
Size: Ø180mm







### VT-8170

Copper Series-Rose Gold



Box Qty.  
**8Pcs**

SKU: 3714  
EAN Code: 3800157610872  
Material: Iron with electric copper paint  
Size: Ø170mm



### VT-8230

Copper Series-Rose Gold



Box Qty.  
**4Pcs**

SKU: 3715  
EAN Code: 3800157610889  
Material: Iron with electric copper paint  
Size: Ø230mm





### VT-8175-CH

Copper Series-Chrome



Box Qty.  
**4Pcs**

SKU: 3705  
EAN Code: 3800157610780  
Material: Iron with electric copper paint  
Size: Ø170



### VT-8175-CO

Copper Series-Rose Gold



Box Qty.  
**8Pcs**

SKU: 3706  
EAN Code: 3800157610797  
Material: Iron with electric copper paint  
Size: Ø170mm





### VT-8200

Copper Series-Rose Gold



Box Qty.  
**4Pcs**

SKU: 3716  
EAN Code: 3800157610896  
Material: Iron with electric copper paint  
Size: Ø200mm



### VT-8250

Copper Series-Rose Gold



Box Qty.  
**4Pcs**


SKU: 3717  
EAN Code: 3800157610902  
Material: Iron with electric copper paint  
Size: Ø250mm




**VT-7205**
**White Glass-Wood Pendant**



Box Qty.  
**8Pcs**

SKU: 3759  
EAN Code: 3800157611329  
Material: Glass+Wood  
Size: 190x320x1120mm


**VT-7175**
**White Glass-Wood Pendant**


Box Qty.  
**8Pcs**

SKU: 3758  
EAN Code: 3800157611312  
Material: Glass+Wood  
Size: 170x320x1120mm






### VT-7177

#### White Glass-Wood Pendant



Box Qty.  
**8Pcs**

SKU: 3760  
EAN Code: 3800157611336  
Material: Glass+Wood  
Size: 170x320x1120mm




### VT-7162-WH

#### Aluminum Pendant-White



Box Qty.  
**20Pcs**

SKU: 3868  
EAN Code: 3800157620789  
Material: Aluminium  
Size: Ø160x350x600mm





**VT-7162-B**

Aluminum Pendant-Black


Box Qty.  
**20Pcs**


SKU: 3869  
EAN Code: 3800157620796  
Material: Aluminium  
Size: Ø160x350x600mm


**VT-7330**

Concrete-Mesh


Box Qty.  
**4Pcs**

SKU: 3849  
EAN Code: 3800157618984  
Material: Concrete-Iron  
Size: 400x250x1100mm






### VT-7121

Concrete-Mesh



Box Qty.  
**6Pcs**

SKU: 3847  
EAN Code: 3800157618960  
Material: Concrete+Iron  
Size: 120x380x1300mm




### VT-7253

Concrete-Mesh



Box Qty.  
**4Pcs**

SKU: 3848  
EAN Code: 3800157618977  
Material: Concrete+Iron  
Size: 250x310x1200mm





**VT-7155**

Concrete-Lampshade


Box Qty.  
**6Pcs**


SKU: 3850  
EAN Code: 3800157618991  
Material: Concrete  
Size: 160x290x1250mm


**VT-7202**

Concrete-Lampshade


Box Qty.  
**4Pcs**

SKU: 3853  
EAN Code: 3800157619028  
Material: Concrete  
Size: 180x160x1100mm








### VT-7291

Concrete-Acrylic



Box Qty.  
**4Pcs**

SKU: 3854  
EAN Code: 3800157619035  
Material: Concrete+Wood  
Size: 265x260x1050mm




### VT-7301

Concrete-Wooden



Box Qty.  
**4Pcs**

SKU: 3858  
EAN Code: 3800157619073  
Material: Concrete+Wood  
Size: 290x250x1150mm






**VT-7125-GY**  
Concrete-Wooden



Box Qty.  
**8Pcs**

SKU: 3855  
EAN Code: 3800157619042  
Material: Concrete+Wood  
Size: 120x210x1080mm




**VT-7125-GN**  
Concrete-Wooden



Box Qty.  
**8Pcs**

SKU: 3856  
EAN Code: 3800157619059  
Material: Concrete+Wood  
Size: 120x210x1080mm






### VT-7125-R

Concrete-Wooden



Box Qty.  
**8Pcs**

SKU: 3857  
EAN Code: 3800157619066  
Material: Concrete+Wood  
Size: 120x210x1080mm




### VT-7160

Concrete-Table Lamp



Box Qty.  
**4Pcs**


SKU: 3851  
EAN Code: 3800157619004  
Material: Concrete  
Size: 160x150x2000mm




**VT-7171**
**Concrete-Table Lamp**


Box Qty.  
**8Pcs**

SKU: 3852  
EAN Code: 3800157619011  
Material: Concrete  
Size: 180x130x2000mm


**VT-7141-CG**
**Geometric Series-Gold Canopy**

Box Qty.  
**8Pcs**

SKU: 3831  
EAN Code: 3800157616669  
Material: Metal  
Size: 250x190x1250mm






### VT-7141-MB

#### Geometric Series-Black Canopy



Box Qty.  
**8Pcs**

SKU: 3832  
EAN Code: 3800157616676  
Material: Metal  
Size: 250x190x1250mm




### VT-7161-CG

#### Geometric Series-Gold Canopy



Box Qty.  
**10Pcs**

SKU: 3833  
EAN Code: 3800157616683  
Material: Metal  
Size: 225x225x1250mm





**VT-7161-MB**

Geometric Series-Black Canopy



Box Qty.  
**8Pcs**

SKU: 3834  
EAN Code: 3800157616690  
Material: Metal  
Size: 225x225x1250mm



**VT-7144**

Geometric Series-Black Canopy



Box Qty.  
**4Pcs**

SKU: 3927  
EAN Code: 3800157626224  
Material: Metal Finish  
Size: 300x1300mm






### VT-7322-CG

Geometric Series-Gold Canopy



Box Qty.  
**10Pcs**

SKU: 3835  
EAN Code: 3800157616706  
Material: Metal  
Size: 320x320x1350mm




### VT-7322-MB

Geometric Series-Black Canopy



Box Qty.  
**10Pcs**

SKU: 3836  
EAN Code: 3800157616713  
Material: Metal  
Size: 320x320x1350mm





**VT-7321-CG**

Geometric Series-Gold Canopy



Box Qty.  
**10Pcs**

SKU: 3837  
EAN Code: 3800157616720  
Material: Metal  
Size: 320x320x1350mm



**VT-7321-MB**

Geometric Series-Black Canopy



Box Qty.  
**10Pcs**

SKU: 3838  
EAN Code: 3800157616737  
Material: Metal  
Size: 320x320x1350mm








### VT-7225

Danish Wood-Bronze Canopy



Box Qty.  
**8Pcs**

SKU: 3816  
EAN Code: 3800157612760  
Material: Aluminium+SAND FINISH  
Size: 260x330x1111mm




### VT-7340

Danish Wood-Bronze Canopy



Box Qty.  
**4Pcs**

SKU: 3817  
EAN Code: 3800157612777  
Material: Aluminium+SAND FINISH  
Size: 360x420x1200mm





**VT-7520-B**

Aluminum-Sand finish-Black


Box Qty.  
**4Pcs**


SKU: 3700  
EAN Code: 3800157610735  
Material: Aluminium+ SAND FINISH  
Size: 220x310x1375mm


**VT-7520-G**

Aluminum-Sand finish-Grey


Box Qty.  
**4Pcs**

SKU: 3701  
EAN Code: 3800157610742  
Material: Aluminium+SAND FINISH  
Size: 220x310x1375mm





**VT-7520-WH**

Aluminum-Sand finish-White




Box Qty.  
**4Pcs**

SKU: 3702

EAN Code: 3800157610759

Material: Aluminium+ SAND FINISH

Size: 220x310x1375mm





**VT-7425-WH**

Modern Wooden Top-White



Box Qty.  
**8Pcs**

SKU: 3756  
EAN Code: 3800157611299  
Material: Aluminium+Wooden Top  
Size: 250x200x1100mm



**VT-7425-B**

Modern Wooden Top-Black



Box Qty.  
**8Pcs**

SKU: 3757  
EAN Code: 3800157611305  
Material: Aluminium+Wooden Top  
Size: 250x200x1100mm






### VT-7525-WH

Wooden Top Iron-White



Box Qty.  
**8Pcs**

SKU: 3761  
EAN Code: 3800157611343  
Material: Iron+WOODEN TOP  
Size: 250x400x1200mm




### VT-7525-B

Wooden Top Iron-Black



Box Qty.  
**8Pcs**

SKU: 3762  
EAN Code: 3800157611350  
Material: Iron+WOODEN TOP  
Size: 250x400x1200mm





**VT-7535-W**

Wooden Top Iron-White



Box Qty.  
**8Pcs**

SKU: 3763  
EAN Code: 3800157611367  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm



**VT-7535-B**

Wooden Top Iron-Black



Box Qty.  
**8Pcs**

SKU: 3764  
EAN Code: 3800157611374  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm






### VT-7545-WH

Wooden Top Iron-White



Box Qty.  
**8Pcs**

SKU: 3765  
EAN Code: 3800157611381  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm




### VT-7545-B

Wooden Top Iron-Black



Box Qty.  
**8Pcs**

SKU: 3766  
EAN Code: 3800157611398  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm





**VT-7100-WH**

Pendant-Aluminium Shade-White


Box Qty.  
**12Pcs**


SKU: 3920  
EAN Code: 3800157626156  
Material: Plastic+Aluminium  
Size: 180x100x1200mm


**VT-7100-B**

Pendant-Aluminium Shade-Black


Box Qty.  
**12Pcs**

SKU: 3921  
EAN Code: 3800157626163  
Material: Plastic+Aluminium  
Size: 180x100x1200mm








### VT-7100-G

Pendant-Aluminium Shade-Grey



Box Qty.  
**12Pcs**

SKU: 3922  
EAN Code: 3800157626170  
Material: Plastic+Aluminium  
Size: 180x100x1200mm




### VT-7100-P

Pendant-Aluminium Shade-Pink



Box Qty.  
**12Pcs**

SKU: 3923  
EAN Code: 3800157626187  
Material: Plastic+Aluminium  
Size: 180x100x1200mm





**VT-7100-R**

Pendant-Aluminium Shade-Red


Box Qty.  
**12Pcs**


SKU: 3924  
 EAN Code: 3800157626194  
 Material: Plastic+Aluminium  
 Size: 180x100x1200mm


**VT-7100-BL**

Pendant-Aluminium Shade-Blue


Box Qty.  
**12Pcs**

SKU: 3925  
 EAN Code: 3800157626200  
 Material: Plastic+Aluminium  
 Size: 180x100x1200mm






### VT-7777-RG

Metal Plate-Rose Gold



Box Qty.  
**20Pcs**

SKU: 3751  
EAN Code: 3800157611244  
Material: Metal  
Size: 300x90x1000mm




### VT-7777-MG

Metal Plate-Matt Gold



Box Qty.  
**20Pcs**

SKU: 3752  
EAN Code: 3800157611251  
Material: Metal  
Size: 300x90x1000mm



new!



### VT-7401-W

#### Net Prism-White Pendant


Box Qty.  
2Pcs

SKU: 3943  
EAN Code: 3800157630115  
Material: Metal  
Size: 400x540mm



new!




### VT-7401-B

#### Net Prism-Black Pendant



Box Qty.

SKU: 3944  
EAN Code: 3800157630122  
Material: Metal  
Size: 400x540mm



**new!**




### VT-7401-BG

#### Net Prism-Black Pendant



Box Qty.  
**2Pcs**

SKU: 3945  
EAN Code: 3800157630139  
Material: Metal  
Size: 400x540mm



**new!**



### VT-7310-B

#### Prism-Blue Pendant



Box Qty.  
**4Pcs**

SKU: 3946  
EAN Code: 3800157630146  
Material: Metal  
Size: 310x190mm



**new!**


**VT-7310-Y**  
Prism-Yellow Pendant



Box Qty.  
**4Pcs**

SKU: 3947  
EAN Code: 3800157630153  
Material: Metal  
Size: 310x190mm


**new!**


**VT-7310-W**  
Prism-White Pendant



Box Qty.  
**4Pcs**

SKU: 3948  
EAN Code: 3800157630160  
Material: Metal  
Size: 310x190mm



**new!**



**VT-7323-W**  
Prism-Wooden-White



Box Qty.  
**4Pcs**

SKU: 3949  
EAN Code: 3800157630177  
Material: Metal  
Size: 320x270mm



**new!**



**VT-7323-Y**  
Prism-Wooden-Yellow



Box Qty.  
**4Pcs**

SKU: 3950  
EAN Code: 3800157630184  
Material: Metal  
Size: 320x270mm



new!



VT-7323-P

Prism-Wooden-Pink


Box Qty.  
4Pcs

SKU: 3951  
EAN Code: 3800157630191  
Material: Metal  
Size: 320x270mm



new!



VT-7255-W

Cone Prism-White


Box Qty.  
4Pcs

SKU: 3952  
EAN Code: 3800157630207  
Material: Metal  
Size: 250x255mm





**new!**



### VT-7255-B

Cone Prism-Blue



Box Qty.

SKU: 3953  
 EAN Code: 3800157630214  
 Material: Metal  
 Size: 250x255mm



**new!**



### VT-7255-Y

Cone Prism-Yellow



Box Qty.

SKU: 3954  
 EAN Code: 3800157630221  
 Material: Metal  
 Size: 250x255mm



**new!**

**VT-7334-T**
**Metal W/Crystal**

Box Qty.  
**4Pcs**

SKU: 3955  
EAN Code: 3800157630238  
Material: Metal  
Size: 300x360mm


**new!**

**VT-7334-M**
**Metal W/Crystal**

Box Qty.  
**4Pcs**

SKU: 3956  
EAN Code: 3800157630245  
Material: Metal  
Size: 330x300mm



**new!**



**VT-7334-B**

Metal W/Crystal



Box Qty.  
**4Pcs**

SKU: 3957

EAN Code: 3800157630252

Material: Metal

Size: 300x360mm





**VT-7424**

Vintage Metal


Box Qty.  
**12Pcs**


SKU: 3753  
EAN Code: 3800157611268  
Material: Metal  
Size: 260x170x1080mm


**VT-7201**

Vintage Metal-Pulley


Box Qty.  
**8Pcs**

SKU: 3845  
EAN Code: 3800157617192  
Material: Metal  
Size: 220x140x600-1600mm






### VT-7118

#### Pendant-Hemp Rope



Box Qty.  
**12Pcs**

SKU: 3754  
EAN Code: 3800157611275  
Material: Rope  
Size: 45x57x1500mm




### VT-7251

#### Globe-Chrome Canopy



Box Qty.  
**4Pcs**

SKU: 3839  
EAN Code: 3800157616744  
Material: Acrylic Glass  
Size: 250x250x1300mm






**VT-7558-GN**  
Pendant Holder-Bottle-E14



Box Qty.  
**25Pcs**

Color: **Green**  
SKU: **3767**  
EAN Code: **3800157611404**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-BL**  
Pendant Holder-Bottle-E14



Box Qty.  
**25Pcs**

Color: **Blue**  
SKU: **3768**  
EAN Code: **3800157611411**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-R**  
Pendant Holder-Bottle-E14



Box Qty.  
**25Pcs**

Color: **Red**  
SKU: **3769**  
EAN Code: **3800157611428**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-A**  
Pendant Holder-Bottle-E14



Box Qty.  
**25Pcs**

Color: **Amber**  
SKU: **3770**  
EAN Code: **3800157611435**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-T**  
Pendant Holder-Bottle-E14



Box Qty.  
**25Pcs**


Color: **Transparent**  
SKU: **3771**  
EAN Code: **3800157611442**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-P**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Pink**  
SKU: **3772**  
EAN Code: **3800157611459**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-Y**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Yellow**  
SKU: **3773**  
EAN Code: **3800157611466**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-R0**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Rose**  
SKU: **3774**  
EAN Code: **3800157611473**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-GY**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Grey**  
SKU: **3775**  
EAN Code: **3800157611480**  
Material: **Glass**  
Size: **78x280x1150mm**



**VT-7558-BR**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**


Color: **Brown**  
SKU: **3776**  
EAN Code: **3800157611497**  
Material: **Glass**  
Size: **72x280x1150mm**



Color: Red Bronze  
SKU: 3840  
EAN Code: 3800157617147  
Material: Metal  
Size: Ø50x90x900mm

### VT-7555-RB Metal Holder-Canopy

Box Qty.  
30Pcs



### VT-7555-BBR Metal Holder-Canopy

Box Qty.  
30Pcs

Color: Brown Bronze  
SKU: 3841  
EAN Code: 3800157617154  
Material: Metal  
Size: Ø50x90x900mm



### VT-7555-BB Metal Holder-Canopy

Box Qty.  
30Pcs

Color: Brass Bronze  
SKU: 3842  
EAN Code: 3800157617161  
Material: Metal  
Size: Ø50x90x900mm



### VT-7555-BR Metal Holder-Canopy

Box Qty.  
30Pcs

Color: Bronze  
SKU: 3843  
EAN Code: 3800157617178  
Material: Metal  
Size: Ø50x90x900mm



### VT-7555-MG Metal Holder-Canopy

Box Qty.  
30Pcs

Color: Gold  
SKU: 3844  
EAN Code: 3800157617185  
Material: Metal  
Size: Ø50x90x900mm






### VT-7999-G2

Metal Holder-Adjustable Canopy



Box Qty.  
**60Pcs**

Color: Gold Aluminum  
SKU: 3811  
EAN Code: 3800157612425  
Material: Aluminium  
Size: 50x100mm



### VT-7999-G3

Metal Holder-Adjustable



Box Qty.  
**60Pcs**

Color: Gold Aluminum  
SKU: 3812  
EAN Code: 3800157612432  
Material: Aluminium  
Size: 50x100mm



### VT-7999-B

Metal Holder-Adjustable



Box Qty.  
**60Pcs**

Color: Bronze Aluminum  
SKU: 3813  
EAN Code: 3800157612449  
Material: Aluminium  
Size: 50x100mm



### VT-7999-BV

Metal Holder-Adjustable



Box Qty.  
**60Pcs**

Color: Bronze Aluminum  
SKU: 3814  
EAN Code: 3800157612456  
Material: Aluminium  
Size: 50x100mm



### VT-7999

Metal Holder-Adjustable



Box Qty.  
**60Pcs**

Color: Rose Gold Aluminum  
SKU: 3815  
EAN Code: 3800157612463  
Material: Aluminium  
Size: 50x100mm

**VT-7778-W**

Wooden Holder-White Wire

Box Qty.  
**50Pcs**

Color: White Wire  
SKU: 3720  
EAN Code: 3800157610933  
Material: Wooden  
Size: 73x102x1000mm

**VT-7778-BK**

Wooden Holder-Black Wire

Box Qty.  
**50Pcs**

Color: Black Wire  
SKU: 3721  
EAN Code: 3800157610940  
Material: Wooden  
Size: 73x102x1000mm

**VT-7778-BL**

Wooden Holder-Blue Wire

Box Qty.  
**50Pcs**

Color: Blue Wire  
SKU: 3722  
EAN Code: 3800157610957  
Material: Wooden  
Size: 73x102x1000mm

**VT-7778-R**

Wooden Holder-Red Wire

Box Qty.  
**50Pcs**

Color: Red Wire  
SKU: 3723  
EAN Code: 3800157610964  
Material: Wooden  
Size: 73x102x1000mm

**VT-7778-PR**

Wooden Holder-Purple Wire

Box Qty.  
**50Pcs**

Color: Purple Wire  
SKU: 3724  
EAN Code: 3800157610971  
Material: Wooden  
Size: 73x102x1000mm

**VT-7778-GN**

Wooden Holder-Green Wire

Box Qty.  
**50Pcs**

Color: Green Wire  
SKU: 3725  
EAN Code: 3800157610988  
Material: Wooden  
Size: 73x102x1000mm



Pendant-Porcelain Set

**VT-7998-W**  Box Qty. **60Pcs**

Color: **White**  
SKU: **3803**  
EAN Code: **3800157612340**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-BK**  Box Qty. **60Pcs**

Color: **Black**  
SKU: **3804**  
EAN Code: **3800157612357**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-GN**  Box Qty. **60Pcs**

Color: **Green**  
SKU: **3805**  
EAN Code: **3800157612364**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-BL**  Box Qty. **60Pcs**

Color: **Blue**  
SKU: **3806**  
EAN Code: **3800157612371**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-R**  Box Qty. **60Pcs**

Color: **Red**  
SKU: **3807**  
EAN Code: **3800157612388**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-GY**  Box Qty. **60Pcs**

Color: **Grey**  
SKU: **3808**  
EAN Code: **3800157612395**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998Y**  Box Qty. **60Pcs**

Color: **Yellow**  
SKU: **3809**  
EAN Code: **3800157612401**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-BR**  Box Qty. **60Pcs**

Color: **Brown**  
SKU: **3810**  
EAN Code: **3800157612418**  
Material: **Porcelain**  
Size: **Ø105x750mm**



Porcelain Holder

**VT-799-W**

Box Qty.  
**100Pcs**

Color: **White**  
SKU: **3795**  
EAN Code: **3800157612265**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Porcelain Holder

**VT-799-BK**

Box Qty.  
**100Pcs**

Color: **Black**  
SKU: **3796**  
EAN Code: **3800157612272**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Porcelain Holder

**VT-799-GN**

Box Qty.  
**100Pcs**

Color: **Green**  
SKU: **3797**  
EAN Code: **3800157612289**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Porcelain Holder

**VT-799-BL**

Box Qty.  
**100Pcs**

Color: **Blue**  
SKU: **3798**  
EAN Code: **3800157612296**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Porcelain Holder

**VT-799-R**

Box Qty.  
**100Pcs**

Color: **Red**  
SKU: **3799**  
EAN Code: **3800157612302**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Porcelain Holder

**VT-799-GY**

Box Qty.  
**100Pcs**

Color: **Grey**  
SKU: **3800**  
EAN Code: **3800157612319**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Porcelain Holder

**VT-799-Y**

Box Qty.  
**100Pcs**

Color: **Yellow**  
SKU: **3801**  
EAN Code: **3800157612326**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Porcelain Holder

**VT-799-BR**

Box Qty.  
**100Pcs**

Color: **Brown**  
SKU: **3802**  
EAN Code: **3800157612333**  
Material: **Porcelain**  
Size: **Ø47x64mm**



Concrete Holder-Canopy

**VT-7668-GN**  Box Qty.  
**40Pcs**

Color: **Green**  
 SKU: **3742**  
 EAN Code: **3800157611152**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-R**  Box Qty.  
**40Pcs**

Color: **Red**  
 SKU: **3743**  
 EAN Code: **3800157611169**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-BL**  Box Qty.  
**40Pcs**

Color: **Blue**  
 SKU: **3744**  
 EAN Code: **3800157611176**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-Y**  Box Qty.  
**40Pcs**

Color: **Yellow**  
 SKU: **3745**  
 EAN Code: **3800157611183**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-W**  Box Qty.  
**40Pcs**

Color: **White**  
 SKU: **3746**  
 EAN Code: **3800157611190**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-BK**  Box Qty.  
**40Pcs**

Color: **Black**  
 SKU: **3747**  
 EAN Code: **3800157611206**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-GY**  Box Qty.  
**40Pcs**

Color: **Grey**  
 SKU: **3748**  
 EAN Code: **3800157611213**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-BR**  Box Qty.  
**40Pcs**

Color: **Brown**  
 SKU: **3749**  
 EAN Code: **3800157611220**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-BE**  Box Qty.  
**40Pcs**

Color: **Beige**  
 SKU: **3750**  
 EAN Code: **3800157611237**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



**VT-7448**  
Gold Rose Holder

Color: **Rose Gold Set**  
SKU: **3777**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611503**



**VT-7338-W**  
Chrome Holder

Color: **White**  
SKU: **3755**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611282**



**VT-7338-BK**  
Chrome Holder

Color: **Black**  
SKU: **3782**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611558**



**VT-7338-BL**  
Chrome Holder

Color: **Blue**  
SKU: **3783**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611565**



**VT-7338-BN**  
Chrome Holder

Color: **Brown**  
SKU: **3784**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611572**



**VT-7338-GN**  
Chrome Holder

Color: **Green**  
SKU: **3785**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611589**



**VT-7338-GY**  
Chrome Holder

Color: **Grey**  
SKU: **3786**  
Box Qty. **1Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611596**



**VT-7338-LB**  
Chrome Holder

Color: **Light Blue**  
SKU: **3787**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611602**



**VT-7338-O**  
Chrome Holder

Color: **Orange**  
SKU: **3788**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611619**



**VT-7338-PK**  
Chrome Holder

Color: **Pink**  
SKU: **3789**  
Box Qty. **1Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611626**



**VT-7338-PE**  
Chrome Holder

Color: **Purple**  
SKU: **3790**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611633**



**VT-7338-R**  
Chrome Holder

Color: **Red**  
SKU: **3791**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611640**



**VT-7338-RR**  
Chrome Holder

Color: **Rose Red**  
SKU: **3792**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611657**



**VT-7338-Y**  
Chrome Holder

Color: **Yellow**  
SKU: **3793**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611664**



**VT-7338-BE**  
Chrome Holder

Color: **Beige**  
SKU: **3794**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
**3800157611671**



**VT-7228-BN**  
Silicone Series

Color: **Brown**  
SKU: **3475**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157607919**



**VT-7228-BE**  
Silicone Series

Color: **Blue**  
SKU: **3476**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157607926**



**VT-7228-W**  
Silicone Series

Color: **White**  
SKU: **3477**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157607933**



**VT-7228-BK**  
Silicone Series

Color: **Black**  
SKU: **3478**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157607940**



**VT-7228-PN**  
Silicone Series

Color: **Pink**  
SKU: **3479**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157607957**



**VT-7228-R**  
Silicone Series

Color: **Red**  
SKU: **3480**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157607964**



**VT-7228-GY**  
Silicone Series

Color: **Grey**  
SKU: **3481**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157607971**



**VT-7228-LB**  
Silicone Series

Color: **Light Blue**  
SKU: **3482**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157609463**



**VT-7228-PE**  
Silicone Series

Color: **Purple**  
SKU: **3483**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157609470**



**VT-7228-O**  
Silicone Series

Color: **Orange**  
SKU: **3484**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157609487**



**VT-7228-Y**  
Silicone Series

Color: **Yellow**  
SKU: **3485**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157609494**



**VT-7228-GN**  
Silicone Series

Color: **Green**  
SKU: **3486**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
**3800157609500**



Designer Sleek

# LED Pendants

---





**Built In LED**


Designer Sleek Pendant-Chrome

**18w VT-7018**

Box Qty.  
**12Pcs**

3890 - 4000K Day White

3800157621083



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1350lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **90 pcs**

Material : **Stainless Steel+Metal+PMMA**

Unit GW : **1.38 Kg**

Life Span: **20,000 Hours**

Size : **940x55x800mm**


**Built In LED**


Designer Sleek Pendant-Chrome

**24w VT-7024**

 Box Qty.  
**12Pcs**

3891 - 4000K Day White

3800157621090


 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **1800lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.8**

 Beam Angle: **120°**

 No. of LED: **120 pcs**

 Material : **Stainless Steel+Metal+PMMA**

 Unit GW : **1.59 Kg**

 Life Span: **20,000 Hours**

 Size : **1220x55x800mm**



## Built In LED


Designer Sleek Pendant-Chrome

36w VT-7036

Box Qty.  
12Pcs

3892 - 4000K Day White

3800157621106



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2700lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 180 pcs

Material : Stainless Steel+Metal+PMMA

Unit GW : 1.82 Kg

Life Span: 20,000 Hours

Size : 1820x55x800mm



**Built In LED**

Designer Sleek Pendant-Chrome

**36w VT-7037**
 Box Qty.  
**6Pcs**

3893 - 4000K Day White

3800157621113


 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **2700lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.8**

 Beam Angle: **120°**

 No. of LED: **180 pcs**

 Material : **Stainless Steel+Metal+PMMA**

 Unit GW : **2.24 Kg**

 Life Span: **20,000 Hours**

 Size : **940x120x60mm**




### Mirror Light-Picture Lamp-Chrome

**8w VT-7008**

Box Qty.  
**12Pcs**

3894 - 4000K Day White

3800157621120



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **600lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**

No. of LED: **40 pcs**

Material: **Metal+PMMA**

Unit GW: **0.72 Kg**

Life Span: **20,000 Hours**

Size: **500x55x185mm**

**Built In LED**




### Mirror Light-Picture Lamp-Chrome

**12w VT-7012**

Box Qty.  
**12Pcs**

3895 - 4000K Day White

3800157621137



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**

No. of LED: **60 pcs**

Material: **Metal+PMMA**

Unit GW: **0.82 Kg**

Life Span: **20,000 Hours**

Size: **640x55x185mm**

**Built In LED**



## Mirror Lamp-Movable


8W

VT-7009CH

Box Qty.  
11Pcs

3900 - 4000K Day white

3800157621854



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.8

Beam Angle: 120°

No. of LED: 40 pcs

Material: Stainless Steel+Aluminium+PMMA

Unit GW: 0.8 Kg

Life Span: 20,000 Hours

Size: 455x45x190mm

Built In LED



## Mirror Light-Picture Lamp-Golden


8W

VT-7009

Box Qty.  
11Pcs

3901 - 4000K Day white

3800157621861



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.8

Beam Angle: 120°

No. of LED: 40 pcs

Material: Stainless Steel+Aluminium+PMMA

Unit GW: 0.8 Kg

Life Span: 20,000 Hours

Size: 455x45x190mm


Built In LED



## Mirror Light - Chrome Cap

**10w VT-7010-CH**
 Box Qty.  
**10Pcs**

 3916 - 4000K Day White  
 3917 - 6400K White

 3800157626118  
 3800157626125



|                    |                     |             |                 |
|--------------------|---------------------|-------------|-----------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz | No. of LED: | N/A             |
| Luminous Flux:     | 950lm               | Material :  | Aluminium+PC    |
| LED Type:          | SMD                 | Unit GW :   | 0.63 Kg         |
| CRI:               | >80                 | Life Span:  | 30,000 Hours    |
| PF:                | >0.5                | Size :      | 605x53.6x64.6mm |
| Beam Angle:        | 150°                |             |                 |

**Built In LED**


## Mirror Light - White Cap

**10w VT-7010-WH**
 Box Qty.  
**10Pcs**

 3918 - 4000K Day White  
 3919 - 6400K White

 3800157626132  
 3800157626149


|                    |                     |             |                 |
|--------------------|---------------------|-------------|-----------------|
| Voltage/Frequency: | AC:220-240V,50/60Hz | No. of LED: | N/A             |
| Luminous Flux:     | 950lm               | Material :  | Aluminium+PC    |
| LED Type:          | SMD                 | Unit GW :   | 0.63 Kg         |
| CRI:               | >80                 | Life Span:  | 30,000 Hours    |
| PF:                | >0.5                | Size :      | 605x53.6x64.6mm |
| Beam Angle:        | 150°                |             |                 |

**Built In LED**




## Mirror Light-Chrome

12w VT-7014

 Box Qty.  
12Pcs

3902 - 4000K Day white

3800157621878



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 900lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.8

Beam Angle: 120°

No. of LED: 60 pcs

Material: Stainless Steel+Metal+PMMA

Unit GW: 1.08 Kg

Life Span: 20,000 Hours

Size: 640x65x65mm

Built In **LED**


## Mirror Light-Chrome

18w VT-7021

 Box Qty.  
12Pcs

3903 - 4000K Day white

3800157621885



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1350lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.8

Beam Angle: 120°

No. of LED: 90 pcs

Material: Stainless Steel+Metal+PMMA

Unit GW: 1.28 Kg

Life Span: 20,000 Hours

Size: 940x65x65mm

Built In **LED**





### Designer Bend Glass-Wall Pendant

**12w VT-7013**

Box Qty.  
**6Pcs**

3896 - 4000K Day White

3800157621144



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **60 pcs**

Material: **Stainless Steel+Metal+Glass**

Unit GW: **1.01 Kg**

Life Span: **20,000 Hours**

Size: **685x55x65mm**

**Built In LED**




### Designer Bend Glass-Wall Pendant

**18w VT-7019**

Box Qty.  
**6Pcs**

3897 - 4000K Day white

3800157621151



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1350lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **90 pcs**


Material: **Stainless Steel+Metal+Glass**

Unit GW: **1.50 Kg**

Life Span: **20,000 Hours**

Size: **985x55x65mm**

**Built In LED**


**Built In LED**
**Designer Bend Glass-Hanging Pendant**
**18w VT-7020**
 **Box Qty.**  
**6Pcs**
**3898 - 4000K Day white**
**3800157621168**

**Voltage/Frequency:** AC:220-240V,50Hz

**Luminous Flux:** 1350lm

**LED Type:** SMD

**CRI:** >80

**PF:** >0.8

**Beam Angle:** 120°


**No. of LED:** 90 pcs

**Material :** Stainless Steel+Metal+Glass

**Unit GW :** 1.98 Kg

**Life Span:** 20,000 Hours

**Size :** 985x55x800mm



## Built In LED


Designer Bend Series - Chrome

36w VT-7038

Box Qty.  
6Pcs

3899 - 4000K Day white

3800157621175



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+Glass**

Unit GW : **3.53 Kg**

Life Span: **20,000 Hours**

Size : **985x120x75mm**



Modern Circular

# Chandeliers & Pendants

With Built in LED lights

---

## Pendant Light-Gold Lamp Shade

**7W VT-7333-G**
 Box Qty.  
**12Pcs**

3934 - 3000K Warm White  
3928 - 4000K Day White

3800157628952  
3800157626569

**Built In LED**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **400lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**No. of LED: **14 pcs**Material: **Metal Finish**Unit GW: **1.4 Kg**Life Span: **30,000 Hours**Size: **Ø120xH190mm**

## Pendant Light-White Lamp Shade

**7W VT-7333-WH**
 Box Qty.  
**12Pcs**

3935 - 3000K Warm White  
3929 - 4000K Day White

3800157628969  
3800157626576

**Built In LED**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **400lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**No. of LED: **14 pcs**Material: **Metal Finish**Unit GW: **1.4 Kg**Life Span: **30,000 Hours**Size: **Ø120xH190mm**

### Pendant Light-Gold Lamp Shade

**7W**
**VT-7444-G**
 Box Qty.  
**8Pcs**

3936 - 3000K Warm White

3800157628976

3930 - 4000K Day White

3800157626583

**Built In LED**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**



Beam Angle: **120°**

No. of LED: **14 pcs**

Material : **Metal Finish**

Unit GW : **1.9 Kg**

Life Span: **30,000 Hours**

Size : **Ø250xH190mm**


### Pendant Light-White Lamp Shade

**7W**
**VT-7444-WH**
 Box Qty.  
**8Pcs**

3937 - 3000K Warm White

3800157628983

3931 - 4000K Day White

3800157626590

**Built In LED**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**



Beam Angle: **120°**

No. of LED: **14 pcs**

Material : **Metal Finish**

Unit GW : **1.9 Kg**

Life Span: **30,000 Hours**

Size : **Ø250xH190mm**


### Pendant Light-Gold Lamp Shade

7W

**VT-7666-G**



Box Qty.  
**4Pcs**

3938 - 3000K Warm White  
3932 - 4000K Day White

3800157628990  
3800157626606

**Built In LED**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**


No. of LED: **14 pcs**

Material : **Metal Finish**

Unit GW : **2.4 Kg**

Life Span: **30,000 Hours**

Size : **Ø340xH190mm**



### Pendant Light-White Lamp Shade

7W

**VT-7666-WH**



Box Qty.  
**4Pcs**

3939 - 3000K Warm White  
3933 - 4000K Day White

3800157629003  
3800157626613

**Built In LED**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**



No. of LED: **14 pcs**

Material : **Metal Finish**

Unit GW : **2.4 Kg**

Life Span: **30,000 Hours**

Size : **Ø340xH190mm**




**Built In LED**

Chandelier Series

**40w VT-40-1**

3874 - 3000K Warm White

3800157620888

 Box Qty.  
**1Pcs**

 Voltage/Frequency: **AC:100-240V,50Hz**

 Luminous Flux: **2800lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.9**


 Beam Angle: **120°**

 No. of LED: **240 pcs**

 Material : **Steel+PC**

 Unit GW : **3.90 Kg**

 Life Span: **20,000 Hours**

 Size : **400X210X1000mm**







**Built In LED**

**Chandelier-3 Step**  
**70w VT-70-3D**

3904 - 3000K Warm White  
3905 - 4000K Day White

3800157624633  
3800157624640

Box Qty.  
**1Pcs**



Voltage/Frequency: **AC:100-240V,50Hz**  
Luminous Flux: **4900lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Beam Angle: **120°**

No. of LED: **360 pcs**  
Material : **Acrylic+Aluminium**  
Unit GW : **3.50 Kg**  
Life Span: **20,000 Hours**  
Size : **600x600x1200mm**



**Built In LED**

Chandelier-3 Step  
**80w VT-80-3D**

3906 - 3000K Warm White  
 3907 - 4000K Day White


3800157624657  
 3800157624664

Box Qty.  
**1Pcs**



Voltage/Frequency: **AC:100-240V,50Hz**  
 Luminous Flux: **5600lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Beam Angle: **120°**

No. of LED: **510 pcs**  
 Material : **Acrylic+Aluminium**  
 Unit GW : **4.7 Kg**  
 Life Span: **20,000 Hours**  
 Size : **600x600x1200mm**



**Built In LED**

Chandelier-3 Step

**85w VT-85-3**

 Box Qty.  
**1Pcs**



3910 - 3000K Warm White  
3911 - 4000K Day White

3800157624695  
3800157624701

Voltage/Frequency: **AC:100-240V,50Hz**

Luminous Flux: **5900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **510 pcs**

Material : **Acrylic+Aluminium**

Unit GW : **5.5 Kg**

Life Span: **20,000 Hours**

Size : **200x400x600mm**

| SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. | SKU | P-No. |
|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 135 | - 23  | 187 | - 29  | 235 | - 15  | 290 | - 9   | 413 | - 43  | 482 | - 47  |
| 136 | - 23  | 188 | - 29  | 236 | - 15  | 291 | - 8   | 414 | - 43  | 483 | - 47  |
| 137 | - 23  | 192 | - 33  | 240 | - 31  | 292 | - 8   | 415 | - 39  | 484 | - 48  |
| 138 | - 22  | 193 | - 33  | 241 | - 31  | 293 | - 7   | 416 | - 39  | 485 | - 48  |
| 139 | - 22  | 194 | - 33  | 242 | - 31  | 294 | - 7   | 417 | - 39  | 486 | - 40  |
| 140 | - 22  | 195 | - 34  | 243 | - 31  | 320 | - 66  | 418 | - 44  | 487 | - 40  |
| 141 | - 23  | 196 | - 34  | 244 | - 31  | 321 | - 66  | 419 | - 44  | 488 | - 48  |
| 142 | - 23  | 197 | - 34  | 245 | - 31  | 322 | - 66  | 420 | - 40  | 489 | - 48  |
| 143 | - 23  | 198 | - 33  | 246 | - 32  | 350 | - 68  | 421 | - 40  | 520 | - 28  |
| 144 | - 16  | 199 | - 33  | 247 | - 32  | 351 | - 68  | 422 | - 44  | 521 | - 28  |
| 145 | - 16  | 200 | - 33  | 248 | - 32  | 352 | - 68  | 423 | - 44  | 550 | - 77  |
| 146 | - 16  | 201 | - 32  | 249 | - 13  | 353 | - 68  | 424 | - 41  | 551 | - 77  |
| 147 | - 24  | 202 | - 32  | 250 | - 13  | 354 | - 68  | 425 | - 41  | 552 | - 76  |
| 148 | - 24  | 203 | - 32  | 251 | - 13  | 355 | - 68  | 426 | - 41  | 553 | - 76  |
| 149 | - 24  | 204 | - 35  | 252 | - 13  | 356 | - 69  | 427 | - 37  | 554 | - 77  |
| 150 | - 25  | 205 | - 35  | 253 | - 13  | 357 | - 69  | 428 | - 37  | 555 | - 77  |
| 151 | - 25  | 206 | - 35  | 254 | - 13  | 358 | - 69  | 429 | - 37  | 556 | - 76  |
| 152 | - 25  | 207 | - 35  | 255 | - 12  | 359 | - 69  | 430 | - 45  | 557 | - 76  |
| 153 | - 24  | 208 | - 35  | 256 | - 12  | 360 | - 69  | 431 | - 45  | 558 | - 75  |
| 154 | - 24  | 209 | - 35  | 257 | - 12  | 361 | - 69  | 432 | - 45  | 559 | - 75  |
| 155 | - 24  | 210 | - 22  | 258 | - 11  | 362 | - 70  | 439 | - 41  | 560 | - 74  |
| 156 | - 19  | 211 | - 22  | 259 | - 11  | 363 | - 70  | 440 | - 41  | 561 | - 74  |
| 157 | - 19  | 212 | - 22  | 260 | - 11  | 364 | - 70  | 441 | - 41  | 562 | - 75  |
| 158 | - 19  | 213 | - 26  | 261 | - 11  | 365 | - 70  | 442 | - 37  | 563 | - 75  |
| 159 | - 21  | 214 | - 26  | 262 | - 11  | 366 | - 70  | 443 | - 37  | 564 | - 74  |
| 160 | - 21  | 215 | - 26  | 263 | - 11  | 367 | - 70  | 444 | - 37  | 565 | - 74  |
| 161 | - 21  | 216 | - 27  | 264 | - 12  | 368 | - 71  | 445 | - 45  | 566 | - 73  |
| 162 | - 21  | 217 | - 27  | 265 | - 12  | 369 | - 71  | 446 | - 45  | 567 | - 73  |
| 163 | - 21  | 218 | - 27  | 266 | - 12  | 370 | - 71  | 447 | - 45  | 568 | - 73  |
| 164 | - 21  | 219 | - 27  | 267 | - 15  | 371 | - 71  | 454 | - 46  | 569 | - 73  |
| 165 | - 34  | 220 | - 27  | 268 | - 15  | 372 | - 71  | 455 | - 46  | 572 | - 78  |
| 166 | - 34  | 221 | - 27  | 269 | - 15  | 373 | - 71  | 456 | - 46  | 573 | - 78  |
| 167 | - 34  | 222 | - 25  | 270 | - 18  | 400 | - 42  | 463 | - 46  | 611 | - 53  |
| 168 | - 17  | 223 | - 25  | 271 | - 18  | 401 | - 42  | 464 | - 46  | 612 | - 53  |
| 169 | - 17  | 224 | - 25  | 272 | - 4   | 402 | - 42  | 465 | - 46  | 613 | - 53  |
| 170 | - 17  | 225 | - 26  | 275 | - 6   | 403 | - 38  | 472 | - 47  | 614 | - 53  |
| 171 | - 17  | 226 | - 26  | 278 | - 5   | 404 | - 38  | 473 | - 47  | 615 | - 53  |
| 172 | - 17  | 227 | - 26  | 279 | - 5   | 405 | - 38  | 474 | - 47  | 616 | - 53  |
| 173 | - 17  | 228 | - 19  | 280 | - 6   | 406 | - 42  | 475 | - 43  | 617 | - 52  |
| 174 | - 16  | 229 | - 19  | 282 | - 3   | 407 | - 42  | 476 | - 43  | 618 | - 52  |
| 175 | - 16  | 230 | - 19  | 283 | - 28  | 408 | - 42  | 477 | - 43  | 619 | - 52  |
| 176 | - 16  | 231 | - 20  | 284 | - 28  | 409 | - 38  | 478 | - 39  | 620 | - 52  |
| 177 | - 20  | 232 | - 20  | 285 | - 28  | 410 | - 38  | 479 | - 39  | 621 | - 52  |
| 178 | - 20  | 233 | - 20  | 286 | - 3   | 411 | - 38  | 480 | - 39  | 622 | - 52  |
| 179 | - 20  | 234 | - 15  | 287 | - 4   | 412 | - 43  | 481 | - 47  | 623 | - 51  |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 624  | - 51  | 1191 | - 369 | 1276 | - 378 | 1325 | - 385 | 1370 | - 397 | 1417 | - 416 |
| 625  | - 51  | 1192 | - 369 | 1277 | - 378 | 1326 | - 383 | 1371 | - 397 | 1418 | - 416 |
| 626  | - 51  | 1202 | - 369 | 1278 | - 378 | 1327 | - 383 | 1372 | - 397 | 1419 | - 416 |
| 627  | - 51  | 1207 | - 388 | 1279 | - 378 | 1328 | - 383 | 1373 | - 397 | 1420 | - 416 |
| 628  | - 51  | 1208 | - 388 | 1281 | - 405 | 1329 | - 383 | 1374 | - 397 | 1421 | - 416 |
| 632  | - 50  | 1209 | - 388 | 1282 | - 405 | 1330 | - 383 | 1375 | - 397 | 1422 | - 416 |
| 633  | - 50  | 1210 | - 388 | 1284 | - 388 | 1331 | - 383 | 1376 | - 398 | 1423 | - 416 |
| 634  | - 50  | 1229 | - 370 | 1285 | - 371 | 1332 | - 364 | 1377 | - 398 | 1424 | - 415 |
| 650  | - 59  | 1230 | - 370 | 1286 | - 371 | 1333 | - 364 | 1378 | - 398 | 1425 | - 415 |
| 651  | - 59  | 1231 | - 370 | 1287 | - 371 | 1334 | - 364 | 1379 | - 398 | 1426 | - 415 |
| 652  | - 59  | 1232 | - 370 | 1288 | - 382 | 1335 | - 364 | 1380 | - 398 | 1427 | - 415 |
| 653  | - 59  | 1233 | - 368 | 1289 | - 382 | 1336 | - 364 | 1381 | - 398 | 1428 | - 391 |
| 654  | - 59  | 1234 | - 368 | 1292 | - 367 | 1337 | - 364 | 1382 | - 359 | 1429 | - 391 |
| 655  | - 59  | 1235 | - 368 | 1293 | - 367 | 1338 | - 365 | 1383 | - 359 | 1430 | - 391 |
| 656  | - 60  | 1236 | - 368 | 1294 | - 367 | 1339 | - 365 | 1384 | - 359 | 1431 | - 391 |
| 657  | - 60  | 1237 | - 368 | 1295 | - 367 | 1340 | - 365 | 1385 | - 359 | 1432 | - 391 |
| 658  | - 60  | 1238 | - 368 | 1296 | - 367 | 1341 | - 409 | 1388 | - 394 | 1433 | - 391 |
| 659  | - 55  | 1241 | - 370 | 1297 | - 367 | 1342 | - 410 | 1389 | - 394 | 1434 | - 392 |
| 660  | - 55  | 1242 | - 370 | 1298 | - 366 | 1343 | - 411 | 1390 | - 394 | 1435 | - 392 |
| 661  | - 55  | 1243 | - 187 | 1299 | - 366 | 1344 | - 412 | 1391 | - 394 | 1436 | - 392 |
| 662  | - 55  | 1244 | - 187 | 1300 | - 366 | 1345 | - 407 | 1392 | - 395 | 1437 | - 392 |
| 663  | - 55  | 1245 | - 187 | 1301 | - 366 | 1346 | - 407 | 1393 | - 395 | 1438 | - 392 |
| 664  | - 55  | 1246 | - 187 | 1302 | - 366 | 1347 | - 408 | 1394 | - 395 | 1439 | - 392 |
| 665  | - 56  | 1247 | - 187 | 1303 | - 366 | 1348 | - 408 | 1395 | - 395 | 1440 | - 393 |
| 666  | - 56  | 1248 | - 187 | 1304 | - 382 | 1349 | - 403 | 1396 | - 395 | 1441 | - 393 |
| 667  | - 56  | 1255 | - 371 | 1305 | - 382 | 1350 | - 404 | 1397 | - 395 | 1442 | - 393 |
| 668  | - 56  | 1256 | - 371 | 1306 | - 382 | 1351 | - 404 | 1398 | - 386 | 1443 | - 393 |
| 669  | - 56  | 1257 | - 371 | 1307 | - 382 | 1352 | - 404 | 1399 | - 386 | 1444 | - 393 |
| 670  | - 57  | 1259 | - 401 | 1308 | - 396 | 1353 | - 404 | 1400 | - 386 | 1445 | - 393 |
| 671  | - 57  | 1260 | - 401 | 1309 | - 396 | 1354 | - 427 | 1401 | - 386 | 1446 | - 433 |
| 672  | - 58  | 1261 | - 401 | 1310 | - 396 | 1355 | - 428 | 1402 | - 386 | 1447 | - 409 |
| 673  | - 58  | 1262 | - 401 | 1311 | - 396 | 1356 | - 428 | 1403 | - 386 | 1448 | - 410 |
| 674  | - 58  | 1263 | - 400 | 1312 | - 396 | 1357 | - 361 | 1404 | - 387 | 1449 | - 411 |
| 675  | - 58  | 1264 | - 400 | 1313 | - 396 | 1358 | - 361 | 1405 | - 387 | 1450 | - 412 |
| 676  | - 64  | 1265 | - 400 | 1314 | - 384 | 1359 | - 361 | 1406 | - 387 | 1451 | - 359 |
| 677  | - 64  | 1266 | - 400 | 1315 | - 384 | 1360 | - 357 | 1407 | - 387 | 1452 | - 359 |
| 678  | - 64  | 1267 | - 400 | 1316 | - 384 | 1361 | - 357 | 1408 | - 387 | 1453 | - 378 |
| 679  | - 64  | 1268 | - 400 | 1317 | - 384 | 1362 | - 357 | 1409 | - 387 | 1657 | - 147 |
| 680  | - 65  | 1269 | - 404 | 1318 | - 384 | 1363 | - 358 | 1410 | - 362 | 1658 | - 147 |
| 681  | - 65  | 1270 | - 377 | 1319 | - 384 | 1364 | - 358 | 1411 | - 362 | 1659 | - 147 |
| 688  | - 58  | 1271 | - 377 | 1320 | - 385 | 1365 | - 358 | 1412 | - 363 | 1663 | - 148 |
| 689  | - 58  | 1272 | - 377 | 1321 | - 385 | 1366 | - 359 | 1413 | - 363 | 1664 | - 148 |
| 1100 | - 379 | 1273 | - 377 | 1322 | - 385 | 1367 | - 359 | 1414 | - 399 | 1665 | - 148 |
| 1103 | - 379 | 1274 | - 377 | 1323 | - 385 | 1368 | - 359 | 1415 | - 399 | 1666 | - 148 |
| 1115 | - 381 | 1275 | - 377 | 1324 | - 385 | 1369 | - 429 | 1416 | - 416 | 1667 | - 148 |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 1668 | - 148 | 2135 | - 322 | 2535 | - 334 | 3127 | - 182 | 3249 | - 355 | 3484 | - 601 |
| 1669 | - 151 | 2137 | - 323 | 2536 | - 334 | 3128 | - 182 | 3250 | - 353 | 3485 | - 601 |
| 1670 | - 151 | 2138 | - 323 | 2537 | - 334 | 3129 | - 176 | 3251 | - 353 | 3486 | - 601 |
| 1671 | - 151 | 2143 | - 323 | 2538 | - 334 | 3130 | - 176 | 3252 | - 353 | 3500 | - 333 |
| 1672 | - 147 | 2144 | - 323 | 2539 | - 334 | 3131 | - 417 | 3253 | - 349 | 3501 | - 333 |
| 1673 | - 147 | 2145 | - 323 | 2540 | - 334 | 3132 | - 417 | 3254 | - 349 | 3502 | - 333 |
| 1674 | - 147 | 2148 | - 324 | 2541 | - 334 | 3133 | - 417 | 3256 | - 350 | 3503 | - 333 |
| 1682 | - 151 | 2149 | - 324 | 2542 | - 334 | 3134 | - 175 | 3257 | - 350 | 3504 | - 333 |
| 1683 | - 151 | 2150 | - 324 | 2543 | - 334 | 3135 | - 175 | 3258 | - 350 | 3505 | - 333 |
| 1684 | - 151 | 2155 | - 324 | 2544 | - 320 | 3136 | - 176 | 3300 | - 339 | 3507 | - 333 |
| 1685 | - 149 | 2156 | - 323 | 2545 | - 320 | 3137 | - 177 | 3303 | - 339 | 3508 | - 333 |
| 1686 | - 149 | 2159 | - 326 | 2546 | - 320 | 3138 | - 177 | 3307 | - 339 | 3509 | - 333 |
| 1687 | - 149 | 2161 | - 322 | 2548 | - 319 | 3139 | - 177 | 3309 | - 341 | 3510 | - 333 |
| 1688 | - 151 | 2162 | - 322 | 2549 | - 319 | 3140 | - 178 | 3312 | - 339 | 3511 | - 333 |
| 1689 | - 151 | 2163 | - 322 | 2550 | - 319 | 3141 | - 178 | 3318 | - 339 | 3512 | - 333 |
| 1690 | - 151 | 2164 | - 321 | 2551 | - 319 | 3142 | - 178 | 3319 | - 340 | 3522 | - 372 |
| 1693 | - 148 | 2165 | - 321 | 2552 | - 326 | 3143 | - 179 | 3320 | - 340 | 3523 | - 373 |
| 1694 | - 148 | 2166 | - 321 | 2553 | - 326 | 3144 | - 182 | 3321 | - 341 | 3524 | - 373 |
| 1695 | - 148 | 2350 | - 333 | 2554 | - 342 | 3145 | - 183 | 3322 | - 341 | 3525 | - 373 |
| 2002 | - 325 | 2351 | - 333 | 2555 | - 342 | 3146 | - 183 | 3326 | - 341 | 3526 | - 373 |
| 2005 | - 324 | 2352 | - 333 | 2556 | - 342 | 3147 | - 183 | 3327 | - 341 | 3527 | - 374 |
| 2009 | - 324 | 2353 | - 333 | 2557 | - 342 | 3148 | - 183 | 3331 | - 332 | 3528 | - 374 |
| 2011 | - 324 | 2354 | - 333 | 2558 | - 320 | 3149 | - 184 | 3333 | - 332 | 3529 | - 374 |
| 2013 | - 324 | 2355 | - 333 | 3009 | - 340 | 3150 | - 184 | 3334 | - 332 | 3544 | - 372 |
| 2015 | - 324 | 2356 | - 333 | 3018 | - 340 | 3151 | - 184 | 3337 | - 343 | 3548 | - 372 |
| 2016 | - 324 | 2403 | - 327 | 3035 | - 355 | 3152 | - 184 | 3338 | - 343 | 3553 | - 372 |
| 2025 | - 325 | 2404 | - 327 | 3057 | - 348 | 3226 | - 349 | 3339 | - 343 | 3554 | - 372 |
| 2031 | - 325 | 2405 | - 327 | 3101 | - 352 | 3227 | - 349 | 3340 | - 343 | 3556 | - 372 |
| 2032 | - 325 | 2430 | - 327 | 3110 | - 239 | 3228 | - 348 | 3420 | - 145 | 3560 | - 374 |
| 2034 | - 325 | 2431 | - 327 | 3111 | - 175 | 3229 | - 348 | 3423 | - 185 | 3565 | - 374 |
| 2035 | - 325 | 2459 | - 327 | 3112 | - 176 | 3230 | - 348 | 3469 | - 168 | 3566 | - 374 |
| 2036 | - 325 | 2460 | - 323 | 3113 | - 177 | 3231 | - 351 | 3470 | - 168 | 3567 | - 372 |
| 2037 | - 326 | 2461 | - 321 | 3114 | - 178 | 3232 | - 351 | 3471 | - 168 | 3570 | - 372 |
| 2038 | - 326 | 2462 | - 321 | 3115 | - 179 | 3233 | - 351 | 3472 | - 169 | 3574 | - 372 |
| 2041 | - 324 | 2463 | - 321 | 3116 | - 179 | 3234 | - 352 | 3473 | - 169 | 3575 | - 190 |
| 2042 | - 325 | 2512 | - 329 | 3117 | - 179 | 3235 | - 352 | 3474 | - 169 | 3576 | - 190 |
| 2043 | - 325 | 2513 | - 329 | 3118 | - 180 | 3237 | - 354 | 3475 | - 601 | 3577 | - 190 |
| 2044 | - 326 | 2514 | - 329 | 3119 | - 180 | 3238 | - 354 | 3476 | - 601 | 3578 | - 224 |
| 2118 | - 323 | 2515 | - 330 | 3120 | - 180 | 3239 | - 354 | 3477 | - 601 | 3581 | - 191 |
| 2120 | - 323 | 2516 | - 330 | 3121 | - 180 | 3240 | - 355 | 3478 | - 601 | 3582 | - 191 |
| 2122 | - 323 | 2517 | - 330 | 3122 | - 181 | 3243 | - 347 | 3479 | - 601 | 3583 | - 191 |
| 2124 | - 322 | 2518 | - 331 | 3123 | - 181 | 3244 | - 347 | 3480 | - 601 | 3584 | - 162 |
| 2126 | - 323 | 2527 | - 332 | 3124 | - 181 | 3246 | - 347 | 3481 | - 601 | 3585 | - 162 |
| 2128 | - 323 | 2529 | - 331 | 3125 | - 181 | 3247 | - 347 | 3482 | - 601 | 3586 | - 162 |
| 2133 | - 322 | 2531 | - 331 | 3126 | - 182 | 3248 | - 352 | 3483 | - 601 | 3587 | - 172 |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 3588 | - 173 | 3641 | - 161 | 3691 | - 161 | 3740 | - 535 | 3789 | - 600 | 3834 | - 568 |
| 3589 | - 173 | 3642 | - 163 | 3692 | - 162 | 3741 | - 534 | 3790 | - 600 | 3835 | - 569 |
| 3590 | - 173 | 3643 | - 163 | 3694 | - 174 | 3742 | - 599 | 3791 | - 600 | 3836 | - 569 |
| 3591 | - 173 | 3644 | - 164 | 3695 | - 174 | 3743 | - 599 | 3792 | - 600 | 3837 | - 570 |
| 3592 | - 174 | 3645 | - 164 | 3696 | - 174 | 3744 | - 599 | 3793 | - 600 | 3838 | - 570 |
| 3593 | - 163 | 3646 | - 164 | 3697 | - 175 | 3745 | - 599 | 3794 | - 600 | 3839 | - 591 |
| 3594 | - 163 | 3647 | - 164 | 3698 | - 145 | 3746 | - 599 | 3795 | - 598 | 3840 | - 594 |
| 3595 | - 171 | 3648 | - 159 | 3700 | - 572 | 3747 | - 599 | 3796 | - 598 | 3841 | - 594 |
| 3596 | - 172 | 3649 | - 159 | 3701 | - 572 | 3748 | - 599 | 3797 | - 598 | 3842 | - 594 |
| 3597 | - 172 | 3650 | - 159 | 3702 | - 573 | 3749 | - 599 | 3798 | - 598 | 3843 | - 594 |
| 3598 | - 172 | 3651 | - 160 | 3703 | - 456 | 3750 | - 599 | 3799 | - 598 | 3844 | - 594 |
| 3599 | - 165 | 3652 | - 160 | 3704 | - 456 | 3751 | - 581 | 3800 | - 598 | 3845 | - 590 |
| 3600 | - 165 | 3653 | - 160 | 3705 | - 556 | 3752 | - 581 | 3801 | - 598 | 3847 | - 561 |
| 3601 | - 165 | 3654 | - 161 | 3706 | - 556 | 3753 | - 590 | 3802 | - 598 | 3848 | - 561 |
| 3602 | - 165 | 3655 | - 373 | 3707 | - 554 | 3754 | - 591 | 3803 | - 597 | 3849 | - 560 |
| 3603 | - 166 | 3656 | - 373 | 3708 | - 554 | 3755 | - 600 | 3804 | - 597 | 3850 | - 562 |
| 3604 | - 166 | 3657 | - 373 | 3709 | - 551 | 3756 | - 574 | 3805 | - 597 | 3851 | - 565 |
| 3605 | - 166 | 3658 | - 373 | 3710 | - 552 | 3757 | - 574 | 3806 | - 597 | 3852 | - 566 |
| 3606 | - 166 | 3659 | - 373 | 3711 | - 553 | 3758 | - 558 | 3807 | - 597 | 3853 | - 562 |
| 3607 | - 167 | 3660 | - 374 | 3712 | - 553 | 3759 | - 558 | 3808 | - 597 | 3854 | - 563 |
| 3608 | - 167 | 3663 | - 343 | 3713 | - 552 | 3760 | - 559 | 3809 | - 597 | 3855 | - 564 |
| 3609 | - 167 | 3664 | - 158 | 3714 | - 555 | 3761 | - 575 | 3810 | - 597 | 3856 | - 564 |
| 3610 | - 167 | 3665 | - 158 | 3715 | - 555 | 3762 | - 575 | 3811 | - 595 | 3857 | - 565 |
| 3611 | - 168 | 3666 | - 158 | 3716 | - 557 | 3763 | - 576 | 3812 | - 595 | 3858 | - 563 |
| 3612 | - 169 | 3667 | - 159 | 3717 | - 557 | 3764 | - 576 | 3813 | - 595 | 3859 | - 550 |
| 3613 | - 170 | 3668 | - 317 | 3720 | - 596 | 3765 | - 577 | 3814 | - 595 | 3860 | - 551 |
| 3614 | - 171 | 3669 | - 170 | 3721 | - 596 | 3766 | - 577 | 3815 | - 595 | 3861 | - 543 |
| 3615 | - 171 | 3673 | - 145 | 3722 | - 596 | 3767 | - 592 | 3816 | - 571 | 3862 | - 543 |
| 3616 | - 171 | 3674 | - 161 | 3723 | - 596 | 3768 | - 592 | 3817 | - 571 | 3863 | - 542 |
| 3617 | - 375 | 3675 | - 157 | 3724 | - 596 | 3769 | - 592 | 3818 | - 539 | 3864 | - 542 |
| 3618 | - 375 | 3676 | - 157 | 3725 | - 596 | 3770 | - 592 | 3819 | - 539 | 3865 | - 527 |
| 3619 | - 375 | 3677 | - 158 | 3726 | - 538 | 3771 | - 592 | 3820 | - 540 | 3866 | - 527 |
| 3620 | - 185 | 3678 | - 242 | 3727 | - 538 | 3772 | - 593 | 3821 | - 546 | 3867 | - 528 |
| 3621 | - 224 | 3679 | - 243 | 3728 | - 545 | 3773 | - 593 | 3822 | - 546 | 3868 | - 559 |
| 3622 | - 225 | 3680 | - 418 | 3729 | - 545 | 3774 | - 593 | 3823 | - 547 | 3869 | - 560 |
| 3623 | - 225 | 3681 | - 418 | 3730 | - 532 | 3775 | - 593 | 3824 | - 547 | 3874 | - 618 |
| 3624 | - 317 | 3682 | - 418 | 3731 | - 537 | 3776 | - 593 | 3825 | - 548 | 3875 | - 528 |
| 3625 | - 340 | 3683 | - 419 | 3732 | - 536 | 3777 | - 600 | 3826 | - 548 | 3876 | - 529 |
| 3627 | - 156 | 3684 | - 419 | 3733 | - 537 | 3782 | - 600 | 3827 | - 549 | 3877 | - 530 |
| 3628 | - 157 | 3685 | - 419 | 3734 | - 536 | 3783 | - 600 | 3828 | - 549 | 3878 | - 529 |
| 3629 | - 157 | 3686 | - 420 | 3735 | - 533 | 3784 | - 600 | 3829 | - 550 | 3879 | - 523 |
| 3630 | - 156 | 3687 | - 420 | 3736 | - 532 | 3785 | - 600 | 3830 | - 541 | 3880 | - 523 |
| 3631 | - 156 | 3688 | - 420 | 3737 | - 535 | 3786 | - 600 | 3831 | - 566 | 3881 | - 525 |
| 3632 | - 156 | 3689 | - 170 | 3738 | - 533 | 3787 | - 600 | 3832 | - 567 | 3882 | - 524 |
| 3640 | - 160 | 3690 | - 170 | 3739 | - 534 | 3788 | - 600 | 3833 | - 567 | 3883 | - 524 |

| SKU  | P-No. | SKU   | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|-------|-------|------|-------|------|-------|------|-------|------|-------|
| 3884 | - 530 | 3932  | - 617 | 4255 | - 188 | 4454 | - 95  | 4802 | - 263 | 4887 | - 251 |
| 3885 | - 531 | 3933  | - 617 | 4256 | - 188 | 4455 | - 95  | 4803 | - 262 | 4888 | - 251 |
| 3886 | - 531 | 3934  | - 615 | 4257 | - 188 | 4456 | - 95  | 4804 | - 262 | 4889 | - 251 |
| 3887 | - 526 | 3935  | - 615 | 4259 | - 133 | 4459 | - 88  | 4805 | - 262 | 4890 | - 271 |
| 3888 | - 526 | 3936  | - 616 | 4274 | - 109 | 4460 | - 88  | 4806 | - 263 | 4891 | - 271 |
| 3889 | - 544 | 3937  | - 616 | 4276 | - 109 | 4461 | - 88  | 4807 | - 263 | 4892 | - 271 |
| 3890 | - 603 | 3938  | - 617 | 4277 | - 109 | 4465 | - 153 | 4808 | - 263 | 4893 | - 271 |
| 3891 | - 604 | 3939  | - 617 | 4278 | - 109 | 4472 | - 121 | 4809 | - 262 | 4894 | - 271 |
| 3892 | - 605 | 3943  | - 582 | 4301 | - 136 | 4473 | - 117 | 4810 | - 262 | 4895 | - 271 |
| 3893 | - 606 | 3944  | - 582 | 4302 | - 138 | 4474 | - 126 | 4811 | - 262 | 4896 | - 271 |
| 3894 | - 607 | 3945  | - 583 | 4308 | - 137 | 4475 | - 126 | 4812 | - 263 | 4897 | - 271 |
| 3895 | - 607 | 3946  | - 583 | 4361 | - 123 | 4476 | - 126 | 4813 | - 263 | 4898 | - 271 |
| 3896 | - 611 | 3947  | - 584 | 4362 | - 123 | 4477 | - 127 | 4814 | - 263 | 4904 | - 260 |
| 3897 | - 611 | 3948  | - 584 | 4365 | - 135 | 4478 | - 127 | 4815 | - 262 | 4905 | - 260 |
| 3898 | - 612 | 3949  | - 585 | 4366 | - 139 | 4479 | - 127 | 4816 | - 262 | 4906 | - 260 |
| 3899 | - 613 | 3950  | - 585 | 4368 | - 122 | 4481 | - 130 | 4817 | - 262 | 4907 | - 261 |
| 3900 | - 608 | 3951  | - 586 | 4369 | - 107 | 4482 | - 130 | 4818 | - 253 | 4908 | - 261 |
| 3901 | - 608 | 3952  | - 586 | 4388 | - 138 | 4483 | - 131 | 4821 | - 253 | 4909 | - 261 |
| 3902 | - 610 | 3953  | - 587 | 4389 | - 107 | 4484 | - 131 | 4824 | - 254 | 4910 | - 260 |
| 3903 | - 610 | 3954  | - 587 | 4390 | - 107 | 4485 | - 131 | 4825 | - 254 | 4911 | - 260 |
| 3904 | - 619 | 3955  | - 588 | 4394 | - 142 | 4486 | - 129 | 4826 | - 254 | 4912 | - 260 |
| 3905 | - 619 | 3956  | - 588 | 4399 | - 143 | 4487 | - 129 | 4827 | - 254 | 4913 | - 261 |
| 3906 | - 620 | 3957  | - 589 | 4407 | - 134 | 4488 | - 129 | 4830 | - 255 | 4914 | - 261 |
| 3907 | - 620 | 4061  | - 188 | 4409 | - 134 | 4489 | - 125 | 4833 | - 255 | 4915 | - 261 |
| 3910 | - 621 | 4062  | - 188 | 4417 | - 144 | 4490 | - 125 | 4854 | - 248 | 4916 | - 260 |
| 3911 | - 621 | 4084  | - 188 | 4418 | - 144 | 4491 | - 125 | 4855 | - 248 | 4917 | - 260 |
| 3912 | - 450 | 7230  | - 99  | 4419 | - 144 | 4496 | - 129 | 4856 | - 248 | 4918 | - 260 |
| 3913 | - 450 | 7200  | - 103 | 4420 | - 144 | 4497 | - 129 | 4857 | - 248 | 4919 | - 261 |
| 3914 | - 450 | 4140  | - 105 | 4421 | - 124 | 4498 | - 121 | 4858 | - 248 | 4920 | - 261 |
| 3916 | - 609 | 43441 | - 102 | 4426 | - 142 | 4737 | - 273 | 4859 | - 248 | 4921 | - 261 |
| 3917 | - 609 | 7231  | - 99  | 4427 | - 140 | 4738 | - 273 | 4860 | - 249 | 4922 | - 270 |
| 3918 | - 609 | 7407  | - 103 | 4428 | - 140 | 4739 | - 272 | 4861 | - 249 | 4923 | - 270 |
| 3919 | - 609 | 7320  | - 101 | 4431 | - 137 | 4740 | - 272 | 4862 | - 249 | 4924 | - 270 |
| 3920 | - 578 | 7418  | - 99  | 4432 | - 137 | 4741 | - 273 | 4863 | - 250 | 4925 | - 270 |
| 3921 | - 578 | 4217  | - 98  | 4438 | - 152 | 4742 | - 273 | 4864 | - 250 | 4926 | - 270 |
| 3922 | - 579 | 4220  | - 106 | 4439 | - 152 | 4743 | - 272 | 4865 | - 250 | 4927 | - 270 |
| 3923 | - 579 | 4223  | - 189 | 4440 | - 99  | 4744 | - 272 | 4866 | - 250 | 4928 | - 270 |
| 3924 | - 580 | 4224  | - 189 | 4441 | - 98  | 4745 | - 273 | 4867 | - 250 | 4929 | - 270 |
| 3925 | - 580 | 4225  | - 189 | 4444 | - 135 | 4746 | - 273 | 4868 | - 250 | 4930 | - 270 |
| 3926 | - 540 | 4228  | - 94  | 4445 | - 135 | 4759 | - 272 | 4869 | - 251 | 4931 | - 256 |
| 3927 | - 568 | 4242  | - 106 | 4446 | - 135 | 4760 | - 272 | 4870 | - 251 | 4932 | - 256 |
| 3928 | - 615 | 4244  | - 106 | 4447 | - 89  | 4797 | - 259 | 4871 | - 251 | 4933 | - 256 |
| 3929 | - 615 | 4246  | - 106 | 4448 | - 89  | 4798 | - 259 | 4872 | - 249 | 4934 | - 256 |
| 3930 | - 616 | 4253  | - 109 | 4449 | - 89  | 4800 | - 263 | 4873 | - 249 | 4935 | - 256 |
| 3931 | - 616 | 4254  | - 109 | 4453 | - 95  | 4801 | - 263 | 4874 | - 249 | 4936 | - 256 |



| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 4937 | - 257 | 5076 | - 288 | 5472 | - 315 | 5585 | - 298 | 5787 | - 213 | 5906 | - 201 |
| 4938 | - 257 | 5077 | - 426 | 5475 | - 315 | 5586 | - 298 | 5788 | - 213 | 5908 | - 202 |
| 4939 | - 257 | 5078 | - 431 | 5476 | - 315 | 5587 | - 297 | 5800 | - 195 | 5917 | - 223 |
| 4940 | - 257 | 5079 | - 432 | 5477 | - 316 | 5588 | - 297 | 5801 | - 215 | 5927 | - 208 |
| 4941 | - 257 | 5081 | - 432 | 5487 | - 311 | 5592 | - 298 | 5804 | - 213 | 5928 | - 208 |
| 4942 | - 257 | 5082 | - 432 | 5488 | - 311 | 5594 | - 299 | 5805 | - 213 | 5929 | - 208 |
| 4943 | - 258 | 5083 | - 433 | 5489 | - 311 | 5595 | - 299 | 5806 | - 213 | 5930 | - 208 |
| 4944 | - 258 | 5084 | - 429 | 5490 | - 311 | 5599 | - 308 | 5818 | - 196 | 5931 | - 209 |
| 4945 | - 258 | 5085 | - 430 | 5491 | - 312 | 5600 | - 308 | 5819 | - 216 | 5932 | - 209 |
| 4946 | - 258 | 5086 | - 423 | 5492 | - 312 | 5601 | - 308 | 5821 | - 216 | 5934 | - 210 |
| 4947 | - 258 | 5087 | - 423 | 5493 | - 312 | 5602 | - 308 | 5822 | - 214 | 5935 | - 210 |
| 4948 | - 258 | 5088 | - 423 | 5494 | - 312 | 5603 | - 309 | 5823 | - 214 | 5936 | - 210 |
| 4949 | - 259 | 5089 | - 424 | 5495 | - 313 | 5604 | - 309 | 5824 | - 214 | 5937 | - 210 |
| 4965 | - 405 | 5090 | - 424 | 5496 | - 313 | 5605 | - 309 | 5826 | - 193 | 5938 | - 211 |
| 4966 | - 405 | 5091 | - 425 | 5497 | - 313 | 5606 | - 309 | 5827 | - 193 | 5939 | - 211 |
| 4967 | - 425 | 5094 | - 380 | 5498 | - 313 | 5607 | - 300 | 5837 | - 216 | 5940 | - 205 |
| 4968 | - 426 | 5095 | - 380 | 5499 | - 314 | 5608 | - 300 | 5838 | - 216 | 5941 | - 205 |
| 4973 | - 404 | 5096 | - 380 | 5500 | - 314 | 5609 | - 302 | 5839 | - 216 | 5942 | - 205 |
| 4982 | - 427 | 5097 | - 380 | 5501 | - 316 | 5610 | - 302 | 5840 | - 214 | 5943 | - 203 |
| 4987 | - 286 | 5110 | - 381 | 5550 | - 297 | 5611 | - 302 | 5841 | - 214 | 5944 | - 203 |
| 4996 | - 403 | 5116 | - 344 | 5554 | - 301 | 5612 | - 302 | 5842 | - 214 | 5945 | - 203 |
| 4997 | - 401 | 5117 | - 344 | 5555 | - 301 | 5613 | - 302 | 5844 | - 193 | 5946 | - 206 |
| 4998 | - 403 | 5118 | - 344 | 5557 | - 303 | 5614 | - 302 | 5845 | - 193 | 5947 | - 206 |
| 4999 | - 401 | 5119 | - 344 | 5558 | - 303 | 5691 | - 222 | 5853 | - 196 | 5948 | - 206 |
| 5031 | - 259 | 5120 | - 344 | 5559 | - 303 | 5692 | - 222 | 5854 | - 196 | 5949 | - 203 |
| 5032 | - 259 | 5121 | - 344 | 5560 | - 303 | 5697 | - 219 | 5858 | - 194 | 5950 | - 203 |
| 5033 | - 259 | 5122 | - 344 | 5562 | - 399 | 5699 | - 219 | 5860 | - 194 | 5951 | - 203 |
| 5050 | - 403 | 5123 | - 344 | 5563 | - 399 | 5700 | - 219 | 5864 | - 197 | 5952 | - 206 |
| 5051 | - 403 | 5124 | - 344 | 5564 | - 399 | 5701 | - 220 | 5876 | - 198 | 5953 | - 206 |
| 5052 | - 403 | 5125 | - 344 | 5565 | - 399 | 5716 | - 219 | 5877 | - 198 | 5954 | - 206 |
| 5053 | - 402 | 5126 | - 344 | 5566 | - 394 | 5717 | - 220 | 5883 | - 198 | 5955 | - 204 |
| 5054 | - 402 | 5127 | - 344 | 5567 | - 394 | 5735 | - 222 | 5884 | - 199 | 5956 | - 204 |
| 5055 | - 402 | 5128 | - 344 | 5570 | - 382 | 5745 | - 223 | 5885 | - 199 | 5957 | - 204 |
| 5056 | - 402 | 5129 | - 345 | 5571 | - 430 | 5746 | - 217 | 5886 | - 199 | 5958 | - 207 |
| 5057 | - 405 | 5130 | - 345 | 5572 | - 431 | 5747 | - 217 | 5889 | - 199 | 5959 | - 207 |
| 5058 | - 405 | 5131 | - 345 | 5574 | - 304 | 5750 | - 217 | 5891 | - 200 | 5960 | - 207 |
| 5059 | - 405 | 5132 | - 345 | 5575 | - 304 | 5752 | - 218 | 5893 | - 200 | 5961 | - 204 |
| 5068 | - 288 | 5133 | - 345 | 5576 | - 304 | 5753 | - 218 | 5894 | - 220 | 5962 | - 204 |
| 5069 | - 288 | 5134 | - 345 | 5577 | - 305 | 5754 | - 218 | 5895 | - 221 | 5963 | - 204 |
| 5070 | - 288 | 5135 | - 345 | 5578 | - 305 | 5755 | - 221 | 5896 | - 224 | 5964 | - 207 |
| 5071 | - 288 | 5136 | - 345 | 5580 | - 305 | 5756 | - 217 | 5897 | - 224 | 5965 | - 207 |
| 5072 | - 288 | 5137 | - 345 | 5581 | - 306 | 5758 | - 218 | 5899 | - 201 | 5966 | - 207 |
| 5073 | - 288 | 5138 | - 345 | 5582 | - 306 | 5782 | - 195 | 5900 | - 201 | 5967 | - 205 |
| 5074 | - 288 | 5139 | - 345 | 5583 | - 306 | 5783 | - 215 | 5904 | - 201 | 5968 | - 205 |
| 5075 | - 288 | 5140 | - 345 | 5584 | - 306 | 5786 | - 213 | 5905 | - 201 | 5969 | - 205 |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. |
|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 5970 | - 194 | 6266 | - 294 | 6324 | - 284 | 6371 | - 268 | 6427 | - 240 | 7064 | - 477 |
| 5971 | - 194 | 6267 | - 294 | 6325 | - 284 | 6372 | - 268 | 6428 | - 252 | 7065 | - 478 |
| 5972 | - 194 | 6268 | - 239 | 6326 | - 284 | 6373 | - 269 | 6429 | - 252 | 7066 | - 482 |
| 6018 | - 241 | 6269 | - 240 | 6327 | - 243 | 6374 | - 269 | 6430 | - 252 | 7067 | - 482 |
| 6019 | - 239 | 6270 | - 240 | 6328 | - 240 | 6375 | - 269 | 6431 | - 252 | 7068 | - 483 |
| 6026 | - 236 | 6271 | - 239 | 6329 | - 236 | 6376 | - 233 | 6432 | - 238 | 7069 | - 483 |
| 6029 | - 239 | 6272 | - 278 | 6332 | - 237 | 6380 | - 234 | 6433 | - 238 | 7070 | - 481 |
| 6053 | - 285 | 6273 | - 278 | 6333 | - 237 | 6381 | - 234 | 6436 | - 239 | 7071 | - 482 |
| 6054 | - 285 | 6276 | - 273 | 6334 | - 264 | 6384 | - 235 | 6437 | - 240 | 7072 | - 483 |
| 6055 | - 285 | 6277 | - 272 | 6335 | - 264 | 6385 | - 235 | 6438 | - 61  | 7073 | - 484 |
| 6056 | - 285 | 6278 | - 273 | 6336 | - 264 | 6386 | - 240 | 6439 | - 61  | 7074 | - 486 |
| 6057 | - 285 | 6279 | - 272 | 6337 | - 266 | 6387 | - 290 | 6440 | - 62  | 7075 | - 486 |
| 6062 | - 294 | 6280 | - 273 | 6338 | - 266 | 6388 | - 290 | 6441 | - 62  | 7076 | - 478 |
| 6166 | - 287 | 6281 | - 272 | 6339 | - 266 | 6389 | - 286 | 6442 | - 61  | 7077 | - 478 |
| 6167 | - 287 | 6282 | - 291 | 6340 | - 264 | 6390 | - 286 | 6443 | - 61  | 7078 | - 497 |
| 6168 | - 287 | 6283 | - 291 | 6341 | - 264 | 6391 | - 286 | 6444 | - 62  | 7079 | - 497 |
| 6169 | - 287 | 6284 | - 291 | 6342 | - 264 | 6392 | - 277 | 6445 | - 62  | 7080 | - 497 |
| 6170 | - 287 | 6285 | - 291 | 6343 | - 266 | 6393 | - 277 | 6446 | - 295 | 7081 | - 498 |
| 6171 | - 287 | 6286 | - 292 | 6344 | - 266 | 6394 | - 277 | 6447 | - 295 | 7082 | - 498 |
| 6172 | - 287 | 6287 | - 292 | 6345 | - 266 | 6399 | - 290 | 6448 | - 295 | 7083 | - 498 |
| 6173 | - 287 | 6292 | - 248 | 6346 | - 265 | 6400 | - 290 | 6449 | - 295 | 7084 | - 508 |
| 6174 | - 287 | 6293 | - 248 | 6347 | - 265 | 6401 | - 246 | 7033 | - 447 | 7085 | - 508 |
| 6184 | - 293 | 6294 | - 248 | 6348 | - 265 | 6402 | - 246 | 7034 | - 446 | 7086 | - 508 |
| 6185 | - 293 | 6295 | - 250 | 6349 | - 267 | 6403 | - 246 | 7035 | - 448 | 7087 | - 497 |
| 6198 | - 292 | 6296 | - 250 | 6350 | - 267 | 6404 | - 246 | 7039 | - 447 | 7088 | - 497 |
| 6199 | - 292 | 6297 | - 250 | 6351 | - 267 | 6405 | - 246 | 7040 | - 447 | 7089 | - 497 |
| 6200 | - 293 | 6299 | - 279 | 6352 | - 265 | 6406 | - 246 | 7042 | - 446 | 7090 | - 498 |
| 6201 | - 293 | 6301 | - 279 | 6353 | - 265 | 6407 | - 246 | 7043 | - 446 | 7091 | - 498 |
| 6217 | - 231 | 6302 | - 279 | 6354 | - 265 | 6408 | - 246 | 7044 | - 470 | 7092 | - 498 |
| 6221 | - 231 | 6305 | - 280 | 6355 | - 267 | 6409 | - 246 | 7045 | - 470 | 7093 | - 508 |
| 6222 | - 231 | 6306 | - 280 | 6356 | - 267 | 6410 | - 247 | 7046 | - 480 | 7094 | - 508 |
| 6229 | - 277 | 6307 | - 280 | 6357 | - 267 | 6411 | - 247 | 7047 | - 480 | 7095 | - 508 |
| 6230 | - 277 | 6308 | - 280 | 6358 | - 268 | 6412 | - 247 | 7051 | - 448 | 7096 | - 459 |
| 6231 | - 277 | 6309 | - 279 | 6359 | - 268 | 6413 | - 247 | 7052 | - 448 | 7098 | - 445 |
| 6238 | - 233 | 6310 | - 279 | 6360 | - 268 | 6414 | - 247 | 7053 | - 449 | 7099 | - 445 |
| 6239 | - 233 | 6313 | - 281 | 6361 | - 269 | 6415 | - 247 | 7054 | - 449 | 7102 | - 125 |
| 6250 | - 282 | 6314 | - 281 | 6362 | - 269 | 6416 | - 247 | 7055 | - 455 | 7103 | - 125 |
| 6251 | - 282 | 6315 | - 281 | 6363 | - 269 | 6417 | - 247 | 7056 | - 455 | 7105 | - 126 |
| 6256 | - 235 | 6316 | - 281 | 6364 | - 268 | 6418 | - 247 | 7057 | - 485 | 7106 | - 126 |
| 6257 | - 235 | 6318 | - 282 | 6365 | - 268 | 6419 | - 229 | 7058 | - 484 | 7108 | - 127 |
| 6258 | - 235 | 6319 | - 282 | 6366 | - 268 | 6420 | - 229 | 7059 | - 484 | 7109 | - 127 |
| 6262 | - 278 | 6320 | - 282 | 6367 | - 269 | 6422 | - 249 | 7060 | - 486 | 7110 | - 128 |
| 6263 | - 278 | 6321 | - 282 | 6368 | - 269 | 6423 | - 249 | 7061 | - 487 | 7111 | - 128 |
| 6264 | - 278 | 6322 | - 283 | 6369 | - 269 | 6424 | - 249 | 7062 | - 487 | 7112 | - 128 |
| 6265 | - 279 | 6323 | - 283 | 6370 | - 268 | 6426 | - 237 | 7063 | - 487 | 7113 | - 119 |

| SKU  | P-No. | SKU   | P-No. | SKU  | P-No. | SKU   | P-No. | SKU   | P-No. | SKU  | P-No. |
|------|-------|-------|-------|------|-------|-------|-------|-------|-------|------|-------|
| 7114 | - 120 | 7179  | - 130 | 7241 | - 93  | 7308  | - 150 | 7366  | - 81  | 7513 | - 477 |
| 7115 | - 120 | 7180  | - 130 | 7242 | - 93  | 7309  | - 86  | 7367  | - 81  | 7514 | - 477 |
| 7116 | - 120 | 7181  | - 131 | 7246 | - 95  | 7310  | - 150 | 7368  | - 83  | 7515 | - 470 |
| 7121 | - 88  | 7182  | - 131 | 7251 | - 118 | 7317  | - 89  | 7399  | - 97  | 7516 | - 470 |
| 7123 | - 107 | 7183  | - 131 | 7252 | - 118 | 43421 | - 102 | 7400  | - 97  | 7517 | - 471 |
| 7124 | - 107 | 7184  | - 132 | 7253 | - 154 | 7324  | - 85  | 7401  | - 96  | 7518 | - 471 |
| 7126 | - 149 | 7185  | - 132 | 7254 | - 154 | 7325  | - 85  | 7402  | - 96  | 7519 | - 479 |
| 7127 | - 149 | 7186  | - 132 | 7255 | - 154 | 7326  | - 85  | 7403  | - 96  | 7520 | - 479 |
| 7128 | - 149 | 7187  | - 132 | 4207 | - 102 | 7327  | - 113 | 7404  | - 96  | 7521 | - 479 |
| 7132 | - 110 | 7188  | - 132 | 7260 | - 93  | 7328  | - 114 | 7405  | - 96  | 7522 | - 480 |
| 7133 | - 110 | 7189  | - 133 | 7261 | - 93  | 7329  | - 152 | 7406  | - 96  | 7523 | - 460 |
| 7134 | - 110 | 7190  | - 133 | 7262 | - 93  | 7330  | - 152 | 7363  | - 103 | 7524 | - 501 |
| 7142 | - 118 | 7191  | - 133 | 4122 | - 100 | 7331  | - 152 | 7364  | - 103 | 7525 | - 501 |
| 7143 | - 119 | 7198  | - 100 | 7263 | - 100 | 7332  | - 152 | 7199  | - 103 | 7526 | - 501 |
| 7144 | - 119 | 4216  | - 100 | 7264 | - 100 | 7333  | - 152 | 7410  | - 141 | 7527 | - 501 |
| 7145 | - 117 | 4166  | - 100 | 7266 | - 93  | 7334  | - 152 | 7411  | - 141 | 7529 | - 485 |
| 7146 | - 116 | 7201  | - 103 | 7269 | - 149 | 7335  | - 113 | 7412  | - 141 | 7530 | - 485 |
| 7147 | - 116 | 4124  | - 104 | 7270 | - 149 | 7336  | - 113 | 7413  | - 142 | 7531 | - 481 |
| 7148 | - 116 | 42501 | - 104 | 7271 | - 149 | 7337  | - 153 | 7414  | - 136 | 7532 | - 481 |
| 7150 | - 88  | 7408  | - 103 | 7275 | - 110 | 7338  | - 153 | 7415  | - 117 | 7533 | - 226 |
| 7151 | - 88  | 7409  | - 103 | 7276 | - 110 | 7339  | - 153 | 7416  | - 123 | 7534 | - 226 |
| 7153 | - 132 | 7362  | - 103 | 7277 | - 110 | 7340  | - 153 | 7417  | - 90  | 7535 | - 226 |
| 7154 | - 132 | 7205  | - 154 | 7282 | - 81  | 7341  | - 91  | 43431 | - 102 | 7536 | - 227 |
| 7155 | - 124 | 7206  | - 154 | 7283 | - 82  | 7342  | - 91  | 7419  | - 98  | 7537 | - 227 |
| 7156 | - 124 | 7207  | - 154 | 7284 | - 82  | 7343  | - 92  | 7420  | - 122 | 7538 | - 227 |
| 7157 | - 121 | 7209  | - 108 | 7285 | - 85  | 7344  | - 92  | 7421  | - 122 | 7539 | - 468 |
| 7158 | - 111 | 7210  | - 108 | 7286 | - 85  | 7197  | - 100 | 7422  | - 96  | 7540 | - 468 |
| 7159 | - 111 | 7211  | - 108 | 7287 | - 85  | 7348  | - 98  | 7423  | - 139 | 7541 | - 468 |
| 7160 | - 111 | 7212  | - 108 | 7288 | - 85  | 7349  | - 94  | 7424  | - 139 | 7542 | - 469 |
| 7161 | - 111 | 7213  | - 108 | 7289 | - 85  | 7350  | - 94  | 7425  | - 139 | 7543 | - 469 |
| 7162 | - 111 | 7216  | - 115 | 7290 | - 85  | 7351  | - 94  | 7426  | - 90  | 7544 | - 472 |
| 7163 | - 111 | 7217  | - 115 | 7291 | - 83  | 7352  | - 94  | 7427  | - 143 | 7545 | - 472 |
| 7164 | - 111 | 7218  | - 114 | 7292 | - 83  | 7353  | - 94  | 7500  | - 465 | 7546 | - 472 |
| 7165 | - 111 | 7219  | - 114 | 7293 | - 83  | 7354  | - 94  | 7501  | - 465 | 7547 | - 472 |
| 7166 | - 111 | 7220  | - 115 | 7295 | - 84  | 7355  | - 83  | 7502  | - 465 | 7548 | - 472 |
| 7167 | - 147 | 7223  | - 97  | 7296 | - 84  | 7356  | - 83  | 7503  | - 465 | 7549 | - 472 |
| 7168 | - 147 | 7224  | - 90  | 7297 | - 84  | 7358  | - 104 | 7504  | - 466 | 7550 | - 472 |
| 7169 | - 147 | 7229  | - 97  | 7298 | - 84  | 7359  | - 104 | 7505  | - 466 | 7551 | - 472 |
| 7170 | - 135 | 7346  | - 99  | 7299 | - 84  | 7173  | - 105 | 7506  | - 466 | 7552 | - 472 |
| 7202 | - 102 | 7196  | - 100 | 7300 | - 86  | 7360  | - 84  | 7507  | - 466 | 7553 | - 469 |
| 7203 | - 102 | 7232  | - 97  | 7303 | - 150 | 7361  | - 84  | 7508  | - 467 | 7554 | - 469 |
| 7204 | - 102 | 7233  | - 97  | 7304 | - 150 | 42511 | - 104 | 7509  | - 467 | 7555 | - 473 |
| 7176 | - 128 | 7234  | - 189 | 7305 | - 150 | 42521 | - 104 | 7510  | - 467 | 7556 | - 473 |
| 7177 | - 128 | 7235  | - 189 | 7306 | - 150 | 7357  | - 104 | 7511  | - 467 | 7557 | - 473 |
| 7178 | - 130 | 7236  | - 189 | 7307 | - 150 | 7365  | - 82  | 7512  | - 468 | 7558 | - 473 |

| SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU  | P-No. | SKU   | P-No. | SKU    | P-No. |
|------|-------|------|-------|------|-------|------|-------|-------|-------|--------|-------|
| 7559 | - 474 | 8230 | - 463 | 8275 | - 244 | 8320 | - 489 | 8515  | - 449 | 7265   | - 100 |
| 7560 | - 474 | 8231 | - 462 | 8276 | - 459 | 8321 | - 489 | 8516  | - 451 | 4164   | - 101 |
| 7561 | - 474 | 8231 | - 463 | 8277 | - 459 | 8322 | - 489 | 9104  | - 225 | 4213   | - 101 |
| 7562 | - 474 | 8232 | - 506 | 8278 | - 461 | 8323 | - 489 | 9546  | - 225 | 43641  | - 134 |
| 8070 | - 274 | 8233 | - 505 | 8279 | - 461 | 8324 | - 489 | 9869  | - 209 | 43651  | - 137 |
| 8073 | - 274 | 8234 | - 505 | 8280 | - 494 | 8325 | - 490 | 9869  | - 460 | 43881  | - 138 |
| 8074 | - 274 | 8235 | - 505 | 8281 | - 494 | 8326 | - 490 | 9944  | - 375 | 44141  | - 136 |
| 8075 | - 274 | 8236 | - 505 | 8282 | - 494 | 8327 | - 490 | 9945  | - 375 | 44251  | - 143 |
| 8076 | - 274 | 8237 | - 505 | 8283 | - 494 | 8328 | - 490 | 9947  | - 337 | 44291  | - 139 |
| 8096 | - 440 | 8238 | - 505 | 8284 | - 494 | 8329 | - 490 | 9952  | - 375 | 44301  | - 139 |
| 8097 | - 441 | 8239 | - 502 | 8285 | - 494 | 8330 | - 490 | 9953  | - 375 | 44801  | - 130 |
| 8098 | - 442 | 8240 | - 502 | 8286 | - 496 | 8331 | - 490 | 9954  | - 375 | 44921  | - 129 |
| 8099 | - 435 | 8241 | - 502 | 8287 | - 496 | 8332 | - 490 | 9955  | - 375 | 44941  | - 129 |
| 8100 | - 436 | 8242 | - 502 | 8288 | - 496 | 8333 | - 490 | 9956  | - 336 | 60246  | - 230 |
| 8119 | - 243 | 8243 | - 502 | 8289 | - 496 | 8334 | - 491 | 9957  | - 337 | 60256  | - 230 |
| 8200 | - 437 | 8244 | - 502 | 8290 | - 496 | 8335 | - 491 | 9968  | - 241 | 60276  | - 236 |
| 8201 | - 438 | 8245 | - 504 | 8291 | - 496 | 8336 | - 491 | 9969  | - 241 | 60286  | - 230 |
| 8202 | - 512 | 8246 | - 504 | 8292 | - 503 | 8337 | - 491 | 9970  | - 242 | 60303  | - 244 |
| 8203 | - 512 | 8247 | - 504 | 8293 | - 503 | 8338 | - 491 | 9981  | - 335 | 60696  | - 236 |
| 8204 | - 512 | 8249 | - 439 | 8294 | - 503 | 8339 | - 491 | 9982  | - 335 | 62186  | - 231 |
| 8205 | - 512 | 8250 | - 516 | 8295 | - 495 | 8340 | - 491 | 9983  | - 335 | 62196  | - 231 |
| 8206 | - 512 | 8251 | - 516 | 8296 | - 495 | 8341 | - 491 | 9984  | - 335 | 62206  | - 231 |
| 8207 | - 512 | 8252 | - 516 | 8297 | - 495 | 8342 | - 491 | 9985  | - 336 | 62366  | - 232 |
| 8208 | - 506 | 8253 | - 516 | 8298 | - 495 | 8344 | - 507 | 9986  | - 336 | 62376  | - 232 |
| 8209 | - 492 | 8254 | - 517 | 8299 | - 495 | 8345 | - 507 | 9987  | - 336 | 62406  | - 232 |
| 8210 | - 492 | 8255 | - 517 | 8300 | - 495 | 8346 | - 507 | 9989  | - 241 | 62416  | - 232 |
| 8211 | - 492 | 8256 | - 517 | 8301 | - 499 | 8347 | - 507 | 9990  | - 337 | 62426  | - 232 |
| 8212 | - 492 | 8257 | - 517 | 8302 | - 499 | 8348 | - 389 | 9991  | - 337 | 62436  | - 233 |
| 8213 | - 493 | 8258 | - 518 | 8303 | - 499 | 8349 | - 389 | 9992  | - 338 | 63776  | - 232 |
| 8214 | - 493 | 8259 | - 518 | 8304 | - 499 | 8350 | - 389 | 9993  | - 338 | 63786  | - 233 |
| 8215 | - 493 | 8260 | - 518 | 8305 | - 499 | 8351 | - 389 | 9994  | - 338 | 63796  | - 233 |
| 8216 | - 493 | 8261 | - 518 | 8306 | - 499 | 8352 | - 389 | 9995  | - 338 | 71001  | - 140 |
| 8217 | - 500 | 8262 | - 513 | 8307 | - 511 | 8353 | - 389 | 9997  | - 242 | 71011  | - 125 |
| 8218 | - 500 | 8263 | - 513 | 8308 | - 511 | 8382 | - 442 | 9999  | - 242 | 71031  | - 125 |
| 8219 | - 500 | 8264 | - 513 | 8309 | - 511 | 8383 | - 439 | 11077 | - 521 | 71041  | - 126 |
| 8220 | - 500 | 8265 | - 513 | 8310 | - 511 | 8500 | - 445 | 34235 | - 185 | 71071  | - 127 |
| 8221 | - 510 | 8266 | - 514 | 8311 | - 441 | 8501 | - 452 | 36265 | - 185 | 71081  | - 127 |
| 8222 | - 510 | 8267 | - 514 | 8312 | - 435 | 8502 | - 453 | 7174  | - 105 | 71091  | - 127 |
| 8223 | - 510 | 8268 | - 514 | 8313 | - 436 | 8503 | - 454 | 7175  | - 105 | 71811  | - 131 |
| 8224 | - 510 | 8269 | - 514 | 8314 | - 437 | 8504 | - 452 | 7256  | - 105 | 500081 | - 521 |
| 8225 | - 509 | 8270 | - 515 | 8315 | - 438 | 8505 | - 453 | 42591 | - 134 | 500082 | - 521 |
| 8226 | - 509 | 8271 | - 515 | 8316 | - 489 | 8506 | - 454 | 43001 | - 143 |        |       |
| 8227 | - 509 | 8272 | - 515 | 8317 | - 489 | 8507 | - 457 | 43011 | - 136 |        |       |
| 8228 | - 509 | 8273 | - 515 | 8318 | - 489 | 8508 | - 457 | 43061 | - 140 |        |       |
| 8229 | - 462 | 8274 | - 440 | 8319 | - 489 | 8514 | - 449 | 43071 | - 137 |        |       |

## Certificates



**DIALux Partner**



**TUV**



**RoHS**



**The LIA Member**



**CE / LVD**



PRO

<sup>\*</sup>  
**5** **YEAR**  
**WARRANTY**  
PRODUCTS

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



## Head Offices

Sofia | London

---

### Europe Office

1, Iliansko Shanssee Blvd,  
Sofia 1220, Bulgaria  
[www.v-tac.eu](http://www.v-tac.eu)

### UK Office

Unit No. 9, Armstrong Way,  
Western Industrial Park,  
Southall, London,  
UB24SD, UK.  
[www.v-tac.co.uk](http://www.v-tac.co.uk)

### Middle East Office

Unit# 407/8/9 Jumeirah  
Bay Towers,  
Plot# X3, JLT,  
P.O. Box 45244, Dubai.  
[www.vtacexports.com](http://www.vtacexports.com)