



RoHS TEST REPORT

For

LED TUBE

Model No.: VT-6278, VT-1278, VT-1578, VT-1579, VT-6272, VT-1272, VT-1572, VT-6072, VT-1271, VT-9077, VT-1277, VT-1577, VT-6085, VT-1585, VT-1285, VT-122, VT-152, VT-061, VT-121, VT-151, VT-062, VT-6077, VT-1607, VT-1612, VT-1615

Applicant : V-TAC EXPORTS LIMITED
ROOM NO.301, KAM ON BUILDING 176A QUEENS ROAD CENTRAL,
CENTRAL, HONGKONG

Manufacturer : V-TAC EXPORTS LIMITED
ROOM NO.301, KAM ON BUILDING 176A QUEENS ROAD CENTRAL,
CENTRAL, HONGKONG

Issued By : Global-Standard Testing Service Co., Ltd.
Room 1911, 9914, Noble Plaza, Qian Jin 1st Road, Bao An district, Shenzhen,
Guangdong, China

Tel : +86 755 33863599

Email : market@gstslab.com

Report Number : D00.06.0424R-R2


Issued Date : April 19, 2019

Date of Report : April 19, 2019


Note:

1. The test data and result is based on the tested sample only.
2. Please verify information in the report on GST web: www.gstslab.com through report number.
3. All rights reserve, the pirate edition investigates necessarily! This report shall not be reproduced unless under the authority of Global-Standard Testing Service Co., Ltd.
4. This report is based on report D00.06.0424R-R1 which issued on May 07, 2018.


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium (Cr(VI))



**4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers(PBDEs) ,
HBCDD, DBP, DEHP, BBP**



Method Detection Limit (MDL) in wet chemical test

| Test Items | Pb | Cd | Hg | PBBs & PBDEs |
|------------|-------|-------|-------|--------------|
| Unit | mg/kg | mg/kg | mg/kg | mg/kg |
| MDL | 2 | 2 | 2 | 2 |

| | | |
|-------------------|---|---|
| Result | : | Pass |
| Conclusion | : | An independent evaluation on the above-mentioned product(s) has been conducted pursuant to 2011/65/EU and (EN)2015/863 of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive. |

Reviewed by

APPROVED
 Nico Xie
 Manager
 April 19, 2019

Test Data Summary

| SAMPLE NO. | COMPONENTS | Item | Results of EDXRF (P/F/D) | Results of testing(mg/kg) | Chemical testing limit (mg/kg) | Conclusion (P/F) |
|------------|---------------|-------|--------------------------|---------------------------|--------------------------------|------------------|
| 1 | Diffuser | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |
| 2 | Lamp pin | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | / | <1000 | N.A. |
| | | PBDEs | D | / | <1000 | N.A. |
| | | HBCDD | D | / | <1000 | N.A. |
| | | DEHP | D | / | <1000 | N.A. |
| | | DBP | D | / | <1000 | N.A. |
| | | BBP | D | / | <1000 | N.A. |
| 3 | Lamp cap | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |
| 4 | Soldering tin | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | / | <1000 | N.A. |
| | | PBDEs | D | / | <1000 | N.A. |
| | | HBCDD | D | / | <1000 | N.A. |
| | | DEHP | D | / | <1000 | N.A. |
| | | DBP | D | / | <1000 | N.A. |
| | | BBP | D | / | <1000 | N.A. |

| SAMP LE NO. | COMPONENTS | Item | Results of EDXRF (P/F/D) | Results of testing(mg/kg) | Chemical testing limit (mg/kg) | Conclusio n (P/F) |
|----------------|----------------------|-------|--------------------------------|------------------------------|---|-------------------------|
| 5 | LED | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |
| 6 | LED PCB | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |
| 7 | Internal wire | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |
| 8 | PCB of LED driver | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |

| SAMP LE NO. | COMPONENTS | Item | Results of EDXRF (P/F/D) | Results of testing(mg/kg) | Chemical testing limit (mg/kg) | Conclusio n (P/F) |
|-------------|------------|-------|--------------------------|---------------------------|--------------------------------|-------------------|
| 9 | Resistors | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| 10 | Triode | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| 11 | Diode | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| 12 | Glue | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| BBP | D | N.D. | <1000 | P | | |

| SAMP LE NO. | COMPONENTS | Item | Results of EDXRF (P/F/D) | Results of testing(mg/kg) | Chemical testing limit (mg/kg) | Conclusio n (P/F) |
|-------------|--------------------------------|-------|--------------------------|---------------------------|--------------------------------|-------------------|
| 13 | Heat sink | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | / | <1000 | N.A. |
| | | PBDEs | D | / | <1000 | N.A. |
| | | HBCDD | D | / | <1000 | N.A. |
| | | DEHP | D | / | <1000 | N.A. |
| | | DBP | D | / | <1000 | N.A. |
| 14 | Winding of transformer | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | / | <1000 | N.A. |
| | | PBDEs | D | / | <1000 | N.A. |
| | | HBCDD | D | / | <1000 | N.A. |
| | | DEHP | D | / | <1000 | N.A. |
| | | DBP | D | / | <1000 | N.A. |
| 15 | Bobbin of transformer | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| 16 | Insulation tape of transformer | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| BBP | D | N.D. | <1000 | P | | |

| SAMP LE NO. | COMPONENTS | Item | Results of EDXRF (P/F/D) | Results of testing(mg/kg) | Chemical testing limit (mg/kg) | Conclusio n (P/F) |
|----------------|------------------------|-------|--------------------------------|------------------------------|---|-------------------------|
| 17 | Fuse | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |
| 18 | Plastic accessories | Cd | P | N.D. | <100 | P |
| | | Cr | P | N.D. | <1000 | P |
| | | Hg | P | N.D. | <1000 | P |
| | | Pb | P | N.D. | <1000 | P |
| | | PBBs | D | N.D. | <1000 | P |
| | | PBDEs | D | N.D. | <1000 | P |
| | | HBCDD | D | N.D. | <1000 | P |
| | | DEHP | D | N.D. | <1000 | P |
| | | DBP | D | N.D. | <1000 | P |
| | | BBP | D | N.D. | <1000 | P |

Note:

(1) N.D. = Not detected (<MDL)


(2) ppm = mg/kg


(3) N.A. = Not Analyzed


(4) Negative = the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.


Appendix 1

Photo documentation

| | |
|--|---|
| <p>Photo 1</p> <p>View:</p> <p><input checked="" type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p> |  |
|--|---|

| | |
|--|--|
| <p>Photo 2</p> <p>View:</p> <p><input type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input checked="" type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p> |  |
|--|--|

| | |
|--|---|
| <p>Photo 3</p> <p>View:</p> <p><input type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input checked="" type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p> |  |
|--|---|

| | |
|--|--|
| <p>Photo 4</p> <p>View:</p> <p><input type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input checked="" type="checkbox"/> Internal</p> |  |
|--|--|

--END.--