

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Fittings and Tubes

V-TAC's advance grill fixtures are a new generation of linear fittings. Designed with high-caliber materials, these fixtures provide exceptional light levels, are extremely energy efficient and are easy to install. The unparalleled performance of our Grill fittings makes it a cut-above conventional fixtures. It's easy to install function and aesthetic lighting effect gives this new range an amazing potential for retail and residential applications.

These fixtures are the better choice, in terms of performance and aesthetic value, for commercial, retail or residential applications in comparison to conventional fluorescent fixtures.



- Delivering a high lumen output of over 120 lumen per watt
- Designed to deliver a smooth and soft lighting effect
- Options! Available in 60cm, 120cm, 150cm and 180cm
- The push fit connectors make it easy to install
- Five year warranty

**5** V-TAC<sup>®</sup> PRO  
— YEAR —  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

### Prismatic Fittings

#### 10W VT-8-10

SKU: 659 - 3000K Warm White 3800157632140  
 SKU: 660 - 4000K Day White 3800157632157  
 SKU: 661 - 6400K White 3800157632164




**1200** Lumens | 
 **>80** CRI | 
 **>0.5** PF | 
 **<1s** Instant Start | 
 **15000** On/Off | 
 **0.26kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	300x74.1x24.4mm	30,000 Hours	10

### Prismatic Fittings

#### 20W VT-8-20

SKU: 662 - 3000K Warm White 3800157632171  
 SKU: 663 - 4000K Day White 3800157632188  
 SKU: 664 - 6400K White 3800157632195



**2400** Lumens | 
 **>80** CRI | 
 **>0.5** PF | 
 **<1s** Instant Start | 
 **15000** On/Off | 
 **0.42kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	600x74.1x24.4mm	30,000 Hours	10



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING


Live . Light . Life  
[www.vtacexports.com](http://www.vtacexports.com) | [www.v-tac.eu](http://www.v-tac.eu)

### Prismatic Fittings

#### 40W VT-8-40

SKU: 665 - 3000K Warm White  
 SKU: 666 - 4000K Day White  
 SKU: 667 - 6400K White

3800157632201  
 3800157632218  
 3800157632225



**4800** Lumens | 
 **>80** CRI | 
 **>0.9** PF | 
 **<1s** Instant Start | 
 **15000** On/Off | 
 **0.84kg** Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1200x74.1x24.4mm	30,000 Hours	10

### Prismatic Fittings

#### 50W VT-8-50

SKU: 668 - 4000K Day White  
 SKU: 669 - 6400K White

3800157632232  
 3800157632249



**6000** Lumens | 
 **>80** CRI | 
 **>0.9** PF | 
 **<1s** Instant Start | 
 **15000** On/Off | 
 **1kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1500x74.1x24.4mm	30,000 Hours	10




\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu



Prismatic Fittings

**60W** VT-9-60



SKU: 670 - 4000K Day White  
 SKU: 671 - 6400K White

3800157632256  
 3800157632263

- 7200** Lumens
- >80** CRI
- >0.9** PF
- <1s** Instant Start
- 15000** On/Off
- 1.2kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x74.1x24.4mm	30,000 Hours	10



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**



G13-T8 -Nano Plastic Tube-120CM

**18W** VT-122

SKU: 688 - 3000K Warm White  
SKU: 672 - 4000K Day White  
SKU: 673 - 6400K White

3800157632911  
3800157632928  
3800157632928



**2250**  
Lumens



**45w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off




**0.1904kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25

**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**



G13-T8 -Nano Plastic Tube-150CM

**22W** VT-152

SKU: 689 - 3000K Warm White  
SKU: 674 - 4000K Day White  
SKU: 675 - 6400K White

3800157632935  
3800157632942  
3800157632942



**3000**  
Lumens



**75w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off



**0.2572kg**  
Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING



## G13-T8 -Nano Plastic Tube-60CM

**10W** VT-061

SKU: 650 - 3000K Warm White 3800157632010  
 SKU: 651 - 4000K Day White 3800157632027  
 SKU: 652 - 6400K White 3800157632034

**850**

Lumens

**18w**

EQ.Watts

**>80**

CRI

**>0.5**

PF

**<0.5 s**

Instant Start


**15000**

On/Off

**0.1264kg**

Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	600x279mm	30,000 Hours	25



## G13-T8 -Nano Plastic Tube-120CM

**18W** VT-121

SKU: 653 - 3000K Warm White 3800157632041  
 SKU: 654 - 4000K Day White 3800157632058  
 SKU: 655 - 6400K White 3800157632065

**1700**

Lumens

**36w**

EQ.Watts

**>80**

CRI

**>0.5**

PF

**<0.5 s**

Instant Start

**15000**

On/Off

**0.1904kg**

Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x279mm	30,000 Hours	25




**5 YEARS**  
WARRANTY



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu




### G13-T8 -Nano Plastic Tube-150CM

**22W** VT-151

SKU: 656 - 3000K Warm White  
SKU: 657 - 4000K Day White  
SKU: 658 - 6400K White

3800157632072  
3800157632089  
3800157632096



**2000**  
Lumens



**58w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off



**0.2572kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING



Single Batten Fitting-120cm

**18W** VT-12026

SKU: 6442 - 4000K Day White  
SKU: 6443 - 6400K White

3800157631501  
3800157631518

### LED TUBE INCLUDED



**1700**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Single Batten Fitting-150cm

**22W** VT-15023

SKU: 6438 - 4000K Day White  
SKU: 6439 - 6400K White

3800157631464  
3800157631471

### LED TUBE INCLUDED



**2000**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



**5** YEARS  
WARRANTY





# V-TAC®

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu



Double Batten Fitting-120cm

**36W** VT-12027

SKU: 6444 - 4000K Day White  
SKU: 6445 - 6400K White

3800157631525  
3800157631532

**LED TUBE  
INCLUDED**



**3400**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Double Batten Fitting-150cm

**44W** VT-15024

SKU: 6440 - 4000K Day White  
SKU: 6441 - 6400K White

3800157631488  
3800157631495

**LED TUBE  
INCLUDED**



**4000**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



## LED Tri-proof Lights

Our Tri-proof lights just got tougher. 80% lower power consumption than fluorescent lights, IP65 Rating and easy-to-install lights make perfect to use in tough conditions. These high performing Tri-proofs provide the necessary light levels for any indoor and outdoor applications.

- Easy installation and maintenance
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design
- Great return on investment due to low energy consumption
- Five year warranty

**5** **V-TAC**<sup>®</sup> **PRO**  
**YEAR**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
[www.vtacexports.com](http://www.vtacexports.com) | [www.v-tac.eu](http://www.v-tac.eu)

### Waterproof Fittings

## 60W VT-160




SKU: 678 - 4000K Day White  
 SKU: 679 - 6400K White

3800157632980  
 3800157632997



**120+** LUMENS PER WATT  
**SUPER EFFICIENT**



- 7200** Lumens
- >80** CRI
- >0.9** PF
- 15000** On/Off
- 2.1kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1200x86x70mm	20,000 Hours	9

### Waterproof Fittings

## 70W VT-170




SKU: 676 - 4000K Day White  
 SKU: 677 - 6400K White

3800157632966  
 3800157632973



**120+** LUMENS PER WATT  
**SUPER EFFICIENT**



- 8400** Lumens
- >80** CRI
- >0.9** PF
- 15000** On/Off
- 2.67kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1500x86x70mm	20,000 Hours	9



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING



Waterproof Fittings  
**60W** VT-180

SKU: 680 - 4000K Day White  
 SKU: 681 - 6400K White

3800157634731  
 3800157634748



-  **5400**  
Lumens
-  **>80**  
CRI
-  **>0.9**  
PF
-  **15000**  
On/Off

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x66x58mm	30,000 Hours	9



**5** YEARS WARRANTY



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty