

UGR < 19




Adjustable Angle
0-27°



Hotel Downlight-COB

6w VT-2907

SKU: 1479 - 3000K Warm White 3800157644242
SKU: 1480 - 4000K Day White 3800157644259



Cutting Size
Ø55mm


| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 400lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|-----------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø65x82mm |
| Cutting Size: | Ø55mm |
| Box Qty: | 24 Pcs |

Hotel Downlight-COB

10w VT-2911

SKU: 1481 - 3000K Warm White 3800157644068
SKU: 1482 - 4000K Day White 3800157644075



Cutting Size
Ø75mm


| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 650lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|-----------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø85x96mm |
| Cutting Size: | Ø75mm |
| Box Qty: | 16 Pcs |

Hotel Downlight-COB

15w VT-2916

SKU: 1483 - 3000K Warm White 3800157644082
SKU: 1484 - 4000K Day White 3800157644099



Cutting Size
Ø95mm


| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 1000lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|------------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø105x113mm |
| Cutting Size: | Ø95mm |
| Box Qty: | 12 Pcs |

Hotel Downlight-COB

35w VT-2936

SKU: 1477 - 3000K Warm White 3800157644105
SKU: 1478 - 4000K Day White 3800157644112



Cutting Size
Ø150mm

| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 2300lm |
| LED Type: | COB-CREE |
| CRI: | >95 |
| PF | >0.6 |

| | |
|---------------|------------|
| Beam Angle: | 0-27° |
| Body Type: | Aluminium |
| Dimension: | Ø160x176mm |
| Cutting Size: | Ø150mm |
| Box Qty: | 8 Pcs |



Side Light

3W VT-2903

SKU: 1485 - 3000K Warm White 3800157642675

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 30° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180lm | Color of Fixture: | Black |
| LED Type: | COB-CREE | Dimension: | 80x80x25mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF: | >0.6 | Box Qty: | 40 Pcs |



Side Light

3W VT-2913

SKU: 1486 - 3000K Warm White 3800157644327

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 30° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180lm | Color of Fixture: | White |
| LED Type: | COB-CREE | Dimension: | 90x60x30mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF: | >0.6 | Box Qty: | 40 Pcs |



Side Light

3W VT-2943

SKU: 1487 - 3000K Warm White 3800157644334

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 30° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180lm | Color of Fixture: | Black |
| LED Type: | COB-CREE | Dimension: | 120x120x45mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF: | >0.6 | Box Qty: | 20 Pcs |



Side Light

3+6W VT-2953

SKU: 1488 - 3000K Warm White 3800157644341

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180+500lm | Color of Fixture: | White |
| LED Type: | CREE Chip | Dimension: | 300x50x35mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF: | >0.6 | Box Qty: | 30 Pcs |



Side Light

3+6W VT-2963

SKU: 1489 - 3000K Warm White 3800157644358

| | | | |
|--------------------|---------------------|-------------------|--------------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Die Cast Aluminium |
| Luminous Flux: | 180+500lm | Color of Fixture: | White |
| LED Type: | COB-CREE | Dimension: | 140x30mm |
| CRI: | >80 | Cutting Size: | N/A |
| PF: | >0.6 | Box Qty: | 30 Pcs |


Reflector Series - High Lumen

10W VT-26101

SKU: 1270 - 3000K Warm White 3800157611923
 SKU: 1271 - 4000K Day White 3800157611930
 SKU: 1272 - 6400K White 3800157611947



120
Lumen/W



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-277V,50/60Hz |
| Luminous Flux: | 1200lm |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 120° |
| Body Type: | PKW |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | Ø135x71mm |
| Cutting Size: | Ø120mm |
| Box Qty: | 27 Pcs |


Reflector Series - High Lumen

20W VT-26201

SKU: 1273 - 3000K Warm White 3800157611954
 SKU: 1274 - 4000K Day White 3800157611961
 SKU: 1275 - 6400K White 3800157611978



120
Lumen/W



| | |
|--------------------|----------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V, 50/60Hz |
| Luminous Flux: | 2400lm |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 120° |
| Body Type: | PKW |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | Ø180x83mm |
| Cutting Size: | Ø167mm |
| Box Qty: | 18 Pcs |


Reflector Series - High Lumen

30W VT-26301

SKU: 1276 - 3000K Warm White 3800157611985
 SKU: 1277 - 4000K Day White 3800157611992
 SKU: 1278 - 6400K White 3800157612005



120
Lumen/W



| | |
|--------------------|----------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:200-240V, 50/60Hz |
| Luminous Flux: | 3600lm |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|------------|
| Beam Angle: | 120° |
| Body Type: | PKW |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | Ø220x103mm |
| Cutting Size: | Ø207mm |
| Box Qty: | 12 Pcs |


Reflector Series - High Lumen

40W VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
 SKU: 1279 - 4000K Day White 3800157612012
 SKU: 1280 - 6400K White 3800157612029



120
Lumen/W




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-270V,50/60Hz |
| Luminous Flux: | 4800lm |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.9 |

| | |
|-------------------|------------|
| Beam Angle: | 120° |
| Body Type: | PKW |
| Color of Fixture: | PKW |
| Shape: | Round |
| Dimension: | Ø220x103mm |
| Cutting Size: | Ø207mm |
| Box Qty: | 12 Pcs |

Reflector Series

10W VT-2610

SKU: 1100 - 6000K White 3800230622372



| | |
|--------------------|------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux: | 730lm |
| LED Type: | COB |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 120° |
| Body Type: | PKW |
| Color of Fixture: | PKW |
| Shape: | Round |
| Dimension: | Ø135x71mm |
| Cutting Size: | Ø105mm |
| Box Qty: | 27 Pcs |

NEW


Reflector Downlight 7W VT-8407

SKU: 7610 - 3000K Warm White 3800157659369
SKU: 7611 - 4000K Day White 3800157659376
SKU: 7612 - 6000K White 3800157659383

VO fired resistance anti-uv PC, More safe & less heavy



Patented design clip system



Push & Lock
Easy assembling

50° beam angle lens, the light output is pure and focus

Efficient design for heat dissipation

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 560lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 50°

Body Type: PC


Color of Fixture: White

Shape: Round

Dimension: 91x45.7mm

Cutting Size: 75mm


Box Qty: 50 Pcs



Step Light With Sensor

SKU: 5570 - 4000K Day White 3800157617291

3W VT-8035



Sensor Compatible: **Sensor Included**

Voltage/Frequency: AC:100-240V, 50/60Hz

Luminous Flux: 100lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 45°

Body Type: Die cast Aluminum

Color of Fixture: White

Shape: Square

Dimension: 85x85x42mm


Cutting Size: 85x85mm

Box Qty: 100 Pcs

Steplight-Square

SKU: 1284 - 4000K Day White 3800157617307

3W VT-1143



Sensor Compatible: **Yes**

Voltage/Frequency: AC:85-265V,50/60Hz

Luminous Flux: 100lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 83°

Body Type: Die Cast Aluminium

Color of Fixture: White

Shape: Square

Dimension: 84x84x43mm

Cutting Size: 72x72mm

Box Qty: 100 Pcs

Steplight-Square

SKU: 1209 - 3000K Warm White 3800157600255
SKU: 1210 - 4200K Day White 3800157600262

3W VT-1109



Sensor Compatible: **Yes**

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 120lm

LED Type: COB

CRI: >80

PF: >0.5

Beam Angle: 15°

Body Type: Aluminium

Color of Fixture: White

Shape: Square

Dimension: 80x80x51mm


Cutting Size: Ø62mm

Box Qty: 100 Pcs



Steplight-Round
3W VT-1109RD

SKU: 1207 - 3000K Warm White 3800157600231
SKU: 1208 - 4200K Day White 3800157600248



| | | | |
|--------------------|---------------------|-------------------|-----------|
| Sensor Compatible: | Yes | Beam Angle: | 15° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Aluminium |
| Luminous Flux: | 120lm | Color of Fixture: | White |
| LED Type: | COB | Shape: | Round |
| CRI: | >80 | Dimension: | Ø80x51mm |
| PF: | >0.5 | Cutting Size: | Ø62mm |
| | | Box Qty: | 100 Pcs |



Steplight-Rectangle
6W VT-856-B

SKU: 8348 - 3000K Warm White 3800157633383
SKU: 8349 - 4000K Day White 3800157633390

| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Aluminium |
| Luminous Flux: | 240lm | Color of Fixture: | Black |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >70 | Dimension: | 210x65x60mm |
| PF: | >0.6 | Cutting Size: | 195x46mm |
| | | Box Qty: | 50 Pcs |



Steplight-Rectangle
6W VT-856-G

SKU: 8350 - 3000K Warm White 3800157633406
SKU: 8351 - 4000K Day White 3800157633413

| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Aluminium |
| Luminous Flux: | 240lm | Color of Fixture: | Grey |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >70 | Dimension: | 210x65x60mm |
| PF: | >0.6 | Cutting Size: | 195x46mm |
| | | Box Qty: | 50 Pcs |



Steplight-Rectangle
6W VT-856-W


SKU: 8352 - 3000K Warm White 3800157633420
SKU: 8353 - 4000K Day White 3800157633437

| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 120° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | Aluminium |
| Luminous Flux: | 240lm | Color of Fixture: | White |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >70 | Dimension: | 210x65x60mm |
| PF: | >0.6 | Cutting Size: | 195x46mm |
| | | Box Qty: | 50 Pcs |



Step Light-Rectangle-IP65
3W VT-1162-W

SKU: 1327 - 3000K Warm White 3800157620550
SKU: 1326 - 4000K Day White 3800157620543




| | | | |
|--------------------|---------------------|-------------------|-------------|
| Sensor Compatible: | Yes | Beam Angle: | 55° |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Body Type: | PC |
| Luminous Flux: | 110lm | Color of Fixture: | White |
| LED Type: | SMD | Shape: | Rectangle |
| CRI: | >80 | Dimension: | 230x80x28mm |
| PF: | >0.5 | Cutting Size: | N/A |
| | | Box Qty: | 50 Pcs |



Step Light-Rectangle-IP65

3W VT-1162-B

 SKU: 1329 - 3000K Warm White 3800157620574
 SKU: 1328 - 4000K Day White 3800157620567



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 110lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-------------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Rectangle |
| Dimension: | 230x80x28mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Rectangle-IP65

3W VT-1162-G

 SKU: 1331 - 3000K Warm White 3800157620598
 SKU: 1330 - 4000K Day White 3800157620581



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 110lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-------------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Rectangle |
| Dimension: | 230x80x28mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Round-IP65

2W VT-1142-W

 SKU: 1315 - 3000K Warm White 3800157620437
 SKU: 1314 - 4000K Day White 3800157620420



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|----------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | 150x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Round-IP65

2W VT-1142-B

 SKU: 1317 - 3000K Warm White 3800157620451
 SKU: 1316 - 4000K Day White 3800157620444



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|----------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Round |
| Dimension: | 150x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Round-IP65

2W VT-1142-G

 SKU: 1319 - 3000K Warm White 3800157620475
 SKU: 1318 - 4000K Day White 3800157620468



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|----------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Round |
| Dimension: | 150x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Square-IP65
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499
SKU: 1320 - 4000K Day White 3800157620482




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | White |
| Shape: | Square |
| Dimension: | 124x124x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Square-IP65
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512
SKU: 1322 - 4000K Day White 3800157620505




| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Square |
| Dimension: | 124x124x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light-Square-IP65
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536
SKU: 1324 - 4000K Day White 3800157620529



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 60lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 55° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Square |
| Dimension: | 124x124x27mm |
| Cutting Size: | N/A |
| Box Qty: | 50 Pcs |



Step Light - IP65
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310
SKU: 1399 - 4000K Day White 3800157628327



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Square |
| Dimension: | 151x72x154mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light - IP65
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334
SKU: 1401 - 4000K Day White 3800157628341



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Square |
| Dimension: | 151x72x154mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light - IP65
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358
SKU: 1403 - 4000K Day White 3800157628365



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|--------------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | White |
| Shape: | Square |
| Dimension: | 151x72x154mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light-Round-IP65
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Black |
| Shape: | Round |
| Dimension: | Ø166x94mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light-Round-IP65
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | Grey |
| Shape: | Round |
| Dimension: | Ø166x94mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |



Step Light-Round-IP65
3W VT-1182-W

SKU: 1408 - 3000K Warm White 3800157628419
SKU: 1409 - 4000K Day White 3800157628426



| | |
|--------------------|---------------------|
| Sensor Compatible: | Yes |
| Voltage/Frequency: | AC:100-240V,50/60Hz |
| Luminous Flux: | 210lm |
| LED Type: | SMD |
| CRI: | >80 |
| PF: | >0.5 |

| | |
|-------------------|-----------|
| Beam Angle: | 90° |
| Body Type: | PC |
| Color of Fixture: | White |
| Shape: | Round |
| Dimension: | Ø166x94mm |
| Cutting Size: | N/A |
| Box Qty: | 20 Pcs |