



**NEW**



**Infrared Sensor  
VT-8091-W**

SKU: 6606	3800157655194
Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max.200W(AC:220-240V)/100W(AC:110-130V) LED
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø76x20.2mm
Time Delay:	10sec±3sec to 7min±2min(adjustable)
Box Qty:	100 Pcs


**NEW**



**Infrared Sensor  
VT-8091-B**

SKU: 6607	3800157655200
Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max.200W(AC:220-240V)/100W(AC:110-130V) LED
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø76x20.2mm
Time Delay:	10sec±3sec to 7min±2min(adjustable)
Box Qty:	100 Pcs


**NEW**



**Infrared Sensor  
VT-8092-W**

SKU: 6608	3800157655217
Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max. 400W (LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø50x62mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	100 Pcs

**NEW**



**Infrared Sensor  
VT-8092-B**

SKU: 6609	3800157655224
Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max. 400W (LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø50x62mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	100 Pcs

**NEW**



**Infrared Sensor  
VT-8093-W**

SKU: 6611	3800157655248
Sensor Type:	Infrared
Colour:	White
Detection Range:	180°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.12m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	76x92x62.5mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs


**NEW**



**Infrared Sensor  
VT-8093-B**

SKU: 6610	3800157655231
Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.12m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	76x92x62.5mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs

**NEW**




**SPECIAL DESIGN**  
Adjustable For Corner

**Infrared Sensor  
VT-8094-W**

SKU: 6613	3800157655262
Sensor Type:	Infrared
Colour:	White
Detection Range:	240°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.10m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	125.2x71.4x72.7mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs

**NEW**



**SPECIAL DESIGN**  
Adjustable For Corner

**Infrared Sensor  
VT-8094-B**

SKU: 6612	3800157655255
Sensor Type:	Infrared
Colour:	Black
Detection Range:	240°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.10m (<24°C)
Rated Load:	Max. 600W (LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	125.2x71.4x72.7mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	50 Pcs




## Infrared Sensor

## VT-8027-W

SKU: 5086 3800157609173

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 8m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	115x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




## Infrared Sensor

## VT-8027-B

SKU: 5087 3800157609180

Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 8m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	115x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




## Infrared Sensor-Moving Head-IP44

## VT-8028-W

SKU: 5088 3800157609197

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




## Infrared Sensor-Moving Head-IP44

## VT-8028-B

SKU: 5089 3800157609203

Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




## Infrared Sensor

## VT-8029

SKU: 5090 3800157609210

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




**Infrared Sensor-Moving Head**

**VT-8030**

SKU: 5091 3800157609227



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	98x73x82mm
Rated Load:	Max 400W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 8m(<24°C)	Box Qty:	50 Pcs




**Infrared Sensor-IP44**

**VT-8003-W**

SKU: 4967 3800230625823



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.4x60.4x98mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs



**Infrared Sensor-IP44**

**VT-8003-B**

SKU: 5077 3800157606875



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.4x60.4x98mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs




**Infrared Sensor**

**VT-8004**

SKU: 4968 3800230625830



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø88x55mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 12m(<24°C)	Box Qty:	50 Pcs




**Infrared Sensor-E27**

**VT-8005**

SKU: 4982 3800157600071



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	Plastic
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	55.5x116.5mm
Rated Load:	Max 60W(LED)	Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Detection Distance:	Max. 6m(<24°C)	Box Qty:	50 Pcs



## Infrared Sensor-IP44

## VT-8048

SKU: 1354 3800157624794



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	180°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.4x86.4x60.4mm
Detection Distance:	Max. 12m(<24°C)	Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 300W(LED)X20	Box Qty:	50 Pcs



## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).


## Infrared Sensor

## VT-8049

SKU: 1355 3800157624800



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	88x55mm
Detection Distance:	Max. 12m(<24°C)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)	Box Qty:	50 Pcs



## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).


## Infrared Sensor

## VT-8051

SKU: 1356 3800157624817



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x75.6mm
Detection Distance:	Max. 6m(<24°C)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)	Box Qty:	50 Pcs



## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

## Day Light Sensor - 1-10V

## VT-8059

SKU: 1369 3800157625982




Colour:	White
Detection Range:	360°
Dimming Range:	1% - 100%
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20
Box Qty:	100 Pcs

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.


The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.




**Infrared Sensor  
VT-8083-B**

SKU:	15011	3800157641265
Sensor Type:	Infrared	
Colour:	Black	
Detection Range:	360°	
Voltage:	AC:220-240V,50/60Hz	
Detection Distance:	Max.20m(<24°C)	
Rated Load:	1000w(LED)	
Ambient Light:	<3-2000LUX (adjustable)	
Body Type:	PC	
IP Rating:	IP65	
Dimension:	86.5x172.5x56mm	
Time Delay:	Min.10sec±3sec, Max. 30min±2min	
Box Qty:	50 Pcs	




**Infrared Sensor  
VT-8083-W**

SKU:	15001	3800157641258
Sensor Type:	Infrared	
Colour:	White	
Detection Range:	360°	
Voltage:	AC:220-240V,50/60Hz	
Detection Distance:	Max.20m(<24°C)	
Rated Load:	1000w(LED)	
Ambient Light:	<3-2000LUX (adjustable)	
Body Type:	PC	
IP Rating:	IP65	
Dimension:	86.5x172.5x56mm	
Time Delay:	Min.10sec±3sec, Max. 30min±2min	
Box Qty:	50 Pcs	



**Microwave Sensor  
VT-8084-B**

SKU:	15031	3800157641289
Sensor Type:	Microwave	
Colour:	Black	
Detection Range:	180°	
Voltage:	AC:220-240V,50/60Hz	
Detection Distance:	5-15m	
Rated Load:	300w(LED)	
Ambient Light:	<3-2000LUX (adjustable)	
Body Type:	PC+Glass	
IP Rating:	IP20	
Dimension:	95x50x95mm	
Time Delay:	Min.10sec±3sec, Max. 12min±1min	
Box Qty:	50 Pcs	



**Microwave Sensor  
VT-8084-W**

SKU:	15021	3800157641272
Sensor Type:	Microwave	
Colour:	White	
Detection Range:	180°	
Voltage:	AC:220-240V,50/60Hz	
Detection Distance:	5-15m	
Rated Load:	300w(LED)	
Ambient Light:	<3-2000LUX (adjustable)	
Body Type:	PC+Glass	
IP Rating:	IP65	
Dimension:	95x50x95mm	
Time Delay:	Min.10sec±3sec, Max. 12min±1min	
Box Qty:	50 Pcs	

## Infrared-Hand Gesture Detection

## VT-8025


SKU: 5084 3800157608046



## On/Off via Moving Hand

Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Ambient Light:	
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x20.6mm
Box Qty:	100 Pcs



## Infrared-Door Detection

## VT-8026


SKU: 5085 3800157608053



## On/Off via the opening and closing of the door

Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Ambient Light:	
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x18.7mm
Box Qty:	100 Pcs



## Microwave Sensor-IP65

## VT-8036-W

SKU: 5571 3800157620246


**IP65**  
RATING

Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs



## Microwave Sensor-IP65

## VT-8036-B

SKU: 5572 3800157620253


**IP65**  
RATING

Sensor Type:	Microwave
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs



## Microwave Sensor


## VT-8018


SKU: 5078 3800157606882



Sensor Type:	Microwave
Colour:	White
Detection Range:	180° / 360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	1-8m(radius) adjustable



Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	37x25x61.5mm
Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Box Qty:	100 Pcs






**Photocell Sensor-IP44  
VT-8019**

SKU: 5081	3800157608015
Sensor Type:	Photocell
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50Hz
Rated Load:	Max 500W(LED)
Ambient Light:	<5-15LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP44
Dimension:	35.5x46x44.1mm
Time Delay:	5 sec to 8 min (adjustable)
Box Qty:	100 Pcs




**Infrared Sensor  
VT-8022**

SKU: 5082	3800157608022
Sensor Type:	Infrared
Colour:	White
Detection Range:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	3/6m(<24°C)
Rated Load:	Max 200W(LED)
Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP65
Dimension:	36.8x25.5x55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Box Qty:	100 Pcs



**Microwave Sensor  
VT-8077**

SKU: 1446	3800157634755
Sensor Type:	Microwave
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) Adjustable
Rated Load:	Max 300W(LED)
Ambient Light:	0<3-2000LUX(Adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80.7x42.1x43.8mm
Time Delay:	Min. 10sec±3sec, Max.12min±1min
Box Qty:	100 Pcs



**Microwave Sensor  
VT-8023**

SKU: 5083	3800157608039
Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5m-15m(adjustable)
Rated Load:	Max 300W(LED)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80x80x32mm
Time Delay:	10 sec to 12 min (adjustable)
Box Qty:	100 Pcs