

LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these Wall Lamps.



Product Features

- Modern Wall lights available in sleek and stylish designs.
- Adjustable Beam Angle.
- Available in Black, Grey & White Colors
- Easy installation
- Perfect for Halls, Pathways, Bedroom, Kitchen & Terrace

Applications

Suitable for Residential lighting, Hotels, Restaurants, Resorts, Residential Lighting and similar environment



White

SKU: 8316 - 3000K Warm White 3800157632270
 SKU: 8317 - 4000K Day White 3800157632287
 SKU: 8318 - 5000K White 3800157632294

Black

SKU: 8322 - 3000K Warm White 3800157632331
 SKU: 8323 - 4000K Day White 3800157632348
 SKU: 8324 - 5000K White 3800157632355

Grey

SKU: 8319 - 3000K Warm White 3800157632300
 SKU: 8320 - 4000K Day White 3800157632317
 SKU: 8321 - 5000K White 3800157632324


new!

Wall Lights
10w VT-830

Box Qty.
8Pcs

IP65 RATING

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	72°
Luminous Flux:	450lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	108x250mm
CRI:	>80		





new!


Wall Lights
10w VT-820

Box Qty.
4Pcs

IP65
RATING

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **450lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **72°**
Body Type: **Aluminium**
Dimension: **108x800mm**






new!


Wall Lights
12w VT-822

Box Qty.
20Pcs

IP65
 RATING

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	140°
Luminous Flux:	750lm	Body Type:	PC
IP Rating:	IP65	Dimension:	130x160mm
CRI:	>80		






Square-IP65

4W VT-704

 Box Qty.
20Pcs
IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 440lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 360°
 Body Type: Aluminium+Acrylic
 Dimension: 150x150x50mm





Black

SKU: 8215 - 3000K Warm White 3800157623322
 SKU: 8216 - 4000K Day White 3800157623339

White

SKU: 8213 - 3000K Warm White 3800157623308
 SKU: 8214 - 4000K Day White 3800157623315

Round-IP65


4W

VT-706

 Box Qty.
20Pcs



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	440lm	Body Type:	Aluminium+Acrylic
IP Rating:	IP65	Dimension:	150x50mm
CRI:	>80		



White

SKU: 8280 - 3000K Warm White 3800157629744
 SKU: 8281 - 4000K Day White 3800157629751

Black

SKU: 8282 - 3000K Warm White 3800157629768
 SKU: 8283 - 4000K Day White 3800157629775

Grey

SKU: 8284 - 3000K Warm White 3800157629782
 SKU: 8285 - 4000K Day White 3800157629799

Modern Wall Lights

5w


VT-825

Box Qty.
20Pcs

IP65
RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 550lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 120°
 Body Type: Aluminium
 Dimension: 170x170x75mm





White

SKU: 8295 - 3000K Warm White 3800157629898
 SKU: 8296 - 4000K Day White 3800157629904

Grey

SKU: 8299 - 3000K Warm White 3800157629935
 SKU: 8300 - 4000K Day White 3800157629942

Black

SKU: 8297 - 3000K Warm White 3800157629911
 SKU: 8298 - 4000K Day White 3800157629928


Triangle Light

6W VT-826

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	15/120°
Luminous Flux:	660lm	Body Type:	
IP Rating:	IP65	Dimension:	Aluminium
CRI:	>80		





Black

SKU: 8288 - 3000K Warm White 3800157629829
 SKU: 8289 - 4000K Day White 3800157629836

White

SKU: 8286 - 3000K Warm White 3800157629805
 SKU: 8287 - 4000K Day White 3800157629812

Grey

SKU: 8290 - 3000K Warm White 3800157629843
 SKU: 8291 - 4000K Day White 3800157629850

Single Head-Rotatable

6W


VT-816

Box Qty.
20Pcs

IP65
RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 660lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 350°
 Body Type: Aluminium
 Dimension: 110x54x97mm





Black

SKU: 7078 - 3000K Warm White 3800157616379
 SKU: 7087 - 4000K Day White 3800157616874

White

SKU: 7079 - 3000K Warm White 3800157616386
 SKU: 7088 - 4000K Day White 3800157616881

Grey

SKU: 7080 - 3000K Warm White 3800157616393
 SKU: 7089 - 4000K Day White 3800157616898


Square-Bridgelux

6W VT-759

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	100x100x100mm
CRI:	>80		





Black

SKU: 7081 - 3000K Warm White 3800157616409
 SKU: 7090 - 4000K Day White 3800157616904

White

SKU: 7082 - 3000K Warm White 3800157616416
 SKU: 7091 - 4000K Day White 3800157616911

Grey

SKU: 7083 - 3000K Warm White 3800157616423
 SKU: 7092 - 4000K Day White 3800157616928

Round-Bridgelux


6W VT-756

Box Qty.
20Pcs

IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 660lm
 IP Rating: IP65
 CRI: >80

PF: >0.45
 Beam Angle: 120°
 Body Type: Aluminium
 Dimension: 140x115x100mm





Grey

SKU: 8305 - 3000K Warm White 3800157629997
 SKU: 8306 - 4000K Day White 3800157630009

Black

SKU: 8303 - 3000K Warm White 3800157629973
 SKU: 8304 - 4000K Day White 3800157629980

White

SKU: 8301 - 3000K Warm White 3800157629959
 SKU: 8302 - 4000K Day White 3800157629966


Round Light

6W VT-836

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	112x112x93mm
CRI:	>80		





Black

SKU: 8219 - 3000K Warm White 3800157623360
 SKU: 8220 - 4000K Day White 3800157623377

White

SKU: 8217 - 3000K Warm White 3800157623346
 SKU: 8218 - 4000K Day White 3800157623353


Ceiling-Blade Lights

7W

VT-707

Box Qty.
20Pcs

IP65
RATING



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 770lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 360°
 Body Type: Aluminium
 Dimension: 110x120x170mm



Round-Bridgelux


6W VT-741

Box Qty.
20Pcs

SKU: 7524 - 3000K Warm White 3800157620017
SKU: 7525 - 4000K Day White 3800157620024

IP65
RATING

Sensor Compatible:	Yes	PF:	>0.55
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	Ø135mm
CRI:	>80		



Round-Bridgelux


9W VT-743

Box Qty.
20Pcs

SKU: 7526 - 3000K Warm White 3800157620031
SKU: 7527 - 4000K Day White 3800157620048

IP65
RATING

Sensor Compatible:	Yes	PF:	>0.55
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	990lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	Ø180mm
CRI:	>80		






Up-Down Light-Medium

9w

VT-8056

 Box Qty.
20Pcs

SKU: 8239 - 3000K Warm White 3800157625791
 SKU: 8240 - 4000K Day White 3800157625807
 SKU: 8241 - 6400K White 3800157625814



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	400lm	Body Type:	PC
IP Rating:	IP65	Dimension:	173x81x46mm
CRI:	>80		




Up-Down Light-Large

12w

VT-8057

 Box Qty.
20Pcs

SKU: 8242 - 3000K Warm White 3800157625821
 SKU: 8243 - 4000K Day White 3800157625838
 SKU: 8244 - 6400K White 3800157625845



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	92°
Luminous Flux:	600lm	Body Type:	PC
IP Rating:	IP65	Dimension:	230x100x90mm
CRI:	>80		




Double Head-Rotatable

12w VT-814

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	350°
Luminous Flux:	1320lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	230x54x97mm
CRI:	>80		






Softlight-Bulkhead

12w VT-8058

 Box Qty.
20Pcs

SKU: 8245 - 3000K Warm White 3800157625852
 SKU: 8246 - 4000K Day White 3800157625869
 SKU: 8247 - 6400K White 3800157625876

 **IP65**
RATING


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	130°
Luminous Flux:	500lm	Body Type:	PC
IP Rating:	IP65	Dimension:	230x110x76mm
CRI:	>80		




Landscape-Soft Light-Medium

12w VT-8054

Box Qty.
20Pcs

SKU: 8233 - 3000K Warm White 3800157625739
SKU: 8234 - 4000K Day White 3800157625746
SKU: 8235 - 6400K White 3800157625753



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	600lm	Body Type:	PC
IP Rating:	IP65	Dimension:	265x120x81mm
CRI:	>80		




Landscape-Soft Light-Large

20w VT-8055

Box Qty.
20Pcs

SKU: 8236 - 3000K Warm White 3800157625760
SKU: 8238 - 6400K White 3800157625784



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	1000lm	Body Type:	PC
IP Rating:	IP65	Dimension:	319x170x114mm
CRI:	>80		

INDOOR WALL LIGHTS




Wall Lights

5W VT-705

Box Qty.
20Pcs

SKU: 8208 - 3000K Warm White
SKU: 8232 - 4000K Day White

3800157623254
3800157624756



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	150°
Luminous Flux:	550lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	175x80x96mm
CRI:	>80		



White

SKU: 8344 - 3000K Warm White
SKU: 8345 - 4000K Day White

3800157633000
3800157633017

Black

SKU: 8346 - 3000K Warm White
SKU: 8347 - 4000K Day White

3800157633024
3800157633031

new!

Square-Bridgelux

3W

VT-803

Box Qty.
20Pcs

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:110-240V,50/60Hz**

Luminous Flux: **300lm**

IP Rating: **IP20**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**


Body Type: **Iron**

Dimension: **220x80x200mm**

Rotatable-360-White

5W

VT-757

Box Qty.
20Pcs

SKU: 7086 - 3000K Warm White 3800157616454
SKU: 7093 - 4000K Day White 3800157616935

Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	10-360°
Luminous Flux:	560lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	140x105x140mm
CRI:	>80		





White

SKU: 8225 - 3000K Warm White
SKU: 8226 - 4000K Day White

3800157623421
3800157623438

Black

SKU: 8227 - 3000K Warm White
SKU: 8228 - 4000K Day White

3800157623445
3800157623452

Modern Wall Lights

9w

VT-710

 Box Qty. **20Pcs**

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **990lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **360°**

Body Type: **Aluminium+Acrylic**

Dimension: **210x80mm**





White

SKU: 8221 - 3000K Warm White 3800157623384
 SKU: 8222 - 4000K Day White 3800157623391




Black

SKU: 8223 - 3000K Warm White 3800157623407
 SKU: 8224 - 4000K Day White 3800157623414

Modern Wall Lights

9w VT-709

Box Qty.
10Pcs



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **990lm**
 IP Rating: **IP20**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **360°**
 Body Type: **Aluminium**
 Dimension: **440x335x75mm**



White

SKU: 8307 - 3000K Warm White 3800157630016
SKU: 8308 - 4000K Day White 3800157630023


Black

SKU: 8309 - 3000K Warm White 3800157630030
SKU: 8310 - 4000K Day White 3800157630047

Modern Wall Lights

10w VT-811

 Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	1100lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	300x215x60mm
CRI:	>80		



Grey

SKU: 8206 - 3000K Warm White 3800157623230
SKU: 8207 - 4000K Day White 3800157623247



White

SKU: 8202 - 3000K Warm White 3800157623193
SKU: 8203 - 4000K Day White 3800157623209




Black

SKU: 8204 - 3000K Warm White 3800157623216
SKU: 8205 - 4000K Day White 3800157623223

Modern Wall Lights

12w VT-712

 Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **260x125x55mm**




Single Head

4.5w VT-805-W

Box Qty.
12Pcs

SKU: 8262 - 3000K Warm White
SKU: 8264 - 4000K Day White

3800157627122
3800157627146



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80		




Single Head

4.5w VT-805-B

Box Qty.
12Pcs

SKU: 8263 - 3000K Warm White
SKU: 8265 - 4000K Day White

3800157627139
3800157627153



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80		



Double Head


9w **VT-810-W**
 Box Qty.
12Pcs

SKU: 8266 - 3000K Warm White
SKU: 8268 - 4000K Day White

3800157627160
3800157627184

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**



Double Head


9w **VT-810-B**
 Box Qty.
12Pcs

SKU: 8267 - 3000K Warm White
SKU: 8269 - 4000K Day White

3800157627177
3800157627191

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**






Tripple Head

13.5w VT-813-W

Box Qty.
12Pcs

SKU: 8270 - 3000K Warm White
SKU: 8272 - 4000K Day White

3800157627207
3800157627221



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	1080lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	600x100x94mm
CRI:	>80		




Tripple Head

13.5w VT-813-B

Box Qty.
12Pcs

SKU: 8271 - 3000K Warm White
SKU: 8273 - 4000K Day White

3800157627214
3800157627238



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	1080lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	600x100x94mm
CRI:	>80		



Single Head


6W

VT-806-W

 Box Qty.
24Pcs

SKU: 8250 - 3000K Warm White
SKU: 8252 - 4000K Day White

3800157627009
3800157627023



Sensor Compatible:	Yes	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	480lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x93mm
CRI:	>80		



Single Head


6W

VT-806-B

 Box Qty.
24Pcs

SKU: 8251 - 3000K Warm White
SKU: 8253 - 4000K Day White

3800157627016
3800157627030



Sensor Compatible:	Yes	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	480lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x93mm
CRI:	>80		



Double Head


12w VT-812-W

Box Qty. **12Pcs**

SKU: 8254 - 3000K Warm White
SKU: 8256 - 4000K Day White

3800157627047
3800157627061

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	960lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	405x100x93mm
CRI:	>80		



Double Head


12w VT-812-B

Box Qty. **12Pcs**

SKU: 8255 - 3000K Warm White
SKU: 8257 - 4000K Day White

3800157627054
3800157627078

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	960lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	405x100x93mm
CRI:	>80		






Tripple Head

18w VT-818-W

 Box Qty.
12Pcs

 SKU: 8258 - 3000K Warm White
 SKU: 8260 - 4000K Day White


 3800157627085
 3800157627108
Sensor Compatible: **Yes**PF: **>0.5**Voltage/Frequency: **AC:220-240V,50/60Hz**Beam Angle: **100°**Luminous Flux: **1440lm**Body Type: **Plastic+Metal**IP Rating: **IP20**Dimension: **605x100x93mm**CRI: **>80**

Tripple Head

18w VT-818-B

 Box Qty.
12Pcs

 SKU: 8259 - 3000K Warm White
 SKU: 8261 - 4000K Day White

 3800157627092
 3800157627115
Sensor Compatible: **Yes**PF: **>0.5**Voltage/Frequency: **AC:220-240V,50/60Hz**Beam Angle: **100°**Luminous Flux: **1440lm**Body Type: **Plastic+Metal**IP Rating: **IP20**Dimension: **605x100x93mm**CRI: **>80**

